

CITY of NOVI CITY COUNCIL.

Agenda Item H September 10, 2007

SUBJECT: Approval to award the 2007 Chip Seal Maintenance Contract to Highway Maintenance Construction in the amount of \$ 44,878.50.

SUBMITTING DEPARTMENT: Public Works

CITY MANAGER APPROVAL: PWA for CTP

EXPENDITURE REQUIRED	\$ 44,878.50
AMOUNT BUDGETED	\$ 20,000.00
LINE ITEM NUMBER	204-204-00-866.000 (Municipal Street Fund)

BACKGROUND INFORMATION:

We received three quotes for the City's 2007 Chip Seal Program. Highway Maintenance Construction was the low qualified bidder and is an MDOT certified contractor. They have been the successful bidder for the past three years and we have been pleased with their performance and quality of work.

Contractor	Bid
Highway Maintenance Construction	\$ 44,878.50
Pavement Maintenance Systems	\$ 46,037.00
A & R Sealcoating, Inc.	\$ 46,106.80

We typically investigate chip sealed projects every three years following the original application. The following streets are scheduled for chip seal maintenance during the last two weeks of September.

Proposed Streets	Chip Seal Program Year	Length	Width	Square Yards		
		(Linear Feet)		Single	<u>Double</u>	
Burton	2004-2005	1,255	21		2,928	
Joseph	2004-2005	1,175	21		2,742	
Brenda Lane	2004-2005	315	21	735	·	
Paramount	2004-2005	1,050	20		2,333	
Crown	2004-2005	300	21		700	
Shawood	2004-2005	500	20	1,111		
Parklow	2004-2005	218	20	484		
Monticello	2004-2005	488	18	976		
Herman	2004-2005	508	17	960		
Lashbrook	2004-2005	220	21		513	
Pleasant Cove	2004-2005	250	21		583	
Sixth Gate		252	20		560	
Eubank	2005-2006	800	15		1,333	
Pickford	2005-2006	924	20	2,053		
Penhill	2005-2006	840	20	1,867		
Total		9,095 (1.7 miles)		8,186	11,692	

Throughout the year, we will monitor the Municipal Street Fund maintenance accounts to look for means to offset the additional chip seal costs. If needed, we will seek a budget amendment in the 4th quarter.

RECOMMENDED ACTION:

Approval to award the 2007 Chip Seal Maintenance Contract to Highway Maintenance Construction in the amount of \$ 44,878.50.

	1	2	Υ	N
Mayor Landry				
Mayor Pro Tem Capello				
Council Member Gatt				
Council Member Margolis				

	1	2	Υ	N
Council Member Mutch				
Council Member Nagy				
Council Member Paul				



(734) 941-8885

Fax (734) 941-8962 P.O. Box 74411 Romulus, MI 48174-0411

August 27, 2007

Mr.William McCusker, Director City of Novi 26300 Delwal Novi, MI 48375-3024

Subject: Quote for 2007 Chipseal Maintenance Program

Dear Benny,

We have looked at your list and put together the following proposal to maintain your chipseal streets.

- 1. We will patch the list of streets you supplied with a RA-200 seal patch machine using HF-RS2 asphalt emulsion and 2% latex and H-1 limestone aggregate. The cost to supply (3)men, machine, traffic control and materials is \$2,750.00 per 8 hour day. We would be able to load the emulsion in your machine for \$1.75 per gallon if you would like to have your crews work at the same time. We estimate it will take two days to patch the areas you specified for a cost of \$5,500.00.
- 2. We will apply a single and double chipseal repair to the streets listed using a CM-90 multi grade asphalt and 29a limestone aggregate. This is a new "hot" 270 degree material that has no water so there is no need for dry weather to drive off the water as in an emulsion. We have used this material with excellent results in terms of stone retention and minimal stone kickoff.

The cost for your requested chipseal repairs dated August 20, is as follows:

Single Chipseal-

8,200 sq.yds at \$1.41/sq.yd= \$11,562.00

Double Chipseal-

11,690 sq.yds at \$2.85/sq.yd= \$33,316.50

Total for Chipseal Repairs-

\$44,878.50

We hope this proposal meets with your approval. We value your work but have had to raise our prices due to large increases in material and fuel costs.

Please feel free to call with any questions.

Sincerely,

Jeffrey S. Demek, P.E.

President



Pavement Maintenance Systems, Inc.

384 Industrial Parkway • Imlay City, MI 48444 (810) 724-4767



August 26, 2007

Mr.William McCusker, Director City of Novi 26300 Delwal Novi, MI 48375-3024

REF: 2007 Chipseal Maintenance Quote

Mr McCusker.

The following is our Quote for your requested work.

1. We will patch the list of streets you supplied with a AMZ patch machine using: HF-RS2 asphalt emulsion with 2% latex H-1 limestone aggregate.

The cost for (3)men, machine, traffic control and materials is \$2,895.00 per day.

2. We will apply a single and double chipseal repair to the streets listed using: HR-RS2m asphalt emulion at 0.39 gal/square yd. per application 29a Slag aggregate at 23 lbs per square/yd per application

The cost to apply chipseal per your attached August 20 list is:

Single Chipseal- 8200 square yds. @ \$1.48/sy= \$12136.00 Double Chipseal- 11690 square yds @ \$2.90/sy= \$33901.00 \$46037.00

Thank you for your request to bid.

Sincerely,

Ed Schwikert President

S& Sahn



A & R Sealcoating, Inc.

Asphalt Repair, Asphalt Curbing, & Hot Rubber Crackfilling

August 28, 2007

Mr.William McCusker, Director City of Novi 26300 Delwal Novi, MI 48375-3024

Quote for 2007 Chipseal Maintenance

Mr McCusker,

The submit the following Quote for your requested work.

Patching:

We will patch the list of streets you supplied with a AMZ patch machine using: HF-RS2 asphalt emulsion with 2% latex
And H-1 limestone aggregate.

The cost for (3)men, machine, traffic control and materials is \$3025.00 per day.

Chipseal:

We will apply a single and double chipseal repair to the August 20 street list using: HR-RS2m asphalt emulion at 0.39 gal/square yd. per application and 29a limestone at 23 lbs per square/yd per application.

Single Chipseal- 8200 square yds. @ \$1.46/sy= \$11972.00 Double Chipseal- 11690 square yds @ \$2.92/sy= \$34134.80 \$46106.80

Please feel free to call with any questions.

6

Sincerely,

Eugene Goss Operations Manager


City of Novi - Chip Seal Repairs Fall 2007 Burton





CITY OF NOVI


DEPARTMENT OF PUBLIC WORKS & DEPARTMENTS OF WATER & SEWER NOVI CITY DPW OFFICES 26300 DELWAL NOVI, MI 48375 (248) 735-5640 WWW.cityofnovi.org



MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and should not be construed as survey measurements performed by a licensed Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy in formation related to this man. confirm source and accuracy information related to this map.

City of Novi - Chip Seal Repairs Fall 2007 Joseph and Brenda






CITY OF NOVI

DEPARTMENT OF PUBLIC WORKS & DEPARTMENTS OF WATER & SEWER NOVI CITY DPW OFFICES 26300 DELWAL NOVI, MI 48375 (248) 735-5640

WWW.cityofnovi.org



MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and should not be construed as survey measurements performed by a licensed Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to this map

City of Novi - Chip Seal Repairs Fall 2007


Paramount, Monticello, Herman, Parklow and Lashbrook





CITY OF NOVI

DEPARTMENT OF PUBLIC WORKS &
DEPARTMENTS OF WATER & SEWER
NOVI CITY DPW OFFICES
26300 DELWAL
NOVI, MI 48375
(248) 735-5640
WWW.CL.NOVI.MI.US



MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and should not be construed as survey measurements performed by a licensed Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to this map

City of Novi - Chip Seal Repairs Fall 2007

Pleasent Cove, Shawood and Crown





CITY OF NOVI

DEPARTMENT OF PUBLIC WORKS & DEPARTMENTS OF WATER & SEWER NOVI CITY DPW OFFICES 26300 DELWAL NOVI, MI 48375 (248) 735-5640 WWW.cityofnovi.org



Map Print Date: August 30, 2007 Map Author: Jeff Van Curler

FEET I INCH EQUALS 132 FEET

MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi.

Boundary measurements and area calculations are approximate and Schould not be construed as survey measurements performed by Rensed Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to

City of Novi - Chip Seal Repairs Fall 2007 Eubank





CITY OF NOVI

DEPARTMENT OF PUBLIC WORKS & DEPARTMENTS OF WATER & NEWER NOVI CITY DPW OFFICES 26300 DELWAL NOVI, MI 48375 (248) 735-5640 WWW.cityofnovi.org



Map Print Date: August 30, 2007 Map Author: Jeff Van Curler

FEET LINCH EQUALS 98 FEET

MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and the control of source was resulted as survey measurements performed by adZGhould not be construed as survey measurements performed by Henry Markensed Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to this map.

City of Novi - Chip Seal Repairs Fall 2007 Sixth Gate





CITY OF NOVI

DEPARTMENT OF PUBLIC WORKS & DEPARTMENTS OF WATER & SEWER NOVI CITY DPW OFFICES 26300 DELWAL NOVI, MI 48375 (248) 735-5640 WWW.cityofnovi.org



Map Print Date: August 30, 2007 Map Author: Jeff Van Curler

FEET 1 INCH EQUALS 95 FEET

MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and 370Mid to the constituted as purpose pressurements performed by and \$16041d not be construed as survey measurements performed by a licented Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to this map.

City of Novi - Chip Seal Repairs Fall 2007

Penhill and Pickford





CITY OF NOVI

DEPARTMENT OF PUBLIC WORKS & DEPARTMENTS OF WATER & SEWER NOVI CITY DPW OFFICES 26300 DELWAL NOVI, MI 48375 (248) 735-5640 WWW.cityofnovi.org



Map Print Date: August 30, 2007 Map Author: Jeff Van Curler

FEET 1 INCH EQUALS 163 FEET

MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet any official of primary source. Into may ass intended to freet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate am55thould not be construed as survey measurements performed by a tree measurements performed by a tree measurement sperformed by a tree measurement sperf of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to this map.