# CIIY OF

## CITY of NOVI CITY COUNCIL

Agenda Item 2 April 19, 2010

cityofnovi.org

SUBJECT: Approval to award a contract for fabrication and installation of signage to complete the City of Novi Exterior Welcome Signage project, including six entryway signs, six Civic Center campus wayfinding signs, a Department of Public Services wayfinding sign, an Ice Arena sign and fascia for building sign, and a Meadowbrook Commons/Novi Senior Center sign for a total of \$59,132 (before \$5,428 developer contribution) and six Parks entryway signs for \$13,305 to the Beacon Sign Company, the low bidder, for a combined total of \$72.437.

**SUBMITTING DEPARTMENT:** Neighborhood and Business Relations

CITY MANAGER APPROVAL:

AMOUNT BUDGETED	\$95,131 General Fund (remains for signs, electrical & landscape) \$30,469 Parks Fund
APPROPRIATION REQUIRED	N/A
LINE ITEM NUMBER	101-265.00-971.200 (\$59,132 General Fund) 208-691.00-974.085 (\$13,305 Parks Fund)

#### **BACKGROUND INFORMATION:**

The FY 2009/2010 Budget includes approved funding for the **completion** of the entryway signage, parks signage, and the way finding project. In total, \$125,600 remains available in the budget, \$95,131 in the General Fund and \$30,469 in the Parks Fund.

Monument signs (6') are proposed at the following locations:

- Thirteen Mile and Haggerty Roads
- Ten Mile and Haggerty Roads
- Grand River Avenue and Wixom Road
- · Eight Mile and Beck Roads
- West Park Drive and Pontiac Trail
- Fourteen Mile and Novi Roads (to be reimbursed by the developer)

Wayfinding signage is proposed on the Civic Center Campus, Department of Public Services Complex, the Novi Ice Arena, and Meadowbrook Commons. The total for completion of these signs is \$59,132. The \$5,428 cost for the entryway sign at Fourteen Mile and Novi Roads will be reimbursed to the City of Novi by the developer. Electrical connectivity and landscaping are not including in this contract. These components are being provided by Great Lakes Power and Lighting, the City's electrical contractor, and the Green Meadows Lawnscape, Inc., the City's building and grounds landscaping contractor.

New park signage is proposed at Power Park, Lakeshore Park, Brookfarm Park, Rotary Park, and Orchard Hills West. The total cost for completion of the Park signs is \$13,305.

On February 26, 2010, the City of Novi placed an Invitation to Bid on Bid Net for all proposed remaining signage. Nine qualified bids were received (10 were received, but one was not complete and deemed invalid). A complete tabulation sheet is attached.

After reviewing all proposals and calling references, a phone interview was conducted with the Beacon Sign Company, the low bidder. The \$72,437 bid includes \$5,428 for the entryway sign at Fourteen Mile and Novi Roads which will be reimbursed by the developer. The Beacon Sign Company has performed work for the Ann Arbor Downtown Development Authority, as well as several private organizations, and is confident they can meet the targeted completion date for installation of all signs by June 30, 2010.

RECOMMENDED ACTION: Approval to award a contract for fabrication and installation of signage to complete the City of Novi Exterior Welcome Signage project, including six entryway signs, six Civic Center campus wayfinding signs, a Department of Public Services wayfinding sign, an Ice Arena sign and fascia for building sign, and a Meadowbrook Commons/Novi Senior Center sign for a total of \$59,132 (before \$5,428 developer contribution) and six Parks entryway signs for \$13,305 to the Beacon Sign Company, the low bidder, for a combined total of \$72,437.

	1	2	Y	IN
Mayor Landry				
Mayor Pro Tem Gatt				
Council Member Crawford				
Council Member Fischer				

	1	2	Υ	N
Council Member Margolis				_
Council Member Mutch				
Council Member Staudt				

id-AMANAYO Pid-	1 33 33		SIGN	A	Lists managed and a second		aignisigns		in the second second	- Internation			APHIX, INC		ON SIGN		N SIGN		CITY SIGN	Andrew word from the Chineses	digilist design.
	Quantity	Unit cost	Total	Unit cost	Total	Unit cost	Total	Unit cost	Total	Unit cost	Total	Unit cost	Total	Unit cost	Tatal	Unit cost	Total	Unit cost	Total	Unit cost	Total
BASE BID			0.00			- A 500								5 (4)					100		
Sign Type A	5	\$ 6,212	\$ 31,059	₹ 4,954	\$ 24,770	\$ 6,074	5 30,370	\$ 5,458	\$ 27,290	\$4,250	\$ 21.250	56,779	5 33,895	\$ 6,419	\$ 32,094	34,613	\$ 23,065	\$ 3.551		\$ 3.280	\$ 16,400
Sign Type B	2	5,392	10,783	4,354	8,708	5,508	11.016	3,404	6,808	2,500	5,800	4,269	8,538	6,463	12.925	3,216	6,432	4,171	8,342	2,780	5,560
Sign Type C	4	3,605	14,423	3,442	13,768	4,250	17,040	2.754	11.016	1,750	7.000	3,069	12,276	5,656	22,522	2,680	10.720	2.680	10,720	2,750	11,000
Installation materials	1	3,060	3,080	1.485	1,485	3,380	3,300	450	450	*	*	700	700	320	320	8,240	8,240	693	593		-
Delivery & Installation	. 1	9,568	9,568	9,384	9,384	12,600.	12,500	3,400	3,400	10.163	10,163	6,830	\$,830	5,841	6,841	<b>5,760</b>	5,760	7,434	7,434	12,500	12,500
Total Base Bid		58,894	68,694	58,115	58,115	74,326	74,326	48,964	4B,954	44,213	44,213	64,239	64,239	74,803	74,803	54,217	54,217	- HARMING PROPERTY OF THE PARTY	46,144	45,460	45,460
ALTERNATE #1- Entryway	<u> </u>		2		11 12 12 10 10 11			2 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	N 25 (4.8)					W W W		47.77 F					E Trades
Sign Type A	1	6,212	6,212	4,954	4,954	6,074	6.074	5.45B	5,458	4,250	4,250	7.998	7,998	6,405	6,405	4,856	4,856	3,385	3,885	3,200	3,200
Installation Materials	1	398	398	135	135	300	300	100	100	-		75	75	40	40	515	515	G3	63	-	-
Delivery & Installation	1	1,206	1,205	864	854	1,100	1,100	750	750	1,178	1,178	1,790	1,790	800	800	729	720	963	.963	2.300	2,300
Total Alternate #1		7,815	7.816	5.953	5,953	7,474	7,474	6.30B	6.308	5,428	5,428	9,803	9,863	7.245	7,245	160,3	6,091		5,111	5,500	5,500
ALTERNATE #2 - Parks		<b>新生物的</b>			in in the second	2				對解機				SAME STATE							總計為數數
Sign Type D	- 6	1,531	9,186	2,248	13,488	5,365	32,196	1,854	11,124	1,650	9,900	2,959	17,754	2,782	16,690	2.128	12,768	2,081	12,486	1,530.	9,180
Installation Materials	11	2,505	2,505	810	810	1,800	1,800	250	250	*	-	350	350	240	240	8,180	6,180.	378	378	-	
Delivery & Installation	1	2,143	2,143	4,454	4.464	6,500	6,600	1,200	1,200	3,405	3,405	9,350	9,350	2.753	2,753	4,320	4,320	7,350	7,350	4,500	4,500
Total Alternate #2		13.833	13.833	18,762	18,762	40,595	40,595	12,574	12,574	13,305	13,305	27.454	27,454	19.683	19,683	23,268	23,268		20,964	13,680	13,580
ALTERNATE #3 - DPS		100	11.0			100	400				T.							3 (8 HL) (8 H)	60,000		
Sign Type D	1	1,531	1,531	2,248	2.248	5.366	5,366	1,854	1,854	1,650	1,650	2.987	2,987	2,782	2,782	2,263	2,263	2,290	2,290	1,630	1,630
Installation Materials	1	418	418	135	135	300	300	. 75	75		- 1	75	75	40	40	1,030	1,030	63	63	-	
Delivery & Installation	1	646	646	744	744	1,100	1,100	300	300	658	668	1,575	1.575	459	459	720	720	1,225	1,225	850.	850
Total Alternate #3		2,595	2,595	1172	3,127	6,766	6,766	2,229	2,229	2,318	2.318	4,637	4,637	3.281	3,281	4,013	4,013.	1	3,778	2,480	2,480
ALTERNATE #4 - Senior C	ל.						1011017				<b>10</b> He 10					HEAT WE			AMERICAN PROPERTY		
Replacement Panel	1.	1,607	1,607	550	550	4,238	4,238	1,888	1,898	2,400	2,400	2,795	2,796	2,219	2,219	2,750	2,750	1,850	1.850	710	710
Installation Materials	,	31	31	-	-	150	150	25	25		-	**	35		-	50	50	-			-
Delivery & Installation	Ť.	700	700	300	300	300	300	250	250	705	705	480	480	982	982	360	360	. 511	511	550	550
Total Alternate #4		2,338	2:338	850	850	4.688	4,688	2,173	2,173	3,105	3,105	3.311	3,311	3,201	3,201	3,160	3,160		2,561	1,260	1,260
ALTERNATE #5-ice Arena				<b>使低级的</b>	445			ARCHIO					in .		<b>国政政政</b> 政制制	的推炼的				<b>FELLOWISH</b>	Rest Set Line
Sign Type D	1	1,531	1,531	2,248	2.248	5,366	5,366	1,854	1,854	1,650	1.650	2.897	2.897	2.782	2,782	2,263	2,263	2,290	2,290	1,985	1,995
Replacement Cover Fascia		1,424	1,424	679	679	1,584	1.584	1,421	1,421	1,550	1,550	1,379	1,379	1.435	1.435	960	960	1,163	1,163		-
Installation Materials	1	393	393	135	135	525	525	50	50.	~	*	95	95	40	.40	1,208	1,205	63	63	-	-
Delivery & Installation	1	1,120	1,120	1,104	1,104	1,600	1,600	450	450	868	868	1,260	1,260	910	910	990	990	1,454	1,454	1,000	1,000
Total Alternate #5	Distriction of Advanced in	4,468	4.468	4,166	4,166	9,075	9.075	3,775	3,775	4,06B	4,058	5,631	5.631	5,168	5,168	5,419	5.419		5,270	2,995	2,995
ALTERNATE #6-Library		100				9	2.29					**	2 1 N 2 2	100		1000			4.1	19. at 12.	1000
Sign Type C	4	3,608	14,423	3,442	13,758	4,260	17,040	2,754	11,016	1,750	7,000	3,096	12,392	5,643	22,573	2,780	11,120	2,680	10,720		•
Single Sided Sign	3	2.308	6,923	3,150	9,450	4,060	12,180	2,354	7,062	2.700	8,100	2.732	9.19G	4,985	14,958	2,439	7,317	2,215	6,645		•
Installation Materials	1	1,339	1,339	945	945	2,100	2,100	325	325			225	225	80		3,605	3,505	441	.441		-
Delivery & Installation	1.	5.153	5.153	5.208	5,208	7,700	7,700	1,550	1,550	5,985	5,985	4,045	4.045	3,375	3,375	2,520	2,520	4,137	4,137		*
Total Alternate #6		27,838	27.838	29,371	29,371	39,020	39.020	19,953	19,953	21,085	21,085	24,858	24.858	40,986	40,986	24,552	24,562		22,717		
					- 1 vil						A				42 (12 Feb. 8)				L		- 16
TOTAL BASE BID + ALL ALTERNATES			\$ 127.781		\$120,344		\$ 181,945		\$95,976	[	\$ 93,520	V	\$ 139,993		\$ 154. <u>365</u>		\$120,730		\$ 106.545		\$ 71,375

Mathematical - transposition error corrected
Adopt did not include Aliemate 56 for the Library
Total, so read, includes Permit fees as noted on the bid (additional costs range from \$200 to \$1,200 for each sign type category...





# NOTICE - CITY OF NOVI

# EXTERIOR WELCOME & WAYFINDING SIGNAGE – FABRICATION & INSTALLATION

The City of Novi will receive sealed bids for Exterior Welcome & Wayfinding Signage – Fabrication & Installation according to the specifications of the City of Novi.

Sealed bids will be received until 3:00 P.M. prevailing Eastern Time, Monday, March 22, 2010 at which time bids will be opened and read. Bids shall be addressed as follows:

### CITY OF NOVI CITY CLERK'S OFFICE 45175 W. Ten Mile Rd. Novi, MI 48375-3024

All bids must be signed by a legally authorized agent of the bidding firm. ENVELOPES MUST BE PLAINLY MARKED

# "EXTERIOR WELCOME & WAYFINDING SIGNAGE – FABRICATION & INSTALLATION"

AND MUST BEAR THE NAME OF THE BIDDER.

The City reserves the right to accept any or all alternative bids and award a contract to other than the lowest bidder, to waive any irregularities or informalities or both; to reject any or all bids; to subdivide the award, and in general to make the award of the contract in any manner deemed by the City, in its sole discretion, to be in the best interest of the City of Novi.

Sue Morjanti Purchasing Manager smorlanti@cityofnovi.org

Notice Dated: February 26, 2010

The City of Novi officially distributes bid documents through the Michigan Intergovernmental Trade Network (MITN). Copies of bid documents obtained from any other source are not considered official copies. The City of Novi cannot guarantee the accuracy of any information not obtained from the MITN website and is not responsible for any errors contained by any information received from alternate sources. Only those vendors who obtain bid documents from the MITN system are guaranteed access to receive addendum information, if such information is issued.

If you obtained this document from a source other than the source indicated, it is recommended that you register on the MITN site, <u>www.mitn.info</u>, and obtain an official copy.



#### CITY OF NOVI

# EXTERIOR WELCOME & WAYFINDING SIGNAGE – FABRICATION & INSTALLATION

#### **INSTRUCTIONS TO BIDDERS**

This section is intended to provide interested contractors with sufficient information to enable them to prepare and submit proposals for consideration by the City of Novi.

#### IMPORTANT DATES

Bid Issue Date

February 26, 2010

Last Date for Questions

Monday, March 15, 2010 by 12 Noon

Please email questions to:

Sue Morianti, Purchasing Manager

smorianti@cityofnovi.org

Response Due Date

Monday, March 22, 2010 by 3:00 P.M.

Anticipated Award Date

April 5, 2010

Project Completion Date

June 15, 2010

#### **BID SUBMITTALS**

A COMPLETED ORIGINAL and Three (3) copies of each bid must be submitted. No other distribution of the bids will be made by the Contractor. Bids must be signed by an official authorized to bind the Contractor to its provisions.

FAILURE TO SUBMIT PRICING ON THE BID FORM PROVIDED BY THE CITY OF NOVI MAY CAUSE THE BID TO BE CONSIDERED NON-RESPONSIVE AND INELIGIBLE FOR AWARD.

#### **CHANGES TO THE BID/ADDENDUM**

Should any prospective Bidder be in doubt as to the true meaning of any portion of the ITB, or should the Bidder find any patent ambiguity, inconsistency, or omission therein, the Bidder shall make a written request (via email) for official interpretation or correction. Such request shall be submitted to the staff member indicated above. The individual making the request shall be held responsible for its prompt delivery.


Such interpretation or correction, as well as any additional Bid provisions that the City may decide to include, will be made as an addendum, which will be posted on the MITN website at <a href="https://www.mitn.info">www.mitn.info</a>. Any addendum issued by the City shall become part of the ITB and subsequent contract and shall be taken into account by each bidder in preparing its bid. Only written addenda is binding. It is the Bidder's responsibility to be sure they have obtained all addenda. Receipt of all addenda must be acknowledged on bid form.

#### TYPE OF CONTRACT

If a contract is executed as a result of the bid, it stipulates a fixed price for products/ services.

# SIGN A

Polymetred aluminum seen submetdimention (Sainer and lack, Panded as milicated will suffere applied vinyl as unleaded




Fabricated aluminimi sign cutions, less fed pages - Coloni ultimismen text and rule fire to be mechanically annehed to uga face

ELEVATION

('emzated बीवाशाक्य gands): mentiled with conceded fasteness





🙆 Mali Gala Staklani \*48161SP

🚯 MAI to maich PAIS 18a file

अवस्थातिक क्षेत्रक अवस्थातिक अवस्यातिक अवस्थातिक अवस्यातिक अवस्यातिक अवस्यातिक अवस्यातिक अवस्यातिक अवस्यातिक अवस्यातिक अवस्थातिक

MAINING Q

@ SM + 7254 Francisco


Canaras III sain ciril

AFAP #25033

Standard 20% Glory Level

DRAWNS:

13653



Jamey Cad Date, Scin 8-25, 201496, Victions 4521 (3492 448-1700, Fzz 248-248-1722 (prographic ex

rs:	ner statute.	] [
1	1 1	
	and the state of t	
	BACK	SADE
r		


Cittat signaturs.


3475


1997	20 TH	APIGE DO	Service Service	a Mari

This designs, datale the history represented histor to the property of Angelrophie, less appoints by developed by your remeasure as he respectively developed by the your remeasure as he respectively did by product from the proper control by the property of the property developed by the representation, and he is to be under properties of the property developed by the representation of the history of the properties of the properties of the property of the properties of the properties. Here, the properties of the properties.

# SIGN A







CTAD 11X SYCADANA, Some B-35, 45, Ventum 4831-3490 1-1700 Faz 248-848-1722 prophilanes

DRAWING: 13653.1

4-24-09


CLIERT SIEMATURE!

DX7¢.


These designs, relatify and plant approximated again use the property of Big-Tarapha, loss specifiedly developed by your portional set he entrocation with the project being planted for you by Supringales, Inc., it is not to be decome as express express your operations, not is in to be easily professed, exhibited of septical to any facilities of statements of septiments of their direct detections problemed, exhibited of septical to any facilities of single-positions.

45175 West 10 Mile Road Novi, MI 48375

# SIGN B




# SIGN C



# SIGN D

#### TOP VIEW



3 I/A" CABINET

SignComp. Series 3, Bleed Body (#1270), SignComp. Series 3, 3-14" Square Post (#1233), SignComp. Series 3, Reveal (#1200) ser at ZERO, (080" Hat aluminum face, painted as MAP Blue and MAP Gold Standard #481018P.

COPY.

Surface applied vinyl text and digitally printed vinyl togo.

CHANGEABLE PANEL:

1/4" cut-out aluminum panel painted
MAP Gold Standard #48101SP. Digitally printed
vinyl logo. Tape mounted to main panel.

INSTALLATION:

Direct buried 42" deep in concrete,

SIDE VIEW

3 1/4"

3 /4"

A CROSS SECTION

MAP Gold Standard #48101SP

18 MAP to match PMS 286 Blue.

● 3M #680-10 White reflective

**(b)** 3M #7725-10 White:

(a) 3M 47725-186 Bright Green


Digitally printed vinyl logist

TWO (2) DOUBLE FACED POST AND PANEL SIGNS Scale: 1/2" = 1'-0"


siengraphix


39255 Country Club Dave. Suite 8-25, Farmington Hrs. Alidogan 48331-3490 Ph. 248-846-1700 Fax 248-648-1722 www.signoraphix.net Three-designs, details and plans represented to the property of Standaughter hisspectracially discorped for this principal use in consecration with the broader being recoins for young Standaughts. Inc. — It is not be becaused to appear our one your organization are in it to be self-experimental and entirely a country and the property of the country of our representaof this design exceptions because of the material and entirely entering the property of the country of the form

45175 West 10 Mile Road Novi, MI 48375









# City Entryway Signage Placement Remaining 2009-10 Novi Sign Package Locations

#### **Entrance Signs**

FY 09-10 Entryway Sign Paid by Developer (1 - Alternate 1)

FY 09-10 Proposed Entryway (5 - Building and Grounds)

FY 09-10 Proposed Waylinding (6 - Building and Grounds)

FY 09-10 Proposed Wayfinding (3 - Alternates 3, 4, & 5)

FY 09-10 Proposed Park (6 - Parks - Alternate 2)

Freeways

Minor Public Streets

#### LEGEND

Lakes

[#]

Civic Center

DPW

Police Station

Fire Station

52-1 District Court

Hospital

Library


Ice Arena


School


Senior Center

Ö Post Office

٨ Recycling







# Map Legend Legend #### 1.5" FM SOME 20°FM Legend 22 4 0" FM 60 CONTROL S.O' FAX STEEL BOTFM 2003654 10.0° ####### 10.0" FM \*\*\*\*\*\*\*\* **12.0\*** 空事時 12:5°FM 24 DMS DE. produces 20 DMS - 42 DMS ASNO Fee! 1 inch = 65 feet



## City of Novi


45175 W Ten Mile Rd Novi, MI 48375 cityofnovi.org

Map Author: Lincon Ivezai Date: 2-16-10 Projecti Entryway signs (all signs must remain 10-feet from public utilities and a minimum of 3-feet from sidewalks/pathways)

#### MAP INTERPRETATION NOTICE

Map Information depicted is not intended to replace or substitute for my official or commany source. This map was interested to medi-Hational Man Accuracy Standards and use the most recent. not unte sources available to the people of the City of News. Boundary measurements and area calculations are appropriate yd tramioned atnataeruseam ywyrus an baunteren od ren biuchs bna A Monroe Michigan Sarvayor as defined in Michigan Public Act 132 of 1970 as amended. Pleased smithel the City GIS Managar to John rift of pateur quitament volumes and some source for







# City of Novi

45175 W Ten Mile Rd Novi, MI 48375 cityofnovi.org

Map Aulhor, Lindon ivezaj Date: 2-16-10 Project: Entryway signs (all signs n

Project: Entryway signs (all signs must remain 10-feet from public utilities and a minimum of 3-feet from sidewalks/pathways) Version #: 1.0

#### MAP INTERPRETATION NOTICE

Map information depicted is not intended to registed or substitute for any official or primary source. This trace was industed to meet halford primary sources, the trace was industed to meet halford sources, accurate sources available to the picopie of the Cay of Nova. Boundary reseasurements and sing officialistics are approximate and should not be constitued as survey measurements performed by a ficensed Nichigan Burreyor as defined in Michigan Public Act 132 of 1970 as smended. Pichaice do solicit the City CIS Manniger to confirm source and accuracy information rotated to the map.



# Map Legend



	₩-
Legend	7
33421-15*FM	
WINESE 20" FM	
© 20° FM	Legend
SERVER 4 OF FM	<del></del> 2
6.0°	unament &
2002 60° FM	эншиния В
##### BOT	managements B
13421 8.0° FM	•
ententio 10.0	10
MINISTER 10.0" FAI	enumera 12
-3er#ner <b>12.0"</b>	- 16
22.0° FM	20 .
********* 15.5°	Authority 22
**************************************	ZA DMS
22 20 18.0° FM	**************************************
21.0*	30 DMS
******** 27.6*	36
**************************************	
**************************************	42 DMS
ZMAZ ABNO	
-MAINEY	
0 1020 40 60 80	
N 1020 40 60 W	
E-person a	

1 inch = 97 feet



# City of Novi

45175 W Ten Mile Rd Novi. Wi-48375 cityofnovi.org

Map Author, Lindon Ivezaj

Date: 2-16-10

Project: Entryway signs (all signs must remain 10-feet from public utilities and a minimum of 3-feet from sidewalks/pathways)

Version #; 1.0

#### MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or autostance for any official or officiary source. This map was intended to meet National Map Accuracy Standards and use the meet recent, accurate sources available to the people of the City of Nevi. Boundary reassurements and uses calculations are approximate and should not be construed as survey measurements performed by allicanced Michigan Surveyor as deliced in Michigan Public Act 132 of 1970 as arranded. Pleased confirm the City Gift Manager to confirm source and accuracy follows in teletide to the map.



# Map Legend Legend Legend 2002 6.0° Fta 200 8.0" F&4 \*\*\*\*\*\*\*\*\* 10.07 10.0 FM 6-21-X-11 12.0" 23 12.0 FM = 24 DMS 20mini 18.0° FIA - 30 DMS == 42 DMS THE ABNO. 0 510 20 30 40 Feet



## City of Novi

45175 W Ten Mile Rd Novi, MI 48375 cityofnovi.org

\_\_\_\_

Map Author: Lindon Ivezaj Date: 2-16-10 Project: Entryway signs (all signs must remain


Project: Entryway signs (all signs must remain 10-feet from public utilities and it minimum of 3-feet from sidewalks/pathways)

1 inch = 62 feet

Version #: 1.0

#### MAPINTERPRETATION NOTICE

Map information displated is not intended to replace or substants for any official of primary dounce. This crup was intended to missi historical for primary standards and use list most recent, accurate sources without to the country of the City of Now Boundary measurements, spit sead calcutations are approximate and should not be construed as surveying measurements portionare by a licensed Methigan Surveying as defined in Methigan Public Act, 132 of 1970 as amonded. Pleased contact the City City Number to continue source and assurance information related to this map.



## Map Legend Legend 200 1.5 FM SOME 20 FEA Legend CHEST 4.0" FM untern 6.0" 200 50°FM annum 8'6" 200 FM MINISTER TO OF FAI 20°C 2000 12.0° FM 24 DMS 22 18.0°FM 30 DMS -42 DMS CASA COM 0. 5.10 20 Feet 1 inch = 38 feet.



# City of Novi

45175 W Ten Mile Rd Novi, MI 46375 cityomovi.org

Map Author: Lindon Ivezaj Date: 2-16-10 Project: Entryway signs (all signs must remain

10-feet from public utilities and a minimum of 3-feet from sidewalks/pathways) Version #: 1.0

#### MAP INTERPRETATION NOTICE

Map information depisted is hot intended to recipied or assessible for any difficultor primary source. This map was intended to meet National Map Accuracy Standards and use the most recent. accurate sources available to the people of the City of New. Boundary measurements and sees calculatous are approximate and should not be construed as survey measurements conformer by a floonsed Michigan Surveyor as defined in Michigan Public Act 122 of 1970 as amunded. Pleasing contest the City GIS Manager is confirm cource and occuracy information related to this map.



#### Map Legend Legend 10mmC01 1.51 FW 100 FA Legend SEMEST 30" FM 23423 40" FM 6.0° 200 FM 3.0\* 22 50 FM 47.1970ts 10.0" SERVER 10.0°FM 12.0" 災重空 12.07予報 24 DNS STORES 18 OF SM · · · · · · · · · 30 21.0 30 DMS annusces 36 22 DMS CMGA CO

inch = 40 feet



3 4 8 16 24 32 Feet

# City of Novi

45175 W Ten Mile Rd Novi. MI 48375 cityofnovi.org

Date: 2-16-10

Project: Entryivay signs (all signs must remain 10-feet from public utilities and a minimum of 3-feet from sidewalks/pathways)

Version #: 1.0

#### MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for http information depicted is not intended to replace are substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most records accurate sources available to the possible of the City of Movi. Boundary measurements and arm schallulars are appreciated and should not be construed as survey magazinements performed by a licensed Euchgan Surveyor as distinct in Michigan Public Ast 192 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to the map.



#### CITY OF NOVI EXTERIOR WELCOME & WAYFINDING SIGNAGE – FABRICATION & INSTALLATION

#### **SPECIFICATIONS**

#### **LOCATIONS & SIGN TYPES**

#### **BASE BID**

#### Entryway Signs (non-illuminated)

- Pontiac Trail/West Park Drive Type A
- 8 Mile/ Beck Road Type A
- 3. Grand River Avenue/12 Mile (East of Wixom Road) Type A
- 13 Mile/Haggerty Type A
- 5. 10 Mile/Haggerty Type A

## Wayfinding Monument Signs (illuminated & non-illuminated)

Six (6) located on the Civic Center Campus – Two (2) Type B and Four (4) Type C Please note: We may be adding several signs to this fist for the new Novi Library. Please watch for a possible addendum.

#### **ALTERNATE #1**

One (1) Entryway Sign (non-Illuminated) – Type A 14 Mile/Novi Road

#### **ALTERNATE #2**

Park Entry Way Signs (non-illuminated)

- 1. Brookfarm (1) Type D
- 2. Rotary (2) Type D
- 3. Power (1) Type D
- 4. Lakeshore (1) Type D
- 5. Roskelly Property (1) Type D

#### **ALTERNATE #3**

1. Department of Public Services (non-illuminated) - Type D

#### **ALTERNATE #4**

1. Novi Senior Center (non-illuminated) replacement 2-sided, fascia (26" x 70")

#### **ALTERNATE #5**

- 1. Novi Ice Arena (non-illuminated) Type D
- 2. Building replacement cover for building sign (see photo) approximately 10' diameter

#### PART 1 - GENERAL

#### 1.1 DESCRIPTION

A. This section specifies Base Bid & Alternates #1 to #4:

Non-illuminated entryway signage – Sign Type A Illuminated wayfinding signage – Sign Type B Non-illuminated wayfinding signage – Sign Type C Non-illuminated park signage - Sign Type D

#### 1.2 SUBMITTALS

The original and each copy of your proposal shall include:

- A. Completed Questionnaire
- B. Complete Proposal Form

#### After award, you will provide:

- C. Manufacturer's Literature: Submit a total of one (1) set of Manufacturer's printed specifications, mounting details, installation and drawings.
- D. Shop Drawings: Submit a total of three (3) sets of 8-1/2" x 11" drawings for each sign type. Scaled for manufacturer and fabrication of sign types. Identify materials, size, letterform, letter height, mounting, finishes and accessory items.
- E. Samples: Submit a total of two (2) 2" x 4" samples of each color represented in the project documentation.

#### 1.3 DELIVERIES AND STORAGE

- A. Package to prevent damage or deterioration during shipment, handling, storage and installation. Maintain protective coverings in place and in good repair until removal is necessary. Store products in dry condition inside enclosed facilities.
- B. Deliver signs according to project schedule. Storage provided by contractor.

#### 1.4 REFERENCES

- A. Publications listed below form a part of this specification to extent referenced. Publications are referenced in text by basic designation only.
  - 1. American National Standards Institute (ANSI).
  - 2. Uniform Sign Code
  - 3. Federal Specifications
  - 4. American Society for Testing & Materials
  - 5. Novi City Code
  - 6. 2005 National Electric Code (NEC)
  - 7. 2003 Michigan Building Code

#### 1.5 SIGNAGE LOCATIONS

General locations have been provided for each sign in the Base Bid and the Alternates. The contractor will recommend specific sign locations by staking the posts of each sign once under ground utilities and required setbacks have been located. Final sign locations are to be approved by a City of Novi representative.

#### 1.6 PERMITS

Permits and supporting documentation/calculations/drawings will be the responsibility of the contractor. City of Novi, Oakland County Road Commission and MDOT approval and permits as required. City of Novi permit fees will be waived.

Permits required include:

- Sign
- Building
- Right-of-Way
- · Electrical for illuminated signage

#### 1.7 PRIMARY ELECTRICAL

Electrical supply (where applicable by type of sign) will be provided by the City of Novi to a point within 10 feet of the sign location. Electrical connection from there to the sign will be provided by a licensed contractor and is the responsibility of the sign contractor.

#### **1.8 WARRANTY**

Provide manufacturer's warranty against defect in materials. Warranty shall provide material and labor to replace defective materials.

#### 1.9 ATTACHMENTS

The following exhibits are included as part of this bid package:

EXHIBIT 1 – Sign design drawings

EXHIBIT 2 - Maps showing proposed locations for signs

#### PART 2 - PRODUCTS

#### 2.1 SIGN COMPONENTS

- A. Internal Structural Framing: Provide internal framing system, designed to withstand wind pressure specified by 2003 Michigan Building Code. Fabricate framing to profile indicated using structural angles, channels, plates and similar shapes. Provide welded construction using mitered joints. Prime and paint all structural steel welds. Cut, drill, and tap units to receive hardware, bolts and similar items.
  - 1. Illuminated Units: Provide internal illumination as indicated on design drawings.
  - 2. Electrical signs must be UL labeled.
  - 3. Each internally illuminated sign must have a separate disconnect switch located on the sign.

#### 2.2 SIGN MATERIALS

- A. Aluminum Extrusions: Provide alloy and temper recommended by the aluminum producer or finisher for the type of use and finish indicated and with not less than the strength and durability properties specified in ASTM B 221 for 6063-T5.
  - Provide extrusion by SignComp, 2925 Walkent Court, NW #A, Grand Rapids, MI. 877-784-0405. No exceptions allowed
- B. Paints shall be made for the surface material on which they are to be applied and as recommended by the manufacturer of the paint. Identification of paint shall be noted on shop drawings with method of application.
  - 1. Prime coats or other surface pre-treatments, where recommended, shall be included in the work. Coatings shall be even over the entire surface to be painted without voids, runs, sags, brush or roller marks.
  - 2. Exterior paint finishes shall be acrylic polyurethane, satin finish.
  - 3. Acrylic Polyurethane finish shall be applied at the rate of 2.5 mils per coat by air or airless spray. Required manufacturer; Matthew's Paint Company.
  - 4. Colored Coatings for Acrylic Plastic sheet: Use paints for background colors. Required manufacturer: Matthew's Paint Company.
  - 5. Sign colors as indicated on design drawings and shall be exactly as specified. Sign colors shall be consistent in chroma and in value, shall maintain even opacity or translucency and be free of any imperfections.

#### 2.3 FABRICATION

- A. General: Comply with requirements indicated for materials, thickness, finishes, colors, designs, shapes, sizes, and details of construction as indicated on design drawings.
- B. Allow for thermal movement resulting from a maximum ambient temperature change (range) of 100 degrees F (55.5 degrees C). Design, fabricate, and install sign assemblies to prevent buckling, opening of joints, and over stressing welds and fasteners. Base design on actual surface temperatures of metals due to both solar heat gain and nighttime sky heat loss.
- C. Welded Connections: Comply with AWS for recommended practices in shop welding.

  Provide welds behind finished surfaces without distortion or discoloration of the exposed

- side. Clean exposed welded surfaces of welding flux and dress on all exposed and contact surfaces.
- D. Mill joints to a tight, hairline fit. Form joints exposed to the weather to exclude water penetration.
- E. Pre-assemble signs in the shop to the greatest extent possible to minimize field assembly. Disassemble signs only as necessary for shipping and handling limitations. Clearly mark units for re-assembly and installation, in a location not exposed to view after final assembly.
- F. Conceal fasteners where possible; otherwise locate fasteners where they will be inconspicuous. Indicate all exposed fastener locations on Shop Drawings.
- G. Colors and Textures: For exposed sign material that requires selection of materials with integral or applied colors, textures, or other characteristics related to appearance, provide color matches as specified by the design drawings.
- H. Aluminum Finishes: Comply with Matthew Paint Company "Instruction Manual" for finish designations and application specifications.
  - 1. Color: Match Designer's specifications (as outlined on attached drawings).
  - 2. All scratches shall be re-primed prior to paint repair touch-ups.

#### **PART 3 - EXECUTION**

#### 3.1 INSTALLATION

- A. Contractor is responsible for contacting Miss Dig 48 hours prior to work commencing.
- B. Contractor is responsible for coordinating all work with the sub trades necessary to the successful installation of the project.
- C. Installations shall be completed by June 15, 2010.

#### 3.2 SITE RESTORATION

A. Remove all spoils and restore site grading and vegetation to pre-installation condition.

#### 3.3 SAFETY STANDARDS

A. Contractor is responsible for compliance with all applicable MIOSHA and Traffic Safety Standards during installation.

BENLOON



## CITY OF NOVI EXTERIOR WELCOME SIGNAGE -FABRICATION & INSTALLATION

## QUESTIONAIRE FORM

Firm Name: Beacon Dian Company
Address: 19460 Mount Elliott
city: Detroit state: M.T zip: 48234
Telephone Number: 313-368-3410 Fax Number: 313-368-5298
Email Address: Sales@beaconsigncompany.com
Firm Established: 1776 Years in Business: 34
Type of Organization: (Circle One)
a. Individual b. Partnership C. Corporation d. Joint Venture e. Other
How many full time employees? 2
Provide information relative to the experience your company has had working with municipalities. Please provide the names of municipalities where service was provided.
In 2009. Buscon completed the installation of the AnnArbor. Michigan way finding project. This project was done in the the Ann Arbor Down town Development Authority.
Provide information relative to the experience and financial capability of your company to carry out the terms of this contract.
We have reviewed all three bonds and are ready to fulfill the honds it awarded the contract. We are livensed Sign Erectors and Electricians in the state of Michigan.
Identify those in your firm who would be responsible, including on-site supervision for this project, and submit copies of their certifications. Include educational background of principals and those who will be working on the project.  Tames Bogusz-Backelo- of Science - Project Manager  Nick Guzik-BS From Detroit Institute of Technology-GenMark  Nick Hanna-Vice President of Manatacturer  Soulim Haddal

Salim Haddad-CEO and Owner of Fairmont and
Brazon Sign Companies since 1976
How many clients does your company currently serve with the type of services described?  Provide a list.  We have hundreds of Clients.  Chrysler Factory Signage and Directionals  Citiof Ann Hrbor Downtown Development Huthority  Napa Huto Pants AAA of Michigan, Goodyear, Choice  Hotels, Valuatine
Please provide a list of client references (minimum of 3). Include name, address, phone number and contact person. Please include any municipalities (or other governmental agencies) that you worked for.  Han Arbor Dowfown Development Authority. Expective Director Susan Pollay 303 Detroit Street Ann Arbor. Mr. 48104: 734-994-6697.  Chrysler. Menager of Dealer + Corporate Idea Lity! John Russo
800 Chrysler Drive Auhurn Hills MI 48326: 248-512-1992.  AAA of Michigan Property Manager, David Anolick One Auto Club Drive, Dearborn, MT 48126; 313-336-2987.
Provide an Equipment List that will be on site and available for use by the crew performing sign installation (including trucks, tractors, etc).
Our Service truck with needed equipment thetwill include augers drills and hand tools.  On days required a flatbed truck for transporting signs and debris. On days required a cement truck will be needed. On required days a backhee for digging foundations will be needed.
Based on your current resources, are you available to fabricate and install the signs identified within the timeframe allocated?  Please explain.  Please explain.  The signs identified projectly Time (5th. Upon being a warded the hid be will begin engineering.

REPARTMENT OF THE PROPERTY OF

Provide a description of your company's philosophy relative to entryway/welcome signage.
Our company has a "can do" philosophy to complete a Divisect
that we start the way the client wants it done. We follow
per approved drawings through with our inhouse
Dermitting department. We bean building once Dermits
are obtained which offers the customer the final say in des
· · · · · · · · · · · · · · · · · · ·
THE FOREGOING QUESTIONNAIRE IS A TRUE STATEMENT OF FACTS:
Signature of Authorized Company Representative:
Representative's Name (please print) MOR GIVEN CHURNE MUNICIPAL
Date

End changing to the color of a section of the color of th



# CITY OF NOVI

# EXTERIOR WELCOME SIGNAGE - FABRICATION & INSTALLATION

# REVISED PROPOSAL FORM

BASE BID – Entryway & Wayfinding	Guantity	Unit Price	Total
Sign Type A	5	\$4250°°	\$ 2 250.00
Sign Type B	2	\$290000	\$ 5.800,00
Sign Type C	4	\$ 175000	\$ 7,000,00
Installation Materials	1		\$ included
Delivery and Installation	1		\$ 10,162,50
TOTAL BASE BID			\$ 44,212,50

ALTERNATE #1 - Entryway	Quantity	Total
Sign Type A		\$ 425000
Installation Materials	4	\$ included
Delivery and Installation		\$ 1,177,50
TOTAL ALTERNATE #1		\$ 5427.50

ALTERNATE #2 - Parks Entryway	Quantity	Unit Price	Total
Sign Type D	6	\$ 165000	\$ 9,900,00
Installation Materials	. 1		\$ Included
Delivery and Installation	1	misjandar	\$ 3405.00
TOTAL ALTERNATE #2	accent degree of charge y		\$ 13,305.00

ALTERNATE #3 – DPS Entryway	Quantity	Total
Sign Type D	1	\$ 165000
Installation Materials	1	\$ included
Delivery and Installation	1	\$ 667,50
TOTAL ALTERNATE #3		\$2317.50

ALTERNATE #4 – Senior Center	Quantity	Total
Novi Senior Center Replacement	1	\$240000
Installation Materials	1	\$ included
Delivery and Installation	1	\$ 70500
TOTAL ALTERNATE #4		\$3  05.00

ALTERNATE #5 - lce Arena	Quantity	Total
Sign Type D	1	\$ 165000
Building replacement cover fascia	1	\$ 155000
Installation Materia's	1	\$ included
Delivery and Installation	1	\$ 867,50
TOTAL ALTERNATE #5		\$4.067.50

ALTERNATE #6 - Library	Quantity	Unit Price	Total
Sign Type C	4	\$ 175000	\$ 7,000.00
Sign Type E	3	\$270000	\$ 8. 00,00
Installation Materials	*		\$ Included
Delivery and Installation	1		\$ 5985.00
TOTAL ALTERNATE #6			\$21,085,00

TOTAL (BASE BID + ALL ALTERNATES) \$ 93,520.00

We have confirmed that we will be able to provide the bonds with the City's required language  Yes  No
We acknowledge receipt of the following Addendums: #1 (please indicate numbers)
Comments/Exceptions: The cost of Dermits is  Passed on as a non-profit item. All  Permit costs are not included.  We request a 25% deposit and progress  payments to be negotiated.
AUTHORIZATION: The undersigned herein submitted this proposal and agrees to enter into an agreement with the City of Novi in accordance with the bidding documents. In submitting this complete and signed proposal, it is understood that the right is reserved by the City of Novi to reject any or all bids and to make such award that, in the opinion of City Council, is in the best interest of the City of Novi.  Company:    Company:   Company
Business Address: 19460 NFF ELLIOTT  Oity State N= Zip +8 x 34
Telephone 313 368-3410 , Fax 313 368 5710
Name of Authorized Signer: Name of Authorized Signer:
(please print)
Authorized Signature ////////////////////////////////////
Title of Signer Children Mayagin
Email Address Kon all a Bearing State Court Com
Date