# **MEMORANDUM**



Periodically, the City Staff review ordinances for concerns, inconsistencies, and updates based on best practices. Since it has been several years since the last update to the Landscape Section of the Zoning Ordinance, staff decided to review the standards and formatting for updates that will address various concerns, while providing for attractive and sustainable landscaping throughout the City.

Section 5.5 of the City of Novi's Zoning Ordinance and the accompanying Landscape Design Manual sets standards for landscaping in all developed areas within the city, including, but not limited to:

- Quantities by zoning district,
- Spacing of plantings,
- Allowed species and
- Installation and maintenance standards.

Many of the requirements for quantities of plantings are being revised due to observations from recent developments approved under the current ordinance standards,. In addition to the more substantive changes, there are formatting and text corrections and additions to make the ordinance more consistent with the intent of the ordinance.

Staff believes that the proposed changes are appropriate and warranted. Currently, many of the requirements for plantings are excessive, and are often unachievable given most projects' spatial limitations. In addition, excessive plantings often result in significant blockage of buildings from the right-of-way, making it difficult for visitors, customers and first responders to see building addresses. The plant congestion required by the current ordinance can often work against the long-term health of the plantings. The proposals still require significant landscaping aimed at achieving the intent of the ordinance to screen, shade and enhance the appearance of built landscapes, but in numbers that promote the welfare of the planted material and the businesses with the landscaping.

Some of the changes proposed allow more flexibility in landscaping design that will help create interesting landscapes in the city without curtailing the basic requirements. Still other changes are aimed at promoting the existing open areas and woodlands from infestation by non-native invasive species that threaten to change the character of our parks and regulated woodlands and wetlands.

The draft ordinance amendments have been prepared by staff and reviewed by the City Attorney's Office. Once the public hearing is set, staff will share the draft ordinance with landscape architects who frequently do business with the City of Novi to solicit additional comment.

# Set Public Hearing

The Planning Commission is asked to review the proposed amendments, and if acceptable, to set a Public Hearing on February 22, 2017. At that time, the Planning Commission may make a recommendation to the City Council, who will ultimately approve or deny the amendment and may propose alterations as well. The attached staff version of the proposed amendment is subject to review and changes by City staff and/or the City Attorney's Office. Any questions please contact Rick Meader at 248-735-5621 or rmeader@cityofnovi.org.

# MEMORANDUM



Attached are proposed revised copies of Section 5.5 of the Zoning Ordinance (Landscape Standards) and the Landscape Design Manual. I am proposing to make a number of revisions to each with these objectives in mind:

- Better survivability of trees in designed landscapes
- Reduction of building screening from rights-of-way
- Better visibility of street addresses from road for emergency vehicles
- Continued screening of parking areas from roads, especially to block headlights
- More uniformity of street tree location along Novi roads
- Reduction of unachievable landscape requirements in and around parking areas
- Reduced need for variances and waivers by developers who propose attractive landscaping that still doesn't conform to all of our standards.
- Greater sensitivity to ecological issues facing our community and others
- Miscellaneous cleanups in ordinances inconsistencies, errors

A number of these changes could be considered as significant, and a number of others could be considered as minor. A summary of each follows:

Significant changes:

#### 1. Greater visibility of buildings fronting rights-of-way:

- a. Right-of-way berms only required in front of parking (not rest of site). (Zoning)
- b. Required greenbelt plantings reduced in front of buildings for commercial and industrial (Zoning)
- c. Reduced greenbelt plantings in front of parking in commercial districts where building is behind parking (Zoning)
- d. Town Center required greenbelt plantings are either the large trees or subcanopy trees, but not both (Zoning).
- e. Reduced required landscaping along industrial subdivision roads (fewer subcanopies, more shrubs) (LDM)

- f. Use 1.5 subcanopy trees instead of 2 subcanopy trees as substitute for a canopy tree under wires. (Zoning)
- g. Request that designs provide visibility to building addresses from 20-40 degree angle to road, per Fire Marshal request (LDM)

# 2. Less congestion of site plantings in and around parking lots

- a. Greenbelt tree requirements may deduct width of access aisle from basis. (Zoning)
- b. Street tree requirement may deduct width of corner clearance zone from basis. (Zoning)
- c. Parking lot interior landscaping is reduced to 1 tree/200 sf of paved area vs 1/75sf. (Zoning)
- d. Parking lot vehicular use area for interior parking requirements does not include access drives leading to parking areas. (Zoning)
- Access drives to parking areas only have to have perimeter trees (along both sides of drive).
  (Zoning)
- f. Additional access drive perimeter trees are not required within the greenbelt if greenbelt canopy trees are within 15' of access drive and meet the spatial requirement (1 tree/35 lf). (Zoning)
- g. Street tree spacing is the same along an entire parcel instead of more in front of parking (Zoning)
- h. Parking lot perimeter trees now a stand-alone requirement (not a table footnote). (Zoning)
  - i. Parking lot perimeter basis may be reduced by existing trees adjacent to parking (within 15' of curb)
  - ii. Parking lot perimeter basis may be reduced by frontage of 20' tall or taller buildings within 20' of parking lot.
  - iii. Parking lot perimeter tree count may be reduced by frontage along greenbelt if greenbelt canopy trees fulfilling perimeter count are within 15' of curb.

# 3. Create conditions that will contribute to better tree survival

- Parking lot islands must have a minimum of 200sf unpaved area per tree planted in it. (Zoning)
- b. Parking lot island trees must have 3' spacing between back of curb and trunk. (Zoning)
- c. Walkways along islands acceptable but planting area between sidewalk and curb must be 10'. (Zoning)

# 4. Make landscapes more environmentally sensitive and sustainable

- a. Depressed parking lot islands are allowed, as long as design, including drainage and plant choices, allows for trees to survive. (Zoning)
- b. Establishment and maintenance plans should be added to plans for natural area seed plantings.
- c. Pear trees (Pyrus calleryana) have been added to the Prohibited Plants list due to their increasingly invasive behavior in southeastern Michigan. Barberry, Privet and Periwinkle are also added as they are listed invasive species in the Midwest.

- d. Norway maple completely banned (took away 100' allowance). They are invasive in woods settings and seeds can easily be transported 100 feet either by air or by people (LDM).
- 5. Assist developers and builders to save money on landscaping without causing significant reductions in the attractiveness of built landscapes:
  - Parking lot interior landscaping basis changed to 7.5% of paved area for first 50,000 sf in commercial, 5% in industrial (versus 10% pkg spaces + 5% aisles in commercial and 7% pkg spaces + 2% aisles for industrial). (Zoning)
  - b. Irrigation system not required, but allowed (landowners are still responsible for keeping their landscapes alive and in good condition by section 5.5.7).
  - c. Foundation landscaping basis may be reduced by paved access points of building (Zoning)
  - d. Foundation landscaping may be along just 80% of building (Zoning)
  - e. Reduce required landscaping frontage for multi-family buildings from 60% to 35% to be more consistent with existing developments. (Zoning)
  - f. Allow upsizing for greenbelt trees and parking lot perimeter trees max 1/3 of required trees.
  - g. Required greenbelt plantings in front of parking can be reduced by 1/3 if 3 foot tall brick wall in is placed along frontage of parking lot in lieu of berm. (Zoning)
  - h. Parking lot interior islands must have minimum of 200sf (not 300sf). (Zoning)
  - i. Reduced minimum sizes of canopy trees from 3" to 2.5" in most cases (LDM).

# 6. Responses to specific situations encountered in recent developments:

- a. Allow bays of 25 vehicles for uses like storage of vehicles or large trucks, but still require same amount of area (larger islands will help protect trees in them) (Zoning)
- b. Up to 25% of parking lot perimeter trees may be large evergreens to assist with screening.

Proposed Changes more Minor in Nature

# 1. Clarification of ordinance interpretations and terminology

- a. Foundation landscaping areas may not consist of lawn. (Zoning)
- b. Detention pond landscaping now a separate item (was a sub-item under subdivisions). (Zoning, LDM)
- c. Boulevard islands and cul-de-sac island plantings do not count as street trees (clarification consistent with current interpretation). (Zoning)
- d. Multi-family housing clarification that street tree count is along both sides of interior streets. (Zoning)
- e. Addition of plant diversity breakdown table to requirements (LDM).
- f. Paint added as method of delineating parking spaces (contrasting brick, concrete pavers already allowed in landscape ordinance). (Zoning)
- g. Added miscellaneous notes and illustrations to make interpretation of rules easier to understand and enforce (LDM and Zoning).

- h. Changed some minimum spacing requirements for screening spacing, clarified that columnar/ fastigiate trees may require closer spacing (LDM)
- 2. Miscellaneous corrections and changes to make wording more consistent with intent of landscape ordinance and with other ordinances.
  - a. Design engineer must sign and seal designs for walls taller than 3.5 feet (currently just says engineer). (Zoning)
  - b. Landscaping financial guarantee 1.2 x material cost (not 2x) to match 26.5 (Zoning).
  - c. Street trees financial guarantees are 1.0 times the \$400/tree cost to match 26.5. (Zoning).
  - d. Add Licensed Landscape Architect to required signature along with Registered Landscape Architect (MI used to be registered, is now licensed). (Zoning and LDM)
  - e. Change from maximum to minimum of 3' height for Industrial Subdivision shrubs planted as parking lot screening. It is unlikely that a place would want their shrubs to get too tall for their own security, but shrubs shorter than 3' won't create the headlight blockage or view of cars that is desired (LDM).
  - f. Reduce spacing behind curb for single-family subdivisions from 4' to 3' (our right-of-way often limits spacing between curb and sidewalk to less than 8'). (LDM)

### 3. Minor changes to improve tree health and environmental sustainability of ordinances

- a. Native seed mix composition lists should be added to plans (LDM).
- b. Added Nannyberry, flowering dogwoods and Musclewood to good "under line" trees (LDM).
- c. Michigan Peat/Bog Peat is not allowed for landscaping purposes (LDM).
- d. Cypress wood mulch is not allowed for landscaping purposes (LDM).
- e. Updated planting details to show 3" mulch vs 4", highlight removal of mulch and dirt from root flares (LDM)
- 4. Minor changes in landscape plan requirements to assist with evaluation of plans and inspections of new site landscaping
  - a. Require labels for areas in square feet (SF) for landscape areas (LDM).
  - b. Allow 1"=60' for large scale and 1"=20' for detail scale (LDM).
  - c. Start of inspection period changed from March 15 to April 15 (LDM and Zoning).
  - d. Addition of 10% cutoff to changes in plan at which point a new administrative review, with review fees, will be charged. (Zoning)
  - e. Addition of list of other ordinances with landscaping impacts (LDM).

#### **Conclusion:**

I don't believe that these proposed changes impose any undue hardships on developers, and in most cases will help them in terms of ease of putting together their landscape plans. They will also save them money in many cases by reducing required plant material.

I am happy to answer any and all questions you may have. I'm sure there will be more than one.

#### STATE OF MICHIGAN

#### COUNTY OF OAKLAND

#### **CITY OF NOVI**

#### ORDINANCE NO. 16 – 18.283

AN ORDINANCE TO AMEND THE CITY OF NOVI ZONING ORDINANCE, AMENDING SECTION 5.5, LANDSCAPE STANDARDS IN ARTICLE 5, SITE STANDARDS, AND THE ACCOMPANY LANDSCAPE DESIGN MANUAL, TO MAKE THE ORDINANCE REQUIREMENTS MORE ACHIEVABLE AND REALISTIC GIVEN THE RESTRAINTS OF MOST SITES, TO PROMOTE THE VISIBILITY OF BUILDINGS, HELATH OF PLANTED MATERIALS, HEALTH OF NON-BUILT OPEN AREAS, UPDATE THE LIST OF INVASIVE SPECIES, CLEAN UP INCONSISTENCIES, AND TO BRING THE ORDINANCE INTO AGREEMENT WITH OTHER RECENTLY AMENDED ORDINANCES.

#### THE CITY OF NOVI ORDAINS:

<u>Part I.</u> That The City of Novi Zoning Ordinance is amended, by amending Section 5.5, in Article 5 – Site Standards, to read as follows:

# Section 5.5 – LANDSCAPE STANDARDS: OBSCURING EARTH BERMS AND WALLS, RIGHTS-OF-WAY BUFFERS, AND INTERIOR AND EXTERIOR LANDSCAPE PLANTINGS.

- 1. Intent. The intent of this Section is to achieve landscapes with creative placement and distinctive attractive designs that:
  - emphasize the preservation of existing natural resources, and the use of native plant materials, and a diversity of plant species;
  - preserve and enhance existing woodlands, wetlands and natural open areas:
  - , which reduces impervious surfaces, enhances storm water management and prevents soil erosion and soil depletion;
  - provide<u>require</u> appealing yet opaque visual and audible buffering between noncompatible land uses; <u>and</u>
  - and to-utilize the best ecological concepts and environmental objectives with preservation as a priority, in order -to protect and enhance the well-well-being of the residents of the City of Novi.

Landscape regulation is intended to establish minimum standards for all property in the City. Property owners and occupants are encouraged to exceed these standards, to minimize paved areas and other run-off areas, and to maximize the areas devoted to attractively designed and well-maintained landscapes.

- 2. Landscape Plan Required. A landscape plan shall be submitted for any new commercial or residential development, and any addition to an existing building that is equal to or greater than a twenty five (25)25% percent increase in the overall square footage of the building or four hundred (400)400 square feet, -whichever is less. With the exception of Section 5.5.5.FG, Individual (Non-Subdivision/Non-Site Condominium) Single-Family Street Tree Requirements, an owner of a single-family home\_site shall not be required to comply with the provisions of this section. \_All landscape plans shall be prepared in accordance with the requirements of the this Ordinance and the requirements of the City of Novi "Landscaping Design Manual," as adopted by the City Council by resolution and which may similarly be amended by Council resolution from time to time.
- 3. Landscape Requirements

- A. Residential Adjacent to Non-Residential
  - i. Intent. To make provision for a visual buffer strip in each zoning and use classification when a non-non-residential use abuts or is adjacent to any residential zoning district.
  - ii. Requirements for Obscuring Landscaped Earth Berms and Walls. In all locations which abut or are adjacent to any residential district (RA, R-1, 2, 3, 4, RT, RM-1, RM-2, MH and any TC district if developed for residential purposes), an obscuring landscaped earth berm and plantings, as described, shall be proposed, approved, installed and maintained in connection with any development or use identified below. \_Where TC-1 and RM-2 are adjacent to TC-1 and RM-2, a wall and plantings shall be provided as indicated in the following Berm Requirement Chart.

5.5.3.A.ii Residential Adjacent	to Non-Residential Berm Requiremer	nt Chart
Use	Zoning	Bern-Berm Height
Parking	P-1 district Off-Street Parking Area	4 ft. 6 in. to 6 ft. high
Residential/Special Land Use	RM-1, RM-2, and MH districts, churches, schools, nursery schools, day care centers and other uses where special land use approval is required	4 ft. 6 in. to 6 ft. high
Office Service/Tech	OST, OS-1, and OSC districts	4 ft. 6 in. high to 6 f <del>oo</del> t <u>.</u> high
Commercial	B-1, B-2, B-3, RC, and NCC districts	<del>6'_<u>6 ft.</u>to 8 ft. high</del>
EXPO, EXO district	EXPO district	8 <u>ft.</u> to <del>10'_10 ft.</del> high
Conference	C district	<del>8' <u>8 ft.</u> to <del>10' <u>10 ft.</u> high</del></del>
Freeway Service	FS district	<del>8' <u>8 ft.</u> to 10<u>ft.</u>' high</del>
Town Center	(a.) TC and TC-1 districts	<u>6'-6 ft.</u> high
	(b.) TC-1 and RM-2 districts	6 <u>ft.</u> ' high wall
Industrial	I-1 district	10-15 ft. h <u>ight</u> . berm, 6 ft. crest width, 80% winter/90% summer opacity (See Section 1905.4 <u>3.14.5.E</u> e)
	I-2 district	15 ft. h <u>ight</u> . berm, 15 ft. crest width, 80% winter/90% summer opacity (See Section <del>2002.43.15.2.C</del> )
	<u>Special Land Use</u>	10 ft. hight. berm, 6 ft. crest width, 80% winter/90% summer opacity (See Section 3.14.5.E)
Auto Wash, Drive-In Restaurants, Service Stations, and Planned Commercial Centers and Regional Shopping Centers	Where permitted or approved	10 <u>ft.</u> ' to <del>15'<u>15</u>ft.</del>
Hospital-Ambulance and Delivery Areas	Where permitted or approved	6 ft. <del>-0 in.</del> high
Utility Buildings, Stations,	Where permitted or approved	6 ft. <del>0 in. </del> high

and/or Substations	and/or Substations		
--------------------	--------------------	--	--

- iii. [Unchanged]
- iv. Placement. The berm is required to be on the property seeking approval. The berm may be placed upon the adjacent residential property in order to provide continuity with an adjoining berm. In that case, aA recorded permanent easement and a maintenance agreement in a form acceptable to the City Attorney will be required from the adjacent property owner.
- v. [Unchanged]
  - a. [Unchanged]
    - (1) [Unchanged]
    - (2) The site plan shall include the first floor elevation of all adjacent principal structures within two hundred (200)200 feet of the subject site's property lines.
    - (3) Where the applicant demonstrates, and the Planning Commission finds, that practical difficulties would result from the strict application of berm height standards, as required herein, the Planning Commission may reduce the height of the berm, or eliminate the berm, and may approve an alternate plan which includes landscape treatment or a wall f(subject to Section 5.5.3.A.vi below], or a combination of the two, provided that the approved alternate plan achieves adequate noise attenuation and obscuring screening. The Planning Commission may also reduce the height of the berm, or eliminate the berm, where it determines that an alternative design utilizing landscaping or other materials, including a wall subject to Section 5.5.3.A.vi below, provides adequate and effective noise attenuation and screening, or where such alternative design provides a substantial aesthetic or site design benefit while still providing for noise attenuation and screening to the extent reasonably practicable. The intent of this section is not to encourage and allow elimination or reduction of berm height for the sake of convenience or cost savings, but rather to allow reasonable development while achieving design excellence not otherwise possible under these requirements.
  - b. The berm shall be natural in appearance and have overlapping and undulating changes in elevation, both horizontally and vertically, without compromising the minimum height requirement and/or intent of the berm; w. Where a range of height is stated on the Chart for a use, and the approving body determines berm height based upon the criteria specified in sub-paragraph  $\frac{5v}{2}(a)$ , above, the height of the undulations on the berm shall be determined by the approving body as part of site plan approval, taking into consideration the location of improvements and activities to be screened, and the criteria in sub-paragraph  $\frac{5v}{2}(a)$ , above.
  - <u>c. [</u>Unchanged]
  - e.<u>d.</u> Plants shall be specified for any "no mow" areas.
  - d.<u>e.</u>[Unchanged]
  - e.<u>f.</u>[Unchanged]
  - f.g. [Unchanged]
    - g. See Landscape Design Manual for additional requirements.
  - h. [Unchanged]
- vi. <u>Wall Requirements</u>.
  - a. [Unchanged]

- b. Walls shall be designed to resist the pressure of the retained material, including both live and dead loads to which they may be subject. Foundations shall be designed to prevent movement due to frost action and a suitable drainage system shall be provided to assure stability. Walls that are greater than three and one-half (3½) feet in height shall be designed and sealed by a professional design or structural engineer. Walls shall not cause flooding or impound water at any time and are subject to Final Site Plan review. (See Design and Construction Standards (Chapter 11, Novi Code of Ordinances).
- c. [Unchanged]
- d. [Unchanged]
- vii. [Unchanged]

#### B. Adjacent to Public Rights-of-Way

- i. [Unchanged]
- ii. [Unchanged]
  - a. [Unchanged]
  - b. Berms shall comply with Section 5.5.3.A.v., with specific requirements as called out in Table 5.5.3.B.ii.f.
  - c. The landscape area, if adjacent to parking and vehicular use areas<u>not</u> between the right-of-way and the principal building, shall be planted to achieve a minimum opacity of ninety (90) percent during the summer and eighty (80) percent during the winter. The landscape in this area shall provide an intermittent\_continuous visual obstruction height of thirty-six (36) inches, plus the required canopy/evergreen or subcanopy trees required per Table 5.5.3.B.ii.f.
  - d. All landscape areas between the right-of-way and parking areas that front on the required right-of-way greenbelt shall have a berm meeting the height requirements of the zoning district as specified in the Right-of-Way Landscape Screening Requirements Chart, and shall have a maximum slope of thirty-three (33) percent (three feet of horizontal plane for each one (1) foot of vertical height) and a crest as specified in the Right-of-Way Landscape Screening Requirements Chart (Table 5.5.3.B.ii.f). A landscape area shall be planted to provide visual interest and yet allow views into the site.
  - e. Particular care should be taken in the arrangement of greenbelt plantings to provide a view of the street address from a 30-40 degree angle as you approach the building.
  - d. Parking areas in a Commercial/Office district with parking located between the principal building and right-of-way shall be planted at a reduced rate, per the greenbelt tree and subcanopy requirements called for in Table 5.5.3.B. (The berm and street tree requirements are the same as if the parking was not between the building and road).
  - e.f. If a wall is provided in accordance with the city standard, a reduction of up to thirty-three (33) percent of the required greenbelt plantings (not street trees) is allowed in the right-of-way greenbelt in front of the parking. This reduction does not apply in cases where parking is between the rightof-way and the building and required landscaping is already reduced.
  - f.g. For a residential development abutting an arterial or minor arterial roadway, landscape buffers shall be installed and maintained along the entire property line abutting the right-of-way. In a single family site

development, the required landscape buffer shall not be part of a residential unit or lot.

- g.h. Necessary access ways from public rights-of-way through <u>such-required</u> landscaped areas shall be permitted. The width of one such access way per street frontage may be <u>s</u>-but such access ways shall not be subtracted from the lineal dimension used to determine the minimum number of trees required for greenbelt landscaping and street trees (see illustration in Table 5.5.3.B.ii.f, Footnote 17 below for points of measurement for each).
- h.i.\_\_\_The buffering shall not prevent visibility of the main building entry from the public rights-of-way.

5.5.3.B.ii.f R	5.5.3.B.ii.f Right-of-Way Landscape Screening Requirements									
			Requirer	nents						
Use	Zoning	Berm Locate d	Green belt width (2) (3) (5) (feet)	Min berm crest width (feet)	Min. Berm Height <del>(9)</del> (feet)	3 Foot Wall <u>/</u> <u>Fenc</u> <u>e</u>		pe <u>r</u> : <del>(2)</del> <del>(10)</del> X	In area between sidewalk and curb, <u>;</u> plant_1 deciduo us canopy deciduo us canopy deciduo (s, tree per; (1) (6) (10) (X_linear feet frontage)	
<u>Footnotes</u>				<u>(4)</u>	<u>(9)</u>	<u>(5,6,7)</u>	<u>(2,8,9,14,</u> <u>17)</u>	<u>(3,8,9,14,</u> <u>17)</u>	<u>(2,9,10,</u> <u>11,12,15,</u> <u>17)</u>	
Single Family Residenti al	R-A R-1 R-2 R-3 R-4		34	4	4	<del>N/A<u>(5,</u> 6,7)</del>	<u>3540</u>	<del>20<u>25</u></del>	35	
Two- Family Residenti al	RT	Adjacen t to parking	20	<del>2</del> 2	3	<u>(4,5,6,</u> <u>7)<del>(4)</del></u> <del>(7)</del> <del>(8)</del>	35	<del>20<u>25</u></del>	35	
		<u>Not</u> adjacent to parking <del>No</del> <del>parking</del>	30	4 <u>2</u>	4 <u>3</u>	( <u>5,6,7)</u> ( <del>4) (7)</del> <del>(8)</del>	<u>3540</u>	25	4 <u>535</u>	
Multi – Family	RM- 1	Adjacen t to	20	<del>2</del> 2	3	<u>(4,5,6,</u> <u>7)<del>(4)</del></u>	35	<del>20</del> 25	35	

Residenti al	RM- 2	parking				( <del>7)</del> ( <del>8)</del>			
	MH	<u>Not</u> adjacent to parkingNo parking	34	4 <u>2</u>	4 <u>3</u>	( <u>5,6,7)</u> (4) (7) ( <del>8)</del>	35	25	4 <u>535</u>
Commerci al /Office	NC C C	Adjacent to Parking	20	<del>2</del> 3	3	( <u>4,45)</u> ( <del>7)<u>,6,7</u> )</del>	<del>35<u>35</u></del>	<del>20</del> 20	35
	OS- 1 OS C OST B-1 B-2	<u>Not</u> adjacent to parking <del>No</del> <del>parking</del>	25 <sub>7</sub> <del>excep</del> <del>t_OS_1</del> &_B_1 <del>20</del> ft.	<del>3,</del> excep <del>t OS-1</del> & B 1 = 2 ft. <u>0</u>	3, exce pt OS-1 & B 1-= 2½ ft.0	(4 <u>5</u> ) ( <u>7</u> 6,7)	40 <u>60</u>	<del>25<u>40</u></del>	4 <u>535</u>
	B-3	Parking between ROW and at least 67% of primary building		3	3	( <u>4,5,6,</u> <u>7)</u>	<u>75</u>	40 Plus 2 shrubs per 40 lf	<u>35</u>
Industrial <u>(12)</u>	-1  -2	Adjacent to Parking	25	3	3	(4,5,6, 7) (4) <del>(7)</del>	40 <u>40</u>	<del>30<u>35</u></del>	45
		<u>Not</u> adjacent to parking <del>No</del> <del>parking</del>	25			<u> </u>	4 <u>060</u>	<u>3540</u>	<del>55<u>45</u></del>
Downtown	TC TC-	Adjacent to Parking	20			<u>(6,7)<del>(7</del> <del>) (8)</del></u>	25 <u>(16)</u>	15 <u>(16)</u>	
	1	No <u>t</u> adjacent to p <u>ar<del>a</del>rkin</u> in g					30 <u>(16)</u>	20 <u>(16)</u>	
Misc. Large Use	P-1 Exp	Adjacent to Parking	20	<del>2</del> 2	3	<u>(5,6)</u> (4 <del>) (7)</del>	<del>30<u>35</u></del>	20	45
_	o EXO RC FS	Not adjacent to parkingNo parking	25	3	3	<u>(5,6)</u> (4 <del>) (7)</del>	<del>35<u>45</u></del>	<del>25<u>30</u></del>	<del>55<u>45</u></del>
Planned Suburba n Low Rise	PSLR	Parking and buildings adjacent	50	4	3	Not <del>permi</del> ŧ ted <u>all</u>	35	20	35

I

to a section line road right-of- way				<u>owe</u> <u>d</u>			
adjacent to other right-of- ways	<u>To</u> Front of princi pal buildin g	4	3	Not <del>permi</del> t ted <u>all</u> <u>owe</u> d	35	20	35

Notes to table: Footnotes:

(1) Round fractions to the nearest whole number for the required number of trees and shrubs. 5.5.3.B.ii.f Right of Way Landscape Screening Requirements (continued)

(2) (1) Subcanopy trees are to be used under overhead utilities. Use 2-1.5 subcanopy trees for each one canopy tree requirement. If columnar/fastigiate varieties are used, 2 subcanopy trees per canopy tree must be used. The minimum total mature canopy width of the provided subcanopy trees should equal or exceed 25 feet. Wherever possible, however, deciduous canopy trees are to be used as street trees.

- (4) (3) Shrubs, both deciduous and evergreen, \_are to be used to screen parking and vehicular use areas where no berm or wall is provided, and are encouraged to be used in other areas toand provide seasonal interest where no parking occurs. Shrubs in front of parking areas must provide minimum screening opacity of 80% in winter and 90% in summer and be maintained at a height of at least 3 feet. The use of shrubs in place of the required berm requires a Planning Commission Waiver (berms are preferred).
- (5) (4) A wall may be used instead of a berm. If a wall, consistent with footnote (6) below, is provided in front of parking areas, a reduction of up to 33% of the required greenbelt plantings (not street trees) is allowed in the parking greenbelt area. A Planning Commission Waiver is required to use a wall instead of a berm, and plantings.
- (6) Freestanding walls shall be constructed of masonry or concrete with all exterior sides of face brick with a suitable cap.
- (7) An ornamental fence with shrubs and brick piers may be used instead of a berm if approved by the Planning Commission in Use/Zoning as indicated above. A Planning Commission waiver is required for this substitution.
- (5) Ornamental Grasses, perennials, annuals shall be planted in massed groupings to highlight entrances and views of key elements.
- (6) With Road Commission for Oakland County approval where applicable.
- (7) Freestanding walls shall be constructed of masonry or concrete with all exterior sides of face brick with a suitable cap.
- (8) An ornamental fence with shrubs and brick piers may be used instead of a wall if approved by the Planning Commission in Use / Zoning as indicated above.
- (8) (9) View channels into the site are to be used for safety visibility. <u>Please provide sight lines</u> to the building address for approaching vehicles at an approximately 30-40 degree angle.
- (9) (10) Tree spacing requirements are intended to dictate the tree quantity per linear footage along the proposed right-of-way (ROW).\_ <u>It is They are</u> not intended to dictate exact placement on the site within the area of the requirement. \_Creative landscape design is encouraged.
- (10) (11) In situations where sidewalks are not required, the <u>street</u> trees shall be placed midway between the curb line and right-of-way line where possible.

<sup>(3) (2)-</sup>Subcanopy trees can be in an informal or formal arrangement. Format spacing shall be 10-foot minimum to 15-foot maximum on center.



- iii. Reduction or Waiver. Except as provided in Section 5.5.3.A.v.a.(3), which governs relief relative to berm height, the Planning Commission may reduce or waive the landscaping screening/buffer right-of-way requirements when it determines that practical difficulties exist due to the parcel size or configuration, or where the design of the site would be enhanced by an alternative design solution while still meeting the intent of this Section. Examples of such situations include, but are not limited to, when Such action by the Commission shall be taken when:
  - a. [Unchanged]
  - b. [Unchanged]
  - c. [Unchanged]

The Commission may, as part of its exercise of such authority, require the:

a. [Unchanged]

- Use of a wrought iron decorative fence with brick accents or other material of equal aesthetic quality and durability with plantings instead of a berm (see Footnote (8) of the Right of Way Landscape Screening Requirements Chart).
- C. Parking Area Landscaping Requirements
  - i. <u>Intent</u>. The intent of this subsection is to require curbed landscape islands within parking areas, thereby reducing solid expanses of impervious surfaces, to decrease runoff, to shade parking areas, and to create aesthetically pleasing and environmentally enhanced parking areas.
  - ii. <u>General Requirements</u>.
    - a. The design and layout of all parking lots and islands shall be subject to review and approval by the City of Novi.
    - b. Islands are to conform to the general requirements in Section 5.3.12.
    - c. Creative island configuration is encouraged, such as islands between rows of parking in long, wide planting strips. See (see Parking Lot Configuration Diagrams) in the City of Novi Landscape Design Manual for examples.
    - d. The minimum width dimension of the islands is to be ten (10) feet from back of curb to back of curb. The use of pedestrian walkways in parking lot islands is encouraged, if the islands' paths are greater than or equal to sufficiently wide and the seventeen feet in width 10-foot planting area width is maintained.
    - e. Landscaped islands are to be installed with six (6) inch curbs that are designed to protect landscaping from damage by vehicles. However, periodic openings in curbs, which do not exceed two (2) feet in length, shall be permitted only for the purpose of conveying storm water run-off.
    - a.f.\_\_If more than one (1) island is provided in a parking lot, they are to be distributed throughout the lot.
    - g. Each parking lot landscape island shall have:
      - (1) Where a parking lot landscape area is required hereunder, it shall be no less-<u>A minimum of 200 square feet</u> than three hundred (300) square feet in area-<u>.</u>
      - (2) A minimum of 200 square feet in unpaved area per tree planted in an island. The unpaved area must be immediately adjacent to the tree(s).
      - (3) A minimum dimension of 10 feet in width from back of curb to back of <u>curb.</u>
      - (4) A minimum of 3 feet between the back of a curb and a tree trunk.
    - b.h. For any development other than a single one-family or two-family dwelling, tfor any development other than a single one family dwelling or single two family dwelling. The exact square footage of landscape islands required shall be as specified in the Interior Parking Area Landscape Islands and Canopy Tree Chart (Table 5.5.3.C.iii).
    - e.i. Wheel stops or <u>raised</u> curbing shall be installed to prevent vehicles from encroaching more than two (2) feet into any parking landscape area. When adjacent 90 degree parking stalls are reduced from 19 to 17 feet in length, the <u>r</u>Required six (6) inch curbs shall be reduced to four (4) inches in height when the adjacent ninety (90) degree parking stalls are proposed to be reduced from nineteen (19) feet to seventeen (17) feet in length. This applies to both landscape and sidewalk overhangs. Also, instances w<u>W</u>here vehicles overhang a sidewalk, the <u>parking stall may be</u> reduced in length to seventeen (17) feet, the curbing shall be reduced to

four (4) inches in height, and the sidewalk shall have a minimum width of seven (7) feet.

- j. No plantings with a mature height greater than twelve (12) inches shall be within ten (10) feet of fire hydrants. Plant materials shall not block the visibility of the hydrant and be no taller than 12 in inches when below a Fire Department Connection.
- d.k. Trees are to be located at least 10 feet away from utility structures including catch basins and manholes, and should be at least 5 feet away from underground utility lines whenever possible.
- e.l. Islands are to have adequate drainage to <u>the</u> nearest catch basin or adequate areas of amended sandy loam soil, as specified on the plan, to achieve proper drainage. <u>Depressed (sunken) islands are allowed if the</u> <u>plantings are salt-tolerant and the islands are designed to provide</u> <u>drainage adequate for survival of the island plantings and meet all City of</u> <u>Novi engineering standards.</u>
- f.<u>m. Paint, c</u>Contrasting brick or concrete pavers may be used to delineate stall lines within parking areas.
- <u>g.n.</u> Any area within a parking lot not dedicated to parking use or driveways, exceeding one-hundred (100) square feet, shall be landscaped with a minimum of lawn or other living ground cover.
- h.o. All landscaped areas required herein shall consist of a mix of plant materials such as canopy deciduous trees, subcanopy trees, shrubs, groundcovers, ornamental grasses and perennials.
- hp. The total square footage of required interior landscape islands shall be provided as follows:
  - <u>j-(1)</u> The required square footage shall be provided only within islands that are surrounded by paved parking areas<u>-Islands\_or</u> that project into the parking lot from the perimeter of the parking area<u>\_</u> if theyshall meet the requirements of this Section.
  - (2) Areas abutting but not within the interior of the parking area shall not satisfy the requirements of this Section.
  - (3) Within the interior of the parking lot, islands shall be distributed evenly across the paved area so as to distribute the required landscaping throughout the parking area.
  - (4) No bay of parking (defined herein as a single row of side by side parking spaces) greater than fifteen (15)15 parking spaces in length shall be provided unless a landscape island is provided at a minimum interval of one island per fifteen (15) parking spaces.
  - (5) If the use is primarily vehicular storage (i.e. automobile dealer vehicle inventory areas, vehicle stockpile areas, semi-trailer storage areas), bays of 25 spaces will be allowed but the required interior landscape area must be provided.
  - k.<u>(6)</u> The design and layout of all parking lots and islands shall be subject to review and approval by the City of Novi.<u>In order to count toward</u> the total landscape area provided, an island must contain at least 1 deciduous canopy tree.
- iii. <u>Greenspace and Parking Lot Tree Requirements</u>. The following chart is to be used to calculate the square footage of island space and the number of canopy trees required for Parking Area <u>Interior and Perimeter</u> Landscaping.

	A	В	С	D	E
Category*	Total square footage of <del>parking</del> <del>spaces not</del> <del>including</del> <del>access aisles</del> <del>equals<u>lands</u> <u>caped</u> <u>islands for</u> <u>VUA areas</u> <u>less than or</u> <u>equal to</u> <u>50,000</u> <u>square feet</u> <u>equals</u>:</del>	Square footage of all additional paved vehicular use areas (Not including A) under 50,000 square feet equals:Total square footage of landscaped islands for VUA beyond the initial 50,000 sf (A) equals:	Square footage of all additional paved vehicular use areas (Not including A or B) over 50,000 square feet equals:Total square footage required in interior parking lot islands equals:	Total Square footage of landscape d islands required equalsnum ber of interior landscape deciduous canopy trees:	Perimeter Deciduous Number o Canopy Tree required equals:
<u>Footnotes</u>	1,2,3	<u>1,2,3</u>		<u>4,5,7</u>	<u>6,7,8</u>
1	<u>VUA × <del>10</del>7.5</u> %	(VUA-50000) × 5 <u>1.0</u> %	<u>A+B</u> ×-1%	<del>Total <u>(</u>A+B)</del> (+ <del>C)</del> /200	Perimeter (LF) <del>D</del> <del>75<u>35</u></del>
2	<u>VUA</u> × 7 <u>5</u> %	(VUA-50000) × 0.5%× 2%	<u>A+B</u> <del>× 0.5%</del>	<u>(A+B)/200</u> Tot al A+B (+C)	<u>Perimeter (LF) / 35</u> <del>/ 75</del>
	al Land_ <del>-UU</del> ses	OST, B-1, B-2, B-3, C,	NCC, EXPO, F	S, TC, TC-1, RC	C Districts <del> and</del>

(1) Round fractions of trees to the nearest whole number.

- (1)(2) A minimum square footage as set forth in Section 5.5.3.C.ii.b is required. Vehicular Use Area (VUA) to be used in this calculation includes parking spaces, loading areas and access aisles. It does not include drives to the Vehicular Use Area. See illustration below.
- (3) All calculations are to be rounded to nearest whole number (do not use decimal places). For example, if A = 95.96, it would be rounded to 96 before continuing to the next calculation. If a vehicular use area is greater than 50,000 sf, the landscape requirement for the first 50,000 sf of VUA is to be calculated per Column A, and the requirement for the remaining VUA is to be calculated per Column B. The landscaping for the total requirement should be spread evenly across the entire VUA

As an example, a 65,000 square foot parking area in Category 1 would require 50,000 x 7.5% plus 15,000 x 1% = 3750sf + 150 sf = 3900 sf landscape area within the parking lot boundary.

<del>(2) .</del>

- (3) Canopy deciduous trees are required. In instances of overhead utility lines, subcanopy trees may be approved.
- (4) Corner areas at the edges of parking areas may also be counted toward square footage of island space.
- (4) Perimeter greenspace must contain canopy trees equal in quantity to one (1) per thirtyfive (35) linear feet as a minimum. Paved vehicular use areas includes loading/unloading areas. Deciduous canopy trees are required for all interior parking trees. In areas with overhead utility lines, subcanopy trees may be approved at a rate of 1.5 subcanopy trees per 1 canopy tree required.
- (5) Access drives outside of parking areas shall have perimeter trees planted at the rate of 1 per 40 lf of drive length on both sides of the aisle, ending at the right-of-way/property line. The portion of an access way to the parking lot that passes through the right-of-way greenbelt may be subtracted from the basis of calculation if an equivalent number of greenbelt canopy trees are within 15 feet of the drive and fulfill the requirement for 1 tree per 35 lf.
  - <u>q.</u> Perimeter trees are required for parking areas and access drives to parking areas at a rate of 1 tree per 35 If of perimeter. See illustration for determination of perimeter length.
    - (1) Parking lot frontages with existing trees within 15 feet of the parking lot perimeter (as measured to the tree trunk) may be subtracted from the basis of calculation, as long as the trees provided meet or exceed the requirement of 1 tree per 35 lf.
    - (2) If the front edge of a parking lot is at the rear edge of the front greenbelt buffer, and canopy trees, in that greenbelt, existing or proposed, are within 15 feet of the parking lot's back of curb (as measured to the trunk) that section of perimeter may be subtracted from the perimeter length if the number of trees proposed equals the requirement of 1 per 35 lf.
    - (3) In the case of a building in a Commercial/Office district (NCC, C, OS-1, OSC, OST, B-1, B-2 or B-3) where parking is between the right-of-way and at least 67% of the primary building, only 50% of the normal perimeter parking requirement is required along the parking lot edge that faces the right-of-way. The same allowance for deduction cited in (2) above can also apply in this case.

- (4) Greenbelt canopy trees within 15 feet of the back of curb of an access drive may count toward the access drive perimeter tree requirement.
- (5) If a parking lot edge is within 20 feet of a building 20 feet or taller, perimeter trees are not required along the building's frontage facing the parking lot. That length can be subtracted from the basis of calculation.
- (6) As they may assist with screening between properties, large evergreen trees may be used for up to 25% of the required perimeter. Sufficient space should be provided between the tree and the curb to allow the evergreens to maintain their branches down to ground level when they mature.



iv. [Unchanged]

#### D. Building Foundation Landscape Requirements

- i. <u>Intent</u>. The intent of this subsection is to provide green<u>living</u>, landscape space around buildings in order to help integrate buildings into the surrounding landscape and to improve the aesthetic appearance of the site.
- ii. <u>Requirements</u>. For all buildings or accessory buildings requiring site plan review, the following shall apply:
  - a. There shall be, as a minimum, interior site landscaping square footage equal to the quantity calculated by multiplying the entire perimeter of the building, less the paved access points including walkways to the building (but not including those walkways along the building) and vehicular entrance ways to the building interior (i.e. garage doors) by eight feet. See the diagram below.
  - b. Landscaped planting beds shall be placed immediately adjacent to the building on <u>all\_at least 80% of the building foundationfour sides\_</u>and have

a minimum width dimension of four feet. <u>Lawn areas shall not be</u> <u>considered toward the required greenspace</u>. Creativity of the physical configuration of the landscape planting bed shape and dimension is strongly encouraged. <u>Applicant is encouraged to provide additional</u> greenspace adjacent to the building wherever possible.

- a.c. All foundation landscaping areas shall be labeled as such on the landscape plan, with the area in square feet of that area.
- d. For the front and any other facades visible from a public street, a minimum of sixty (60) percent of the exterior building perimeter will-shall be greenspace planted with <u>a mix of</u> trees, shrubs and groundcovers, perennials, grasses, annuals and bulbs. <u>Canopy deciduous,Deciduous</u> canopy and/or large evergreen trees and subcanopy trees may also be included around the building if separated from the building by the appropriate distances.
- e. Also see zoning district Development Standard and Selected References as applicable.
- b.f. If the front of the building is at the rear line of the required right-of-way greenbelt, trees included in the foundation plantings for the front of the building may also count toward the required greenbelt plantings.
- e.g. With respect to projects within the TC and TC-1 districts, the Planning Commission may waive the eight (8) foot width calculation requirements, if significant additional planting and/or decorative paving or amenities are added adjacent to the building.
- <u>h.</u> The loading/unloading spaces, entry doors, and drive through aisles are exceptions from having the greenspace adjacent to the building. The length of those elements can be subtracted from the perimeter per the illustration below.
- i. \_\_\_\_There shall be greenspace adjacent to patios.
- j. In instances where the building has a first floor overhang greater than 2 feet, the landscaping required under this subsection shall begin at the outside edge of the overhang in order to ensure the landscaping receives sufficient sun and water.
- H. In situations where the building use does not allow landscaping immediately adjacent to the building, alternate placements of required foundation landscaping may be proposed elsewhere on the property. In that case, the alternative area(s) should be clearly labeled as foundation landscaping, with its area in square feet. A Planning Commission waiver is required for the alternate positioning.

e. In instances where the building has a first floor overhang greater than two (2) feet, the landscaping required under this subsection shall begin at the



#### iii. [Unchanged]

- a. Particular pedestrian circulation safety concerns inhibit the application of this requirement; or
- a.<u>b.</u> Elements or activities that are ancillary to the primary building's function inhibit the application of this requirement; or
- c. Landscaping has been proposed in other areas<u>on the site</u> adjacent to the building that offset the loss.

#### E. Detention/Retention/Sedimentation Basin Landscape Requirements.

b. All detention basins shall be planted with the minimum requirements as set forth in the Landscape Design Manual and shall be designed to have a natural appearance, utilizing natural looking contours and native plant materials whenever possible. Detention basin maintenance shall be provided (see Ordinance Cedehapter 12, Storm Water Management).

#### E.F. Subdivision Planting Requirements

- Single-Family Platted Subdivisions or Residential Site Condominiums
  - a. [Unchanged]
  - b. Requirements Adjacent to Major Thoroughfares.
    - (1) That portion of these lots abutting major thoroughfares shall include an approved screen planting and raised berm per Section 5.5.3.B, contained in a non-access greenbelt easement, labeled

as such on the plans, and having a minimum width of  $\frac{1}{100}$  feet.

- (2) Said non-access greenbelt easement shall be part of the development open space, not part of a lot or residential unit.
- b.(3) The screening plantings shall be installed at the time of construction of the subdivision.
- c. <u>Street Trees and Boulevard Planting</u>
  - (1) Street trees shall be provided in front of each lot in accordance with the standards set forth in the Landscape Design Manual.
  - (1)(2) A Street Tree Financial Guarantee will be collected at a rate of four-hundred (400) dollars per street tree required prior to the Full Pre-Construction meeting, per Ordinance Chapter 26.5 – Financial <u>Guarantees</u>. There will be no issuance of any Temporary or Final Certificate of Occupancy in the development until this financial guarantee and the Street Tree Maintenance Fee has been paid. No Final Certificate of Occupancy will be granted until the trees have been planted by the developer and inspected <u>and</u> <u>accepted</u> by the City.
  - (<u>2)(3)</u>[Unchanged]
  - (2)(4) The developer shall submit a landscape plan for all of the street trees to be provided within the <u>platdevelopment</u>, which shall be reviewed by the City.
- d. Island and Boulevard Planting
  - (1) All islands, boulevards and easements shall be landscaped and irrigated. Islands within a cul-de-sac shall not have any plant materials that may obscure vision across the island between heights of three (3) feet to six (6) feet as measured from the established street grade. See Landscape Design Manual for additional requirements regarding the type and size of plantings.
  - (1) <u>Island and boulevard plantings do not count toward the required</u> <u>street tree totals.</u>
  - (2) If an island<u>'s or entry's landscaping</u> is to be re-<u>landscapevise</u>d by the subdivision association, a landscape plan shall be submitted to the City for administrative approval.
- ii. <u>Multi-Family/Attached Dwelling Units</u>
  - a. <u>Intent</u>. The intent of this subsection is to create visually appealing multifamily residential areas that integrate existing natural resources into the overall landscape design.
  - b. <u>Requirements</u>. For all <u>multiple-multiple-family</u> or other development with attached dwelling units (other than a single RT dwelling on an individual lot) the following shall apply:
    - (1) Three (3) <u>deciduous</u> canopy <u>deciduous</u> trees or large evergreen trees for each dwelling unit on the first floor shall be provided. Evergreens shall be no closer than twenty (20) feet from the roadway.
    - (2) In addition, there shall be one <u>deciduous</u> canopy <u>deciduous</u>-tree along interior roads for every thirty-five (35) feet of lineal interior roadway, <u>along each side of the roadway</u>, excluding driveways, interior roads adjacent to public rights-of-way and parking entry drives.\_ The spacing of the <u>deciduous</u> canopy <u>deciduous</u>-trees shall be a minimum of twenty-five (25) feet and a maximum of

thirty-five (35) feet.\_ In case of overhead utility lines, <u>deciduous</u> subcanopy<u>deciduous</u> trees can be substituted for <u>deciduous</u> canopy <u>deciduous</u> trees<u>at a rate of 1.5 subcanopy tree for each</u> <u>1 canopy tree</u>. (See Single- Family Platted Subdivisions or Residential Site Condominiums Sections for specific requirements.)

- (3)(1) A mixture of shrubs and \_\_\_\_\_ subcanopy trees and \_ ground covers, perennials, annuals, and <u>/or</u> ornamental grasses shall be provided as foundation plantings at the front of each ground floor unit covering at least <u>sixtythirt-five (6035</u>) percent of the front building facade.
- iii. <u>Non-Residential Subdivisions</u>
  - a. [Unchanged]
  - b. [Unchanged]
    - (1) [Unchanged]
    - (2) <u>Required</u> Landscape Screening, <u>Requirements</u> where adjacent to residential, Section 5.5.3.A.ii, is to be installed at the time of and as a part of construction prior to development of any lots.
    - (3) [Unchanged]
    - (4) [Unchanged]
    - (5) See<u>the</u> Landscape Design Manual for additional requirements for individual lots.

v.<u>iii. Detention/Retention/Sedimentation Basin Landscape Requirements. All</u> detention basins shall be planted with minimum requirements as set forth in the Landscape Design Manual and shall be designed to have a natural appearance, utilizing natural looking contours and native plant materials whenever possible. Detention maintenance shall be provided (see Ordinance Code, Storm Water Management).

#### G. Individual (Non-subdivision/Non-site condominium) Single-family Requirements

- i. Street trees shall be provided in front of each single-family parcel, in accordance with the standards set forth in the Landscape Design Manual for lots within single-family platted subdivisions.
- ii. The developer/builder or homeowner shall depict the street trees on the plot plan, which shall be reviewed by the City.
- iii. A Street Tree Financial Guarantee will be collected at a rate of \$400 per street tree required prior to the issuance of a building permit, in accordance with the provisions of Chapter 26.5 of the Novi Code of Ordinances.
- iv. No Final Certificate of Occupancy will be granted until the street trees have been planted by the developer/builder or homeowner and inspected by the City. Once the trees have been inspected, the Financial Guarantee will be reduced to a Maintenance Bond equal to 25% of the material cost of the trees per the Community Development standard costs, or a minimum of \$1000, whichever is higher. The Street Tree Financial Guarantee will not be reduced until the trees have been planted and accepted by the City.
- v. Trees shall be guaranteed by the developer/builder or homeowner for 2 growing seasons after installation. All unhealthy and dead trees shall be replaced by the developer/builder or homeowner within 3 months following notice, or the next appropriate planting period, whichever occurs first.
- (1)vi. All replacement trees shall be guaranteed by the developer/builder or homeowner for an additional 2 years, after which time a final inspection will be

conducted at the request of the developer/builder or homeowner. At that time, the Maintenance Bond will be returned to the payer. If required, the maintenance bond will be used to replace any trees not replaced by the developer/builder or homeowner.

- 4. Landscape Plan Review Standards. The landscape plan shall be reviewed relative to:
  - A. The intent of the overall design of the site and the design of the proposed landscape materials to achieve unique, attractive and significant landscaping on the site as a whole;
  - B. The proper type, spacing, height, placement and location of plant materials in order to insure that the intent of this ordinance is met;
  - C. The choice and selection of plant materials so as to insure that root systems will not interfere with public utilities and so that fruit and other debris, except leaves, will not constitute a nuisance within public rights-of-way or to abutting property owners;
  - D. The choice and selection of plant materials so as to insure that the type of plantings selected will be of a type that will survive and thrive in the area in which they are to be located;
  - E. The proper relationship between deciduous and evergreen plant materials exists so as to assure that the desired obscuring effect will be accomplished; and
  - F. All requirements of this Section and of the Landscape Design Manual.

#### 5. Installation Specifications.

- A. Approved Planting Plan. \_Wherever in this Ordinance landscape plantings are required or permitted, they shall be planted in accordance with the approved final stamped landscape plan.
- B. Time of Planting. All plant materials shall be installed between March 15 and November 15. All installed landscapes including plant materials, mulch, staking, irrigation, and sodding, must be installed and inspected by the City prior to issuance of a Temporary Certificate of Occupancy. At that time, a financial guarantee of one and one half (1.52) times the cost of any deficiencies will be held until inspection occurs for a Final Certificate of Occupancy. In order to receive a Final Certificate of Occupancy, the deficiencies must be addressed within thirty (30) days during the March 15 to November 15 planting season. Under extraordinary circumstances related to the inability to plant during the approved installation period, a financial guarantee of two (2)one 1.2 times the cost of any deficiencies are not addressed in the time period outlined above, the City will cash in the amount being held for the outstanding items and remedy those items. Note: For street trees, the financial guarantee is only 100% of the \$400 per tree.
- C. Inspections. A City representative will perform landscape inspections following a request from the developer. The inspection time period is from <u>March\_April\_15</u> to November 15 (actual inspection scheduling depends on plants being in condition to inspect early in the spring or late in fall). If an inspection is requested between November 16 and <u>March\_31April 15</u>, a financial guarantee is to be provided based on two\_1.2-(2.0) times the percent incomplete material cost of incomplete items for a Temporary Certificate of Occupancy as outlined above. Beginning <u>March\_31April 15</u>, the Applicant then has thirty (30)30 days to complete items or the City will cash in the amount being held and finish the job with the financial guarantee funds.
- D. Establishment Period. \_The establishment period for the plant material guarantee will occur\_beginning at the Final Certificate of Occupancy inspection approval\_and continue to two (2) years from that date.\_ All plantings shall be properly planted as to bend be in a healthy, growing condition at commencement of the establishment

period. At the end of the establishment period, any plantings, which are twenty (20) percent dead or greater, shall be replaced.

- E. Notice of Installation/Minor Changes
  - i. The owner or developer must notify the City of the installation schedule. The City may reject any material which is defective or in generally poor condition.
  - ii. Minor changes regarding plant materials per the approved and stamped landscape plan may be altered upon written notification to, and written signoff by, the City Landscape Architect of species, size, change, and location. The proposed changes must be in the form of a marked-up or revised approved landscape plan. If only limited areas are impacted, the entire plan does not need to be submitted.
  - iii. Minor changes due to seasonal planting problems and lack of plant availability may be approved in writing by the City Landscape Architect when there is no reduction in the quality of plant materials, no significant change in size or location of plant material, the new plant material is compatible with the area and is the same general type (deciduous/evergreen), exhibiting same design characteristics (mature height, crown), as the material being replaced. If the applicant purchases and/or installs unapproved material, they do so at the risk that they may need to be removed if the change is not approved.
  - iv. If these criteria are not fulfilled or changes from the approved plan are significant in terms of number of plantings changed or in planting layout from approved plan, such that the provided plan is not predominately representative of the actual installed plantings, the landscape plan shall be revised and resubmitted for plan approval a revised or as-built plan and an additional review fee will be required.
- <del>.....</del>

- i. Street trees shall be provided in front of each single-family parcel, in accordance with the standards set forth in the Landscape Design Manual for lots within single-family platted subdivisions.
- ii. A Street Tree Financial Guarantee will be collected at a rate of four-hundred (400) dollars per street tree required prior to the issuance of a building permit, in accordance with the provisions of Chapter 26.5 of the Novi Code of Ordinances. No Final Certificate of Occupancy will be granted until the trees have been planted by the developer/builder or homeowner and inspected by the City. Trees shall be guaranteed by the developer/builder or homeowner for two (2) growing seasons after installation. All unhealthy and dead trees shall be replaced by the developer/builder or homeowner within three (3) months following notice, or the next appropriate planting period, whichever occurs first. All replacement trees shall be guaranteed by the developer/builder or homeowner for an additional two (2) years, after which time a final inspection will be conducted at the request of developer/builder or homeowner. The Street Tree Financial Guarantee will not be reduced until the trees have been planted and accepted by the City.
- iii. The developer/builder or homeowner shall depict the street trees on the plot plan, which shall be reviewed by the City.
  - 6. Maintenance
    - A. [Unchanged]
    - B. [Unchanged]
    - <u>C.</u> Such instrument shall also include provisions that:
      - \_\_\_\_all unhealthy and dead material shall be replaced within one (1) year, or the next appropriate planting period, whichever occurs first;

F. Individual (non-subdivision/non-site condominium) single-family requirements

- ii. all landscaped areas shall be provided with an irrigation system method of providing water for the landscaping during establishment. A permanent irrigation system must be installed if plantings that require a consistent source of water for survival are part of the landscape;
- iii. tree stakes, guy wires and tree wrap are to be removed after one winter season;
- iv. plantings shall be guaranteed for two (2) growing seasons after<u>the</u> date of the acceptance of the installation; <u>and</u>
- B.v. if grass or weeds exceed the height specified in Chapter 21 of the Novi Code of Ordinances, or if shrubs are allowed to obstruct vision across any portion of the parking or boulevard islands, or within corner clearance vision zones, and the responsible party is unwilling to rectify the problem, the City will abate such violations and shall assess the cost of such abatement measures in the manner proposed by the developer and approved by the City in such instrument.
- (2)D. Responsibility and Certificates of Occupancy. The owner of the property subject to the requirements of this Section shall be responsible for installing and maintaining landscaping per the approved final landscape plan as specified in this Section. Where the property is occupied by a person other than the owner, the occupant shall also be responsible for maintenance.
- G.E.\_\_\_All landscaping work required pursuant to this Section shall be treated as a site improvement for purposes of Sections 7.7.8 and 7.7.9.

### <u>part II.</u>

<u>Severability</u>. Should any section, subdivision, clause, or phrase of this Ordinance be declared by the courts to be invalid, the validity of the Ordinance as a whole, or in part, shall not be affected other than the part invalidated.

# <u>part III.</u>

<u>Savings Clause</u>. The amendment of the Novi Code of Ordinances set forth in this Ordinance does not affect or impair any act done, offense committed, or right accruing, accrued, or acquired or liability, penalty, forfeiture or punishment, pending or incurred prior to the amendment of the Novi Code of Ordinances set forth in this Ordinance.

#### <u>Part IV.</u>

**<u>Repealer.</u>** All other Ordinance or parts of Ordinance in conflict herewith are hereby repealed only to the extent necessary to give this Ordinance full force and effect.

#### <u>part V.</u>

**Effective Date: Publication**. Public hearing having been held hereon pursuant to the provisions of Section 103 of Act 110 of the Public Acts of 2006, as amended, the provisions of this Ordinance shall be published within fifteen (15) days of its adoption by publication of a brief notice in a newspaper circulated in the City of Novi stating the date of enactment and effective date, a brief statement as to its regulatory effect and that a complete copy of the Ordinance is available for public purchase, use and inspection at the office of the City Clerk during the hours of 8:00 A.M. to 5:00 P.M., Local Time. The provisions of this Ordinance shall become effective seven (7) days after its publication.

MADE, PASSED, AND ADOPTED BY THE CITY COUNCIL OF THE CITY OF NOVI, OAKLAND COUNTY, MICHIGAN, ON THE \_\_\_ DAY OF \_\_\_\_\_, 2017.

ROBERT J. GATT, MAYOR

# CORTNEY HANSON, CITY CLERK

Ayes:

Nays:

Abstentions:

Absent:

# **CITY OF NOVI**

# LANDSCAPE DESIGN MANUAL

(Adopted by City Council Resolution dated- 8-25-03) - revised Dec-2016

# TABLE OF CONTENTS

- Part I. Supplemental Requirements and Procedures
- Part II. Street Tree List
- Part III. \_\_\_\_Obscuring Earth Berm Diagrams
- Part IV. Parking Lot Configuration Diagrams
- Part III Screening Opacity Diagrams
- Part IV. Proposed<u>Standard</u> Planting Details

Part V. Street Tree List

Part VI. Suggested Plant Material List

# NOTE:

In addition to this Landscape Design Manual and Section 5.5 of the Zoning Ordinance, issues related to landscaping are also addressed in the following sections of the Novi Code of Ordinances. Please consult these for other possible impacts on a project.

# (Note: the following list is provided as an aid and does not guarantee that other ordinances may not have an impact on landscaping):

# **ZONING ORDINANCE:**

Ordinance Section #	Title/Relevant Section
3.6	Notes to District Standards
<u>3.6.M:</u>	Wetland/Watercourse setback
3.9.7	MH-Mobile Home district buffer
3.11:	GE Gateway East District – particularly section 6
3.12:	Special Development Option (SDO) for the GE District
<u>3.14.4, 3.14.5.B&amp;E:</u>	<u>I-1</u>
<u>3.15.1.B, 3.15.2:</u>	<u>I-2</u>
<u>3.19.3&amp;7.D:</u>	OST Retail Service Overlay
<u>3.20.2.A&amp;C:</u>	OST Required Conditions
3.21.2.A.iii&iv:	PSLR Overlay
3.22	<u>P-1</u>

<u>3.23.1.vi</u>	Conference District
<u>3.27.1. C,D,F</u>	TC and TC-1 Required Conditions
3.28.6&10	One Family Clustering Option
3.29.2	RUD buffering
4.12.1	Day Care screening
4.13.2	Recreation Areas/Centers
4.19.2.F	Accessory Uses – Refuse Bin
4.37.4	Drive-in businesses
4.40.2.F	Fast food restaurants
4.55	Outdoor Storage Yards
4.58	Junkyards
4.74	Parking for Sale of Motor Vehicles in P-1 District
4.80.1.B & 2.B	Open Air Businesses
<u>4.86.H</u>	Other Uses not Included in a District – Towers
5.2	Off-Street Parking
5.3	Off-Street Stacking, Parking Lot Layout Standards
5.9	Corner clearance
5.11	Fences

# **CODE OF ORDINANCES**

Ordinance Section #	Title/Relevant Section
11-143	Design Considerations – drainage/slopes
12 Article V, 12-275	Wetland and Watercourse Protection
29	Soil – including Sedimentation Control
36	Waterways
37	Woodlands Protection

Part VII. Landscape/Site Maintenance Agreement

# SUPPLEMENTAL REQUIREMENTS AND PROCEDURES

The following Supplemental Requirements and Procedures shall apply to any landscape plan required under Section  $\frac{2509}{5.5}$  of the City of Novi Zoning Ordinance. In the event of inconsistency between the provisions of that ordinance, or any other ordinance of the City, and these supplemental requirements and procedures, the ordinance provisions shall prevail.

# 1. Landscape Screening/Buffer Requirements

<u>a.</u>\_\_\_\_\_Residential Adjacent to Non-Residential

- (1) (1) Berm Requirements.
  - (a) (a) The berm shall be landscaped and maintained in a clean, orderly, and growing condition, considering seasonal circumstances.
  - (b) (b) The berm must be planted with a combination of trees, shrubs, sod or other evergreen ground covers.
  - (c) (c) A minimum opacity shall be provided and maintained at eighty (80%) percent winter opacity and ninety (90%) percent summer opacity at the required height within (2)2 years after of installation. This level of opacity shall be provided wherever screening is called for in this ordinance. Opacity shall be calculated wherever screening or buffering is called for in this ordinance. Opacity includes an intermittent visual obstruction height of twenty (20)20 feet, as well as the required screening or buffering capacity. (See Obscuring Earth Berm Diagrams in this section for examples of landscaping layouts that provide the required opacity.) The intermittent screening does not have to provide 80-90% opacity above 6 feet, but it should have at least 50% summer opacity.
  - (d) (d)—Landscaping shall provide the required opacity primarily by using a dense planting of <u>large</u> evergreen trees<u>or shrubs</u>. Spacing of the plant materials shall be in accordance with the Plant Material Spacing Chart below<u>and the attached illustrations</u>. Groupings of canopy deciduous trees, subcanopy trees and/or shrubs <u>that provide similar opacity as the</u> <u>illustrations may may</u>-also be used to provide screening, <u>especially for the</u> <u>intermittent obstruction</u>. <u>As an example</u>, <u>dD</u>ensely—branched deciduous plant material two (2) or more layers deep and/or evergreen plant material may be used to achieve the required opacity.
  - (e) The berm and landscaping materials shall be irrigated with an underground watering system or have an operational hose bibb within 100 feet of the landscaping.
    - (e) The berm and landscaping materials shall be irrigated.
  - (f) (f) The required minimum and maximum distances between proposed plant materials within this Section for screening and landscape purposes

are as follows or as determined by the City Landscape Architect or City Forester based upon accepted principles not specified in the chart:

<u>(Plant Material Spacing Relationship Chart for Landscape PurposesRecommended</u> distances are dependent on species' mature sizes and their size within 2 years of planting to attain opacity requirements. Recommended maximum spacing distances do not apply to other landscape requirements such as street tree spacing, greenbelt buffering, woodland replacement trees or foundation plantings).

Table 1 a $(1)(f)$	<b>Plant Material Spacin</b>	ng Relationshin (	Chart for Landse	ane Purnoses
<u><b>I</b>able I.a.(I)(I).</u>	I fait Material Spaci	ig Kelationship (	<u>Chart for Lanusca</u>	ape I ul poses

Plant Materia	al	ТО					
Types <u>Centerline</u> <u>to centerlineSpacing</u> (on-center)		Large Evergreen Tree	Narrow Upright Evergreen	Canopy Deciduous Deciduous Canopy Tree <u>*</u>	Deciduous Subcanopy <del>Deciduous</del> Tree <u>*</u>	Large Shrub	Small Shrub
FROM	Large Evergreen Tree	Min. <u>10-15</u> ft <del>.</del> Max. <del>15</del> <u>25</u> ft <del>.</del>	Min. <del>10</del> - <u>12</u> ft <del>.</del>	Min. 20 ft <del>.</del>	Min. 15 ft <del>.</del>	Min. 15 ft <del>.</del>	Min. 10 ft <del>.</del>
	Narrow Upright Evergreen	Min. 10 ft <del>.</del> Max. 15 ft	Min. 2.5 ft <del>.</del> Max. <del>6</del> - <u>10</u> ft <del>.</del>	Min. 15 ft <del>.</del>	Min. 10 ft <del>.</del>	Min. 5 ft <del>.</del>	Min. 3 <u>-5</u> ft <del>.</del>
	Canopy Deciduous Canopy Deciduous Tree*	Min. 20 ft <del>.</del>	Min. 15 ft.	Min. <u>22-20</u> ft <del>.</del> Max. 35 ft.	Min. 15 ft <del>.</del>	Min. 5 <u>-7</u> ft <del>.</del>	Min. 3 <u>-5</u> ft <del>.</del>
	Subcanopy Deciduous Subcanopy Tree <u>*</u>	Min. 15 ft <del>.</del>	Min. 10 ft <del>.</del>	Min. 15 ft <del>.</del>	Min. <u>8-10</u> ft <del>.</del> <del>Max. 15</del> <del>ft.</del>	Min. 5 <u>-7</u> ft <del>.</del>	Min. 3 <u>-5</u> ft <del>.</del>
	Large Shrub (6-15+' tall)	Min. 15 ft <del>.</del>			Min. 5 <u>-7</u> ft <del>.</del>	Min. <u>3-5</u> ft <del>.</del> Max. <u>5-10</u> ft <del>.</del>	Min. 3 ft <u>Max. 6</u> <u>ft</u> -
	Small Shrub <u>(0-</u> <u>5.9' tall)</u>	Min. 10 ft <del>.</del>	Min. 3 <u>-5</u> ft <del>.</del>	<u>Min. 3-5</u> <u>ft</u> <del>Min. 3 ft.</del>	<u>Min. 3-5</u> <u>ft.</u> Min. 3 ft.	<u>Min. 3-5</u> <u>ft</u> Min. 3 ft.	Min. 2- <u>3</u> ft <del>.</del> Max. 4- <u>6</u> ft <del>.</del>

\* Fastigiate/columnar trees may require closer spacing to achieve required opacity.

(g) (g) Berms shall be constructed of loam soils with <u>a 6</u>" top layer of topsoil and shall be free of construction materials and debris. Where possible, they shall be undulating in height, and they shall always maintain at least the minimum height required in Zoning Section 5.5.3.A.ii.

# b. Developments b. Adjacent to Public Rights of Way

### (1) Berm Requirements

e

- (a) Berms are to vary in height and width
- (b) The minimum height specified in Zoning Section 5.5.3.B.ii.f should always be met by the berm, with variations in height taller than the minimum.

### (2) Plant Material Location Spacing

- (a) In order to assist emergency vehicle location of a property, create view channels to business address at a 20-40 degree angle for approaching vehicles from both directions of traffic
- (b) (1) Auto dealerships may use angled plantings that provide screening of parking lots from the right of way but allow views to display cars. The base of any permitted display platform must be totally screened by evergreen shrubs at least 2 feet in height.
- (c) (2)—Shopping Centers and sites adjacent to freeways or other major corridors are highly visible. Therefore, a strong emphasis shall be placed on the design of landscaping that achieves substantial aesthetic enhancement, and a diminution of paving and parking views along these corridors.

#### d. Transformers/Utility Boxes

All transformer and utility boxes shall be screened from public view in an attractive manner, but shall allow safe access to said facilities.

- (1) Plant materials in a layering arrangement shall be specified for screening. Size of plant materials at installation shall be of a height equal to the transformer or utility box.
- (2) A minimum of two (2) feet separation is required between the transformer or utility box and the full growth potential of plant material at maturity.
- (3) Groundcover is allowed up to the transformer pad, if it is kept below 4" in height.
- (4) Doors of transformers must be accessible. No plant materials are to be placed within eight (8) feet of the front of the doors.
- (5) A detail of transformer screen plantings and locations of all transformers must be provided on landscape plan.
- (6) Safety is the first priority when screening transformers and utility boxes. If plantings are above two (2) feet in height, they cannot be placed in the corner clearance (refer to Section 2513). A solid fence may be approved if warranted by safety or site limitations.

# d. Parking Area Landscaping Requirements

- (1) Landscape designs shall utilize native plant materials which enhance infiltration of storm water, lessen runoff where applicable, and utilize vegetated swales, weirs and basins to create an attractive storm water system where possible in parking area design.
- (2) Parking area landscaping materials, other than trees, refuse screening and landscape screening required under Section 2509 shall be maintained not to exceed three (3) feet in height for clear sight distance within the parking islands.
  - (3) Evergreen trees are not allowed in any parking islands unless the applicant can demonstrate that all clear sight distances shall be maintained and a note in a form approved by the City Attorney is added on the final approved site plan that the City of Novi is not responsible for any accidents caused by the lack of clear sight distance
  - (4) All landscaping shall be maintained in a green and growing condition, seasonal conditions considered.
    - (5) Native plant materials are preferred, where applicable.

(6) Name, type and number of groundcover plants proposed on islands are to be specified.

2. Subdivision Planting Requirements
e. Subdivision Planting Requirements

<u>a.</u> <u>(1)</u> Single-family platted subdivisions or residential site condominiums. <u>Street</u>

(1) (a)—Tree <u>spacingSpacing</u>. Trees shall be provided in front of each residential lot in the area between the sidewalk and the curb as described in the Chart<u>s</u> below:

i. Minimum planting area widths:

Table 3.a.(1) Recommended Tree Sizes for ROW areas			
Tree Species Type	Lawn width (curb to sidewalk)		
Small Tree	<u>4-6 feet</u>		
(Deciduous Subcanopy)			
Medium Tree	<u>6-8 feet</u>		
(Deciduous Subcanopy and Canopy)			
Large Tree	<u>&gt;8 feet</u>		
(Deciduous Canopy)			

ii. Minimum planting area widths:

Table 3.a.(2) Recommended Tree Spacing for ROW areas

Tree Species Type	Tree Height	Distance between
	0	trees <u>(on average)</u>
Small Tree	Up to 20'	Min. 20'
(Subcanopy Deciduous Subcanopy)	-	
Medium Tree	20-40'	Min.30'
(Deciduous Canopy and Subcanopy		
and Canopy Deciduous)		
Large Tree	>40	Min. 35'
(Canopy-Deciduous Canopy)		

(2) <u>Street Tree Location. Large s(b)</u> <u>Street trees shall be planted in front of each lot in the right-of-way in accordance with the following standards for large deciduous canopy trees (smaller trees should use the maximum distance guidelines in the table above to calculate the number of trees required):</u>

Lineal Frontage	Trees Required*
<70 feet	At least 1 tree
> or =70 feet	At least 2 trees
> or =105 feet	At least 3 trees
> or =140 feet	At least 4 trees
> or =175 feet	At least 5 trees

\* If space allows, more than the minimum may be planted on a lot.

- (a) (c) Corner lots shall have trees planted along both streets in accordance with the above requirements for each frontage, provided that trees are not planted within the 25 foot corner clearance zone (Section 25135.9)
- (b) <u>and that tTrees are shall not be planted closer than ten (10) feet from any driveway.</u>
- (c) Trees shall not be planted within 35 feet of the intersection of the street curb lines. Distances from between trees and curbs and or sidewalks shall be at least four (4) feet for deciduous canopy deciduous trees. If subcanopy trees are to be used as street trees for tight plantings areas and under utility lines, only use species/varieties which can be attractively pruned per city standards No canopy deciduous tree shall be planted closer than fifteen (15) lateral feet from any overhead utility wire, or closer than ten (10) lateral feet from any fire hydrant, or closer than six (6) feet from any manhole. Once mature, trees shall be maintained to provide (a minimum ground clearance of fourteen (14) feet on the street side and ten (10) feet on the non-street side).
- (d) No deciduous canopy tree, subcanopy tree or evergreen tree shall be planted closer than 15 lateral feet from any overhead utility wire, or closer than 10 lateral feet from any fire hydrant, catch basin or manhole. Effort should also be made to keep all trees at least 5 feet away from underground utility lines.
  - (d) Tree species. A diversity of tree species is to be used. Not more than twenty (20) percent of tree population shall be of one specific genus and not more than fifteen (15) percent shall be of a specific species if there are less than 200 trees being planted. Not more than fifteen (15) percent of the tree population shall be of one specific genus and not more than ten (10) percent of the trees shall be of a specific species if there are 200 or greater number of trees being planted. Variations from these percentages shall be at the discretion of the City Forester or Landscape Architect. (See Novi Street Tree List).
- (3) (e)—Island and Boulevard Planting.
  - (a) –A mixture of shrubs, groundcover, perennials, and ornamental grasses, as well as canopy and sub-canopy trees, is to be provided.
  - (b) –Maintenance of such areas shall be the responsibility of the subdivision association.
  - (c) (Refer to Section 2513 for corner clearance requirements in regards to boulevards.) At least seventy five (75) percent75% of the area shall be landscaped with a combination of canopy and subcanopy trees, shrubs, groundcovers, perennials, annuals, and/or bulbs. The remaining 25% of area can be lawn if desired.

(i) Minimum planting area width:

Tree Species Type	Tree lawn Size
Small Tree	<del>4-6'</del>
(Subcanopy Deciduous)	
Medium Tree	<del>6-8'</del>
(Subcanopy and Canopy	
Deciduous)	
Large Tree	<del>&gt;8</del>
(Canopy Deciduous)	

- (d) \_\_\_\_\_Refer to Zoning Ordinance Section 5.9 for corner clearance requirements for boulevards.
- <u>b.</u> (2)-Non-Residential Subdivisions

(a) Interior streets to the Industrial Subdivision shall be landscaped per each lot as they are built upon as follows (Note: These planting requirements are in place of those in Zoning Section 5.5.3.B except for along public rights-of-way):

- (1) (i) One1 canopy deciduous deciduous canopy or one large evergreen tree per thirty-five (35) linear feet of street frontage along the right-of-way is required. Evergreen trees shall be no closer than 20 feet from the roadwaystreet. At least 1 tree per 50 linear feet shall be planted as a street tree.
- (2) 1 subcanopy tree and 2 shrubs per 40 feet of total linear frontage along the street are required (these shrubs are in addition to the parking lot screening requirement).
- (3) Massing of ornamental grasses, perennials, and/or annuals and bulbs is required for 25% of total linear footage adjacent to the street. Use of them is encouraged at entry points or to highlight significant design. (Also reference Section 5.9 corner clearance).
- (4) In addition to the above, e (ii) Evergreen shrubs are required to provide screening of parking areas only. Shrubs are to be <u>at least 30" in height at planting, three (3)</u> feet height tall at maturity and/or maintained at a minimum height of three (3) foot feetheight maximum. A minimum opacity shall be provided and maintained at eighty (80) percent<u>80% during winter and ninety (90)90%</u> percent <u>during summer opacity</u> within two (2)2 years after of acceptance by the cityinstallation. This applies to all sections of parking visible from the street(s).
- (5) An undulating berm with a minimum height of 36" may be used in place of the evergreen hedge to screen the parking lot. However, if the berm is found to be lower than 36", an evergreen hedge will be required to provide the required screening.

(6) The width of the access drive can be deducted from the frontage in calculating the above landscape requirements.

(iii) Three (3) subcanopy trees per forty (40) feet of total linear frontage along the right of way are required.

(iv) Massing of ornamental grasses, perennials, and/or annuals and bulbs is required for twenty-five (25) percent of total linear footage adjacent to the right-of-way. Use is encouraged at entry points or to highlight significant design. (Also reference Section 2513 corner clearance).

# 3. (3) Detention and /Retention/Sedimentation Basin Landscaping Requirements

- a. (a) Clusters of large native shrubs in a dense planting shall be planted at and above the high water -elevation of the basin. Clusters shall- cover 70-75% of the basin rim area at the high water elevation.
- b. (b) A variety of <u>At least three different native</u> shrub species and cultivars shall be used. Shrubs are to have a dense structure from top to bottom. <u>Straight species are preferred</u>. Dwarf cultivars with mature heights less than <u>5 feet do not fulfill the size requirement</u>.
- <u>d.</u> (d) Grass species that go dormant in winter-such as fescue are suggested.
- e. <u>(e)</u> Contact <u>the</u> City's wetland consultant when specifying basin seed mix. <u>The seed mix(es)' species composition and cover crop(s)</u> should be included on the landscape plan, as well as clear indications of where each mix should be applied. A plan for the successful establishment and maintenance of the groundcover should also be included on the landscape plan.
- <u>f.</u> <u>(f)</u> Utilize anti-waterfowl devices while establishing plantings, such as string matrix or string edge or other approved method.

## 4. Tree species diversity (includes canopy, subcanopy and evergreen trees).

In order to avoid landscape disasters like the Dutch elm disease and Emerald Ash Borer infestations, where overplanting of a single type of tree (elm, ash) resulted in large scale tree replacements, a diversity of tree species is to be used for all projects requiring site plan approval.

- a. If there are less than 200 trees proposed, not more than 25% of the proposed tree plantings shall be of one genus and not more than 15% shall be of a single species.
- b. If there are 200 or more trees proposed, not more than 15% percent of the tree plantings shall be of one genus and not more than 10% shall be of a single species.
- c. Variations from these percentages shall be at the discretion of the City Forester or Landscape Architect. (See Novi Street Tree List).
- d. The breakdown of the species and genera used shall be added to the plant list in a format similar to that shown in the table below:

<u>Symbol</u>	<u>Scientific Name</u>	<u>Common Name</u>	<u>Size</u>	<u>Qty</u>	<u>Genus %</u>	Species <u>%</u>
AL	Amelanchier laevis	Serviceberry	<u>6-7' ht</u>	<u>20</u>	<u>12%</u>	<u>12%</u>
AR	Acer rubrum	Red Maple	2.5" cal.	<u>25</u>	<u>15%</u>	<u>15%</u>
<u>CA</u>	Cornus alternifolia	Pagoda Dogwood	<u>6-7' ht</u>	<u>20</u>	<u>18%</u>	<u>12%</u>
<u>CF</u>	Cornus florida	Flowering Dogwood	<u>1.75" cal.</u>	<u>10</u>	_	<u>6%</u>
<u>MS</u>	Malus 'Snowdrift'	Snowdrift Flowering Crabapple	<u>1.75" cal.</u>	<u>5</u>	<u>3%</u>	<u>3%</u>
<u>PO</u>	Platanus occidentalis	<u>Sycamore</u>	2.5" cal.	<u>25</u>	<u>15%</u>	<u>15%</u>
<u>PS</u>	<u>Pinus strobus</u>	Eastern White Pine	<u>6-7' ht</u>	<u>10</u>	<u>6%</u>	<u>6%</u>
<u>QB</u>	Quercus bicolor	Swamp White Oak	2.5" cal.	<u>10</u>	<u>21%</u>	<u>6%</u>
QR	Quercus rubra	Red Oak	2.5" cal.	<u>25</u>	_	<u>15%</u>
<u>UA</u>	<u>Ulmus americana</u> ' <u>Princeton'</u>	Princeton American Elm	2.5" cal.	<u>15</u>	<u>9%</u>	<u>9%</u>
<u>Total</u>				<u>165</u>	<u>100%</u>	<u>100%</u>

## Table 5.d: Sample Species Breakdowns

e. Woodland tree replacement species shall have roughly the same percentage of composition as the native trees removed in order to maintain some semblance of the impacted woodland (except in the cases of elm, ash or other species which are known to have major survivability issues due to environmental factors). Native maples may be used as substitutes for boxelders, and varieties of native elm species shown to have better resistance to Dutch elm disease than the straight species are allowed as replacements for elms.

The counts of woodland replacement trees should not be included in the breakdown described above (items a-d).

f. While shrubs are not subject to the requirements above, efforts toward using a diversity of shrub species should also be used for the same reasons described above.

# 5. Parking Area Landscaping Requirements

a. Landscape designs shall utilize native plant materials which enhance infiltration of storm water. Designs to lessen runoff are preferred. Wherever possible, designs should utilize vegetated swales, weirs and basins within and around the parking areas to create an attractive storm water system that promotes storm water infiltration.

- b. Parking area landscaping materials within parking lot islands shall be maintained to not exceed 3 feet in height above adjacent paving for clear sight distance within the parking islands.
- c. Evergreen trees are not allowed in any parking islands unless the applicant can demonstrate that all clear sight distances shall be maintained and a note in a form approved by the City Attorney is added on the final approved site plan stating that the City of Novi is not responsible for any accidents caused by the lack of clear sight distance
- d. All landscaping shall be maintained in a green and growing condition, seasonal conditions considered.
- e. Salt-tolerant plants material native to the state of Michigan are preferred, where applicable.
- f. Name, type and number of groundcover plants (including seed or sod) proposed on islands are to be specified on the landscape plan.
- g. Parking area islands may not utilize mulch as the only groundcover. It is only allowed in association with trees or shrubs planted within an island.

## 6. Transformers/Utility Boxes/Irrigation Control Boxes

All transformer and utility boxes shall be screened from public view in an attractive manner, but shall allow safe access to said facilities.

- a. Size of plant materials at installation shall be of a height equal to the transformer, utility box or irrigation control box.
- b. Screening plant material shall be evergreen or densely-branched deciduous shrubs.
- c. A minimum of 2 feet separation is required between the structure and the full growth potential of plant material at maturity.
- d. Groundcover is allowed up to the transformer pad, if it is kept below 4" in height.
- e. Doors of transformers must be accessible. No plant materials are to be placed within 8 feet of the front of the doors but the doors shall be screened from view.
- f. A detail of transformer screen plantings and locations of all transformers must be provided with the landscape plans.
- g. Safety is the first priority when screening transformers and utility boxes. If plantings are above 2 feet in height, they cannot be placed in the corner clearance (refer to Section 5.9).
- h. A solid fence may be approved if warranted by safety or site limitations.
- 7. **Dumpsters/Trash Containers** Required screening for Dumpsters/Trash Containers is described in Chapter 21-145 and Zoning Ordinance Section 4.19.2.f. No additional landscaping is required.

# 8. 2. Landscape Plan Requirements

A landscape plan shall be submitted for any new commercial or residential development and any addition to an existing building that is equal or greater than a 25% increase in the overall square footage of the building or 400 square feet, whichever is less. An owner of <u>a</u> one-single-family home\_site shall not be required to comply with the provisions of this section.

The landscape plan shall contain the following information:

- a. –Name, address and telephone number of the owner and developer or association.
- b. Name, address and telephone number of the Registered <u>or Licensed</u> Landscape Architect<u>who created the design or is responsible for its accuracy and adherence to city standards</u>.
- c. A legal description or boundary line survey of the site on which the work is to be performed.
- d. Project Name and address.
- e. A plan of the site at a scale that matches other plans and is legible with proper north indication. In addition, for reviewing purposes, the landscape plan shall be submitted in a scale not to exceed 1"=20' for detailed areas, 1"=60' for large areas. Variations from this scale requirement may be approved by the City Landscape Architect as long as the different scale provides sufficient detail, legibility and ease of use for evaluation. This plan should include:
  - (1) (1) Proposed topography at a maximum of two (2)2 foot contour intervals, extending at least fifty (50')50 feet beyond the site boundary. For berm, wall areas and steep topography, contour intervals shall be shown at one (1)1 foot.
  - (2) (2)—Location, type and size of all existing plant materials showing those materials to be saved, to be moved and to be removed.
    - (a) If there is no existing vegetation, the plan shall so state in a note on the plan.
    - (b) \_-If the site includes regulated woodlands or wetlands, the plan shall so state and identify the locations of regulated natural resources with the appropriate boundary determinations, the regulated trees 8" d.b.h. and greater in all identified locations and the tree protection fence locations. (Tree protection fence locations should also be provided on Removal/Demolition and Grading Plans)
    - (c) Trees in woodlands or other areas at least 50 feet away from construction that will not be impacted do not need to be identified individuals, but the cover of those areas should be generally noted (e.g. dense woodland, open, scrub/shrub, wetland). All trees 8" dbh or greater within 50 feet of construction should be included in the tree survey.

- (d) -See Woodlands Protection Ordinance, Chapter 37 and Wetlands Protection Ordinance, Chapter 12 for additional plan requirements.
- (3) (3) Location, type and size of all proposed plant materials. For Preliminary and Final Site Plan submittals, plants shall be indicated with actual plant material names or symbols linked to a plant list.
- (4) (4) Locations of all existing and proposed buildings, easements, parking spaces, vehicular use areas, proposed ground sign locations, flagpole locations, public rights-of-way, existing and proposed overhead and underground utilities, including the locations of hydrants, <u>utility boxes</u> and trash receptacles. Dimensions shall be shown from overhead utility poles.
- (5) Corner Clearance (5) Intersection Clear Zones at driveways and road intersections. (See Section 25135.9).
- (6) An indication of area(s) clear of trees or shrubs for snow depositing areas in winter.
- (7) All plantings shall have unique labeling to indicate the requirement they are intended to satisfy (i.e. interior parking, parking perimeter, woodland replacement, right-of-way greenbelt, street trees, foundation planting, etc.)
- <u>f.</u> Parking lot landscaping calculations, including interior and perimeter requirements, should include the amount required and the amount provided – include labels in square feet for all landscape areas intended to satisfy landscape requirements.
- g. Right-of-way greenbelt, street tree, foundation and other landscaping calculation requirements, including the amount required and the amount provided – include labels in square feet for all landscape areas intended to satisfy landscape requirements.
- f.<u>h.</u> Zoning districts of the proposed site and adjacent properties.
- i. The seal of a Registered <u>or Licensed</u> Landscape Architect <u>responsible for the plans</u> (on Final Site Plans and Stamping Sets).
- g.j. Miss Dig contact information on all sheets.
- h.k. A planting schedule list for all proposed landscape materials showing the quantity of materials for each species, botanical and common names of plant materials, caliper sizes or container sizes, height of material where applicable, root type balled and burlapped or potted), type and amount of mulch.
- <u>1.</u> <u>i.</u> Planting details, typical for evergreen trees, canopy deciduous trees, <u>multi-stem</u> trees, tree guys, shrubs, and perennials/ground covers, as applicable to the plan. (See typical City of Novi Tree Planting Details).
- <u>m.</u> When berms are included on the plans, aj. <u>representative A-berm cross-section</u> including slope, height and width, <u>construction of loam with 6" top layer of topsoil</u>, type of ground cover, and labeled contour lines. Show where overhead utility lines exist or are planned, and the required setback of fifteen (15)15 feet from the edge of the utility or twenty (20)20 feet from the closest pole for canopy trees. (See Berm Cross-Section Diagram).

- n. k. Wall detail(s), when applicable, with notes indicating materials, height and type of construction and footings. Wall calculations for any walls greater than 3 <sup>1</sup>/<sub>2</sub> feet in height must be provided by a design or structural engineer.
- o. <u>I.</u> A note indicating the proposed estimated planting dates <u>(should be between</u> <u>March 15 and November 15)</u>.
- <u>m.</u> A statement of intent to install and guarantee the plant materials for 2 years <u>from</u> the date of acceptance and maintain all such landscaped areas in accordance with the requirements of this ordinance.
- <u>q.</u> <u>n.</u> A note indicating <u>that</u> the plan<del>t sourcets should be Upper Midwest/Great Lakes</del> <u>grown</u>.
- o. Parking lot landscaping calculations, including the amount required and the amount provided.
- r. p. Interior landscaping calculation requirements, including the amount required and the amount provided. The soil type(s) on site as determined by the Soils Survey of Oakland County, Michigan published by the United States Department of Agriculture Soils Conservation Service. This may be included on other sheets in the set, but in that case a note indicating where they information can be found should be included on the Landscape Plan.
- q. An indication of the snow depositing area for winter.
- r. The soil type on site as determined by the Soils Survey of Oakland County, Michigan published by the United States Department of Agriculture Soils Conservation Service.
- s. An irrigation plan for watering landscaped areas with a fully automatic irrigation system and a method of draining landscaped areas as neededIf an area is landscaped with plant species that do not require irrigation, no permanent irrigation system is required, but the plants must be watered as necessary until they are established with a temporary system, hose(s) or portable water tanks. The property's landscape must be maintained per the approved final site plan in perpetuity, per Zoning Ordinance Section 5.5.7, including replacement of all dead or failing plant material within one year of its discovery, or the next appropriate growing period, whichever comes first.-
- t. An itemized cost estimate based on current, accurate planted costs for all new plantings, mulch, seed and sod contained on the planting plan should be part of the Final Site Plans. The costs for this compilation should use the Community Development Fees standard costs on the Community Development website, not estimates, unless there is no comparable standard cost, in which case estimates are acceptable.
- t-u. A plan for the successful establishment and maintenance of any native seed mixes.-
- v. u. Other information or data as may be required in other sections of this ordinance, and additional information or data as reasonably required by the Planning Commission.

# 9. 3. Plant Material Requirements

<u>a.</u> <u>General Conditions / Plant Requirements.</u>

Wherever in this Ordinance landscaping plantings are required, such landscape plantings shall be subject to the following conditions:

- (1) For all plant materials, native plants are to be the first choice. The source should be local or of <u>this-the</u> North Midwest America/<u>Great Lakes</u> region.
- (2) All plant materials shall be northern nursery grown, No. 1 grade, and installed according to accepted planting procedures. All plant materials shall meet current American Association of Nurserymen Standards. They shall be planted according to City of Novi Planting Details and specifications. The City shall have the right to inspect the plant materials prior to planting and to reject any plant materials deemed not to meet the standards of this ordinance.
- (3) The selection, spacing, and sizing of plant materials shall depend on the use to which the plantings are to be placed. A mixture of plant materials (evergreen and deciduous trees and shrubs) and plant species is required in all landscape plans as a protective measure against disease and insect infestation. Plant materials used together in groupings for screening shall meet the on-center spacing requirements as set forth in this Section <u>1.f.</u>
- (4) Plant materials, except sod, ground covers or creeping vine type plantings, shall not be located within at least four (4)4 feet of from the property line, as measured to the trunk of deciduous canopy or subcanopy trees, or to the mature dripline of shrubs and evergreens.<sup>-</sup>
- (5) Where plant materials are placed in two (2)2 or more rows for screening, plantings shall be staggered from row to row.
- (6) All trees shall have a central leader and a radial branching structure. Park grade trees are not acceptable. All trees shall be balled and burlapped (B & B).
- (7) Any deciduous canopy trees with branches that might tend to develop into "V" crotches shall be subordinated so as not to become dominant branches.
- (8) Miss Dig must be notified to locate all underground<u>utilities</u> before planting begins.
- b. b. Plant Materials.

-For suggested plant materials and information by categories of Native, Interest, Woodlands Replacement, Canopy, Street Tree, Growing Conditions, and Nurseries, see separate Suggested Plant Materials List (Part VI). This list is not to be considered all inclusive of acceptable plant materials and may be amended periodically.

- (1) (1)—Existing Plant Material
  - (a) (a) Existing plant material is to be preserved as a first priority. Refer to Chapter 37, Woodlands Preservation Ordinance or Chapter 12, Wetlands and Watercourse Ordinance, for specific standards regarding preservation of these natural resources.
  - (b) (b) In instances where existing healthy plant material is proposed to be saved on a site prior to its development and is *not* regulated by Chapter 37, Woodlands Preservation Ordinance, or Chapter 12, Wetlands and

Watercourse Ordinance, the applicant may apply to adjust the application of the landscape standards to allow such plant material to substitute for planting if such an adjustment is in keeping with, and will preserve, the intent of this Section.

- (c) (c) For approval of substitution, the existing preserved plant material shall be of high quality as determined by the City. Trees listed as Prohibited Plantings, and materials required to be preserved under Chapter 12, Article V, and under Chapter 37 of the Ordinance Code, will not receive credit under this provision.
- (d) All removals shall be clearly marked as to be removed with an X or R on the tree symbol on the plan view, and on the accompanying tree chart/list (show as Saved or Removed). The tree labels for existing trees 8 inches dbh and larger to remain should appear on the Landscape Plan (plan view).
- (e) <u>Such existing plant material is to be labeled "To Be Saved" on site plans.</u> Protective fencing and preservation techniques will be required <u>for all</u> <u>vegetation to be saved where there is a chance that construction activities</u> <u>could damage it</u>. The location of tree protection fencing and the City Protection Fencing Detail are to be shown on the <u>Demolition/Removal Plan and Grading plans</u>. Common and botanical names, sizes and the elevations at the base of all existing trees to be saved are also requiredLarge masses of protected vegetation should be labeled "To be saved" on the Landscape Plan and on the Demolition/Removal Plan and Grading Plan.
- (f) (d)—Landscape credit for preserved canopy trees, which do not fall within a regulated Wetland or Woodland <u>may be used to fulfill woodland</u> <u>replacement credits that may be required</u>. These replacements shall be at the following rate:

Diameter of Trunk of	= Number of Trees
Preserved Tree*	SubstitutedCredits
36" or greater caliper	7 trees
>29 to 36" caliper	6 trees
>23 to 29" caliper	5 trees
>17 to 23" caliper	4 trees
>12 to 17" caliper	3 trees
>7 to 12" caliper	2 trees
3 to 7" caliper	1 tree

### Table 7.b.(1)(f): Landscape Tree Credit Chart

—\* The tree trunk diameter measurement shall be rounded off to the nearest whole inch<u>at a</u> -

<u>f Inches measured at a height of four and one-half (4.5) feet above</u> the natural grade. (Diameter at Breast Height, D.B.H.)

(g) Existing trees may also be used to fulfill some or all of the required street tree, greenbelt or parking lot perimeter plantings, at a 1 for 1 basis. In cases such as these, a tree may be used to fulfill both this requirement and the Landscape Tree Credit shown above. (2) Proposed Plant Material

(a) e. Plant Sizes.

i.

### Table 7.b.(2)(a).i – Minimum plant sizes by application-(1)

Planted Material Types	Canopy Deciduous Trees	Large Evergreen Trees	Subcanopy Deciduous Trees (4)	Upright Evergreens	Large Shrubs <u>(5)</u>	Small Shrubs ( <u><del>5</del>6</u> )	Perennials, Ornamental Grasses
R-O-W Plantings_( <u>34</u> )	<del>3-<u>2.5</u>" caliper<u>cal.</u></del>	8'_h <del>eigh</del> t <u>.</u>	2 <del>-1/2</del> " <del>caliper<u>cal.</u></del>	6'_h <del>eigh</del> t <u>.</u>	36-42" <u>ht.</u>	18-24" <u>ht.</u>	1 <del>gallon</del> gal. cont.
Street Trees (4)	<u>2.5" cal.</u>	<u>n/a</u>	<u>2" cal.</u>	<u>n/a</u>	<u>n/a</u>	<u>n/a</u>	<u>n/a</u>
Woodland Replacement Trees (2)	<u>2.5"</u> <u>cal.<del>21⁄2"cal</del> <del>iper</del></u>	<del>7'<u>6'</u>@ 2<u>3</u>:1-<u>2</u> Ratio</del>	<del>n/a<u>(</u>3)</del>	<u>(3)</u> n/a	<u>(3)</u> n/a	<u>(3)</u> n/a	<u>(3)</u> n/a
Subdivision Street Trees	<del>21/2"</del> <del>caliper</del>	<del>n/a</del>	<del>21/2" caliper</del>	<del>n/a</del>	<del>n/a</del>	<del>n/a</del>	<del>n/a</del>
All other	3" <del>caliper<u>cal.</u></del>	7' <del>height<u>ht.</u></del>	<u>2.5"</u> <u>cal.2½"</u> <del>caliper</del>	<u>6' ht.<del>6'</del> height</u>	36" <del>height<u>ht.</u></del>	24" <u>ht.</u>	<u>1 gal.</u> <u>cont.</u> 1 <del>gallon</del>

## Footnotes:

- (1)\_-The City Landscape Architect may permit smaller sizes upon receipt and review of sufficient documentation that required minimum sizes are not readily available.
- (2) Refer to Chapter  $37\underline{-8}$  for acceptable species.
- (3) Refer to Chapter 37-8.c for use of this plant type for replacement credits.
- (34) Shall also apply to private road easements or other equivalent.
- (4<u>5</u>) Multi-stem trees are to be <u>eight to</u> ten (8-10) foot minimum <u>height</u>.
- (56) Spreading or horizontal shrubs are to be eighteen -(18) inch width minimum.

### n/a: not allowed

ii. (2) To encourage a mixture of sizes, additional landscape credit can be given (except for R-O-W Plantings, Woodlands Replacement, and Street Trees) for larger sized canopy trees, deciduous and evergreen as follows for Right-of-Way Greenbelt trees and Parking Lot Perimeter trees. Upsizing credit is not allowed for woodland replacement trees, street trees or interior parking lot trees.÷

Size	Total Tree Credits *	
Large Evergreen Trees		
8' height	1.0	
> 8' to 10' height	1.25	
>10' to 12' height	1.5	
>12' to 14' height	2.0	
>14' height	2.5	
<b>Canopy Deciduous Trees</b>		
3" caliper	1.0	
>3" to 3.5" caliper	1.25	
>3.5" to 4.5" caliper	1.5	
>4.5" to 5" caliper	1.75	
>5" caliper	2.0	

\* Where greater than minimum size listed in chart above (7.b.(2)(a).i).

For Woodland Replacement Trees, see Chapter 37.

Example: a 4" caliper deciduous canopy tree would count as 1.5 required landscape trees. A 13' high evergreen canopy tree would count as 2 required landscape trees.

The total number of trees required may be reduced through the use of these credits by a maximum of 33% (per category) (i.e. the total number of trees provided must be at least 67% of the total number of trees required based on the standard tree size, per category)

<u>c.</u>\_\_Prohibited Plants.

In order to promote native plant species diversity and to prevent the loss of habitat due to the spread of naturalized non-native plant species, the following species will be prohibited in planting plans:

Botanical Name	Common Name	Plant Type
		Subcanopy Deciduous
Acer negundo	Boxelder	Subcanopy Tree
		Deciduous Canopy
Acer platanoides <u>**</u>	Norway Maple	TreeCanopy Deciduous Tree
		Deciduous Canopy
Acer saccharinum <u>**</u>	Silver Maple	TreeCanopy Deciduous Tree
		Deciduous Canopy
Ailanthus altissima	Tree-Of-Heaven	TreeCanopy Deciduous Tree

Table 7.c – Prohibited Plants

		Deciduous Canopy
Alnus glutinosa <u>**</u>	Black Alder	Tree <del>Canopy Deciduous Tree</del>
Berberis spp.	Barberry	Small shrub
	Round-Leaved	
Celastrus orbiculatus	Bittersweet	Vine
Coronilla varia	Crown Vetch	Perennial / Grass
Echinochloa crus-galli	Barnyard Grass	Perennial / Grass
Elaeagnus		
umbellateumbellata	Oleaster Autumn Olive	Large Shrub
		Canopy Deciduous Canopy
Ginkgo biloba(female)	Ginkgo (female)	Tree
Gleditsia spp.	Honeylocust (female)	Canopy Deciduous Tree
Gypsophila paniculata	Baby's Breath	Perennial / Grass
Hypericum perforatum	Common St. Johns-Wort	Small Shrub
Iris pseudacorus	Water Flag	Perennial / Grass
Ligustrum spp.	Privet	Small shrub
Lonicera japonica	Japanese Honeysuckle	Large Shrub
Lonicera maackii	Amur Honeysuckle	Large Shrub
Lonicera tatarica	Tartarian Honeysuckle	Large Shrub
Lythrum salicaria	Purple Loosestrife	Perennial / Grass
Melilotus alba	White Sweet Clover	Perennial / Grass
Melilotus officinalis	Yellow Sweet Clover	Perennial / Grass
Morus alba	White Mulberry	Deciduous Canopy
		TreeSubcanopy Deciduous
		Tree
Polygonum persicaria	Spotted Lady's Thumb	Perennial / Grass
		Deciduous Canopy
Populus alba	White Poplar	<u>Tree</u> Canopy Deciduous Tree
		Deciduous Canopy
Populus deltoid <u>e</u> s	Eastern Cottonwood	TreeCanopy Deciduous Tree
		Deciduous Canopy
Populus nigra	Black Poplar	TreeCanopy Deciduous Tree
		Deciduous Canopy
Populus tremuloides	Quaking Aspen	TreeCanopy Deciduous Tree
<u>Pyrus calleryana</u>	Flowering Pear	Deciduous Canopy Tree
Rhamnus cathartica	Common Buckthorn	Large Shrub
Rhamnus frangula	Glossy Buckthorn	Large Shrub
Rhamnus frangula	Narrow-Leaved Glossy	
angustifolia	Buckthorn	Large Shrub
Ribes americanum	Wild Black Current	Small Shrub
Robinia pseudoacacia	Black Locust	Deciduous Subcanopy
		<u>Tree</u> Subcanopy Deciduous
		Tree
Rosa multiflora	Japanese Rose	Large Shrub
Salix alba** <u>*</u>	White Willow	Deciduous Canopy

		TreeCanopy Deciduous Tree	
		Deciduous Canopy	
Salix babylonica** <u>*</u>	Weeping Willow	TreeCanopy Deciduous Tree	
		Deciduous Canopy	
Salix nigra** <u>*</u>	Black Willow	TreeCanopy Deciduous Tree	
Ulmus			
<u>Americana</u> americana*	American Elm	Canopy Deciduous Tree	
Ulmus pumila	Siberian Elm	Canopy Deciduous Tree	
Vinca minor <u>**</u>	Common Periwinkle	Perennial / GrassGroundcover	
* Disease resistant cultivars are acceptable			

Disease resistant cultivars are acceptable

Acceptable, if not planted within 100' of Woodland areas \*\*

\*\*<u>\*</u> Only Allowed under special circumstances

## d. e. Recommended Trees for Planting Under Overhead Utilities:

# Table 7.d – Trees for Under and Near Overhead Utility lines

Botanical Name	Common Name
Acer campestre	Hedge Maple
Acer ginnala	Amur Maple
<u>Acer griseum</u>	Paper Bark Maple
Ame <del>r</del> lanchier sp.	Serviceberry
Carpinus betulus	European Hornbeam
<u>Carpinus caroliniana</u>	Musclewood
Cercidiphyllum japonicum	Katsura Tree
<u>Cercis canadensis</u>	Eastern Redbud
<u>Cornus alternifolia</u>	Alternate Leaf Dogwood
<u>Cornus florida</u>	Flowering Dogwood
Cornus kousa	Japanese Dogwood
Cornus mas	Cornelian-Cherry Dogwood
Corylus colurna	Turkish Filbert
Crataegus sp.	Hawthorn sp.
(thornless)	_(thornless)
<u>Magnolia soulangiana</u>	Saucer Magnolia
Malus hybrids	Flowering Crabapple
Malus sp.	Spring Snow Crabapple
Acer griseum	Paper Bark Maple
Cercis canadensis	Red Bud

Cornus alternifolia	Alternate Leaf Dogwood
<u>Syringa reticulata</u> Magnolia soulangiana	<u>Japanese Tree Lilac</u> Saucer Magnolia
Syringa reticulataViburnum lentago	Japanese Tree LilacNannyberry
Viburnum prunifolium	Blackhaw Viburnum
(Choose varieties with mature he	ights less than lowest power line if
<u>below lines)</u>	

# e. <u>f.</u> Collected or Transplanted Trees

(i)(1) All collected trees shall be from on site and inspected by the City.\_ Trees may be rejected for reasons of insect infestation, disease or standards set forth in this ordinance. Such plant material may be rejected either in full or in part.

directly

- (ii)(2) All transplanted trees shall conform to standards set forth in Section 9.
- (iii)(3) The root ball of any transplanted tree shall measure 1 foot for each inch of trunk diameter measured 12" above the groundroot flare or graft collar.
- (iv)(4) If trees are to be stored, they shall be burlapped and heeled in with mulch in a pre\_determined area approved by the City.
- (v)(5) The trees shall be provided with a working irrigation system approved by the City to ensure their viability during storage.

# **<u>10.</u>4.\_\_\_\_**Nonliving Durable Material

- a. Mulch for all plantings shall be premium shredded hardwood, cedar or cypress bark and shall not be artificially colored. No cypress wood mulch or rubber mulch is to be used.
- **<u>b.</u>**-Trees shall be mulched to a four  $\underline{3(4)}$  inches overall depth at planting.
- <u>d.</u> -All lawn trees shall <u>have be planted with a 4'-4 foot</u> diameter circle of the shredded hardwood bark mulch.
- e. <u>BarkMulch</u> shall be pulled back<u>3 inches</u> from the tree trunk in a <u>3" radius</u> circle down to the root ball dirt to expose the root collar to air. No "volcano" mulching is allowed at planting or in future applications of mulch.
- f. If a rootball's dirt is piled up on the trunk, it should be removed to expose the root flare.
- g. \_\_\_\_\_For fire safety, shredded hardwood bark is not to be installed adjacent to or within four (4)4 feet of buildings that are constructed of combustible materials. Plantings adjacent to combustible buildings shall be mulched with a non-combustible material typically marketed as landscape mulch.\_\_\_\_\_The color of such materials shall be natural and compatible with the building.

- <u>h.</u>-Gravel type mulches are not permitted within or immediately adjacent to paved parking lots or roadways.\_<u>Mulch shall be of adequate depth to ensure total coverage.</u> Approval of type, depth and specific location<u>for gravel mulch</u> is to be approved by the City.
- i. <u>MichiganSphagnum Peatpeat/bog peat is harvested from functioning wetlands so it</u> shall not be used for landscape purposes. Compost may be used as an alternative.
- <u>j.</u> is acceptable as mulch for perennial and annual beds or under special circumstances where the planting is in a highly maintained environment. Plastic or other artificial replicas of plant material are prohibited.

518717\_1.D OC ELEVATION - FROM RESIDENTIAL PROPERTY



PLAN VIEW



OPACITY OBSCURING DIAGRAM - BERM

# ELEVATION - FROM RIGHT-OF-WAY

MIN HT 3'

DENSELY-BRANCHED DECIDUOUS SHRUB



EVERGREEN SHRUB

## PLAN VIEW



DENSELY-BRANCHED DECIDUOUS SHRUB - MIN HT 3'

EVERGREEN SHRUB - MIN HT 3'

# OPACITY OBSCURING DIAGRAM - PARKING, NO BERM

(NOTE: DIAGRAM DOES NOT INCLUDE RIGHT-OF-WAY GREENBELT LANDSCAPING WHICH IS REQUIRED IN ADDITION TO SHRUB SCREENING Part III. Standard Planting Details

NOTE: GUY DECIDUOUS TREES ABOVE **3"CAL.. STAKE DECIDUOUS TREES** BELOW 3" CAL.

STAKE TREES AT FIRST BRANCH USING 2"-3" WIDE BELT-LIKE NYLON OR PLASTIC STRAPS. ALLOW FOR SOME MINIMAL FLEXING OF THE TREE. REMOVE AFTER ONE YEAR.

2" X 2" HARDWOOD STAKES, MIN. 36" ABOVE GROUND FOR UPRIGHT, 18" IF ANGLED. DRIVE STAKES A MIN. 18" INTO UNDISTURBED GROUND OUTSIDE ROOTBALL. REMOVE AFTER ONE YEAR.

MULCH 3" DEPTH WITH SHREDDED HARDWOOD BARK, NATURAL IN COLOR. LEAVE 3" CIRCLE OF BARE SOIL AT BASE OF TREE TRUNK TO EXPOSE ROOT FLARE, REMOVE EXCESS SOIL TO EXPOSE ROOT FLARE IF NECESSARY.

MOUND EARTH TO FORM SAUCER

REMOVE ALL NON-BIODEGRADABLE MATERIALS COMPLETELY FROM THE ROOTBALL, CUT DOWN WIRE BASKET AND FOLD DOWN BURLAP FROM TOP 1/2 OF THE ROOTBALL.

CLAY SOIL AREAS. BRANCHES. CAUSE GIRDLING. PLANTING MIXTURE: CONDITIONS AND PLANT MATERIAL. SCARIFY SUBGRADE

NOTE:

TREE SHALL BEAR SAME RELATION TO FINISH GRADE AS IT BORE ORIGINALLY OR SLIGHTLY HIGHER THAN FINISH GRADE UP TO 6" ABOVE GRADE, IF DIRECTED BY LANDSCAPE ARCHITECT FOR HEAVY

DO NOT PRUNE TERMINAL LEADER. PRUNE ONLY DEAD OR BROKEN

REMOVE ALL TAGS, STRING, PLASTICS AND OTHER MATERIALS THAT ARE UNSIGHTLY OR COULD

> AMEND SOILS PER SITE REQUIREMENTS OF THE

AND PLANTING PIT SIDES, RECOMPACT BASE OF TO 4" DEPTH.

# DECIDUOUS TREE PLANTING DETAIL

TREE PIT = 3 x

ROOTBALL WIDTH

NOTE: GUY EVERGREEN TREES ABOVE 12' HEIGHT. STAKE EVERGREEN TREE BELOW 12' HEIGHT.

STAKE TREES AT FIRST BRANCH USING 2"-3" WIDE BELT-LIKE NYLON OR PLASTIC STRAPS. ALLOW FOR SOME MINIMAL FLEXING OF THE TREE. REMOVE AFTER ONE YEAR.

2" X 2" HARDWOOD STAKES, MIN. – 36" ABOVE GROUND FOR UPRIGHT, 18" IF ANGLED. DRIVE STAKES A MIN. 18" INTO UNDISTURBED GROUND OUTSIDE ROOTBALL. REMOVE AFTER ONE YEAR.

MULCH 3" DEPTH WITH SHREDDED -HARDWOOD BARK. NATURAL IN COLOR. LEAVE 3" CIRCLE OF BARE SOIL AT BASE OF TREE TRUNK TO EXPOSE ROOT FLARE. REMOVE EXCESS SOIL TO EXPOSE ROOT FLARE IF NECESSARY.

MOUND EARTH TO FORM SAUCER -

REMOVE ALL NON-BIODEGRADABLE — MATERIALS COMPLETELY FROM THE ROOTBALL. CUT DOWN WIRE BASKET AND FOLD DOWN BURLAP FROM TOP 1/2 OF THE ROOTBALL. NOTE:

4" -

TREE SHALL BEAR SAME RELATION TO FINISH GRADE AS IT BORE ORIGINALLY OR SLIGHTLY HIGHER THAN FINISH GRADE UP TO 6" ABOVE GRADE, IF DIRECTED BY LANDSCAPE ARCHITECT FOR HEAVY CLAY SOIL AREAS.

DO NOT PRUNE TERMINAL LEADER. PRUNE ONLY DEAD OR BROKEN BRANCHES.

REMOVE ALL TAGS, STRING, PLASTICS AND OTHER MATERIALS THAT ARE UNSIGHTLY OR COULD CAUSE GIRDLING.

> PLANTING MIXTURE: AMEND SOILS PER SITE CONDITIONS AND REQUIREMENTS OF THE PLANT MATERIAL.

SCARIFY SUBGRADE AND PLANTING PIT SIDES. RECOMPACT BASE OF TO 4" DEPTH.

# EVERGREEN TREE PLANTING DETAIL

TREE PIT = 3 x

ROOTBALL WIDTH



# MULTI-STEM TREE PLANTING DETAIL



NOTE:

SHRUB SHALL BEAR SAME RELATION TO FINISH GRADE AS IT BORE ORIGINALLY OR SLIGHTLY HIGHER THAN FINISH GRADE UP TO 4" ABOVE GRADE, IF DIRECTED BY LANDSCAPE

# SHRUB PLANTING DETAIL

NOT TO SCALE



# PERENNIAL PLANTING DETAIL



**GUYING DETAIL** 

STAKING DETAIL





# TRANSFORMER SCREENING DETAIL

Genus	Species - cultivar	Common Name	Nativeness to Michigan	Size	App Ht	App Spread	Use	Treelawn Size	Overhead Utilities
Acer	buergeranum	Maple, Trident	Not Native	Small	20'	25'	Special Circumstances	4-6 Feet	Under Utility
Acer	campestre	Maple, Hedge	Not Native	Sm./Med.	30'	30'	Recommended	4-8 Feet	
Acer	freemanii	Maple, Freeman	Cultivar - Native	Large	50'	40'	Special Circumstances	>8 Feet	
Acer	ginnala	Maple, Amur	Not Native	Small	20'	20'	Special Circumstances	4-6 Feet	Under Utility
Acer	griseum	Maple, Paperbark	Not Native	Sm./Med.	25'	20'	Special Circumstances	4-6 Feet	Under Utility
Acer	rubrum	Maple, Red	Native	Large	50'	40'	Recommended	>8 Feet	
Acer	rubrum 'Bowhall'	Maple, Red Bowhall	Cultivar - Native	Med./Lg.	40'	15'	Special Circumstances	>8 Feet	
Acer	rubrum 'Sunset'	Maple, Red Sunset	Cultivar - Native	Large.	45'	35'	Recommended	>8 Feet	
Acer	saccharum	Maple, Sugar	Native	Large	60'	40'	Recommended	>8 Feet	
Aesculus	hippocastanum	Horsechestnut	Not Native	Large	80'	35'	Special Circumstances	>10 Feet	
Amelanchier	arborea	Serviceberry	Native	Small	10'	6'	Special Circumstances	4-6 Feet	Under Utility
Amelanchier	x grandifolia 'Autumn Brilliance'	Serviceberry	Cultivar - Native	Medium	20'	20'	Special Circumstances	6-8 Feet	Under Utility
Carpinus	betulus	European Hornbeam	Not Native	Medium	35'	25'	Recommended	6-8 Feet	
Carpinus	caroliniana	American Hornbeam	Native	Medium	25'	25'	Recommended	6-8 Feet	Under Utility
Celtis	occidentalis	Hackberry	Native	Large	55'	45'	Recommended	>8 Feet	
Cercidiphyllum	japonicum	Katsura Tree	Not Native	Med./Lg.	40'	40'	Recommended	>8 Feet	
Chionanthus	retusus	Chinese fringetree	Not Native	Small	20'	20'	Special Circumstances	4-6 Feet	Under Utility
Clasdrastis	lutea	Yellowwood	Not Native	Medium	30'	40'	Special Circumstances	6-8 Feet	
Cornus	kousa	Dogwood, Kousa	Not Native	Sm./Med.	25'	25'	Special Circumstances		Under Utility
Crataegus	crus-galli inermis	Hawthorn, Cockspur Thornless	Cultivar - Native	Sm./Med.	25'	25'	Special Circumstances	4-6 Feet	Under Utility
Crataegus	laevigata 'Superba '	Hawthorn, Crimson Cloud	Cultivar - Not Native	Sm./Med.	25'	18'	Special Circumstances	4-6 Feet	Under Utility

Genus	Species - cultivar	Common Name	Nativeness to Michigan	Size	App Ht	App Spread	Use	Treelawn Size	Overhead Utilities
Crataegus	phaenopyrum 'Treeform'	Hawthorn, Washington	Cultivar - Not Native	Sm./Med.	25'	20'	Special Circumstances	4-6 Feet	Under Utility
Eucommia	ulmoides	Hardy Rubber tree	Not Native	Large	45'	40'	Special Circumstances	>8 Feet	
Gingko	biloba	Gingko (Male Only)	Not Native	Large	60'	30'	Recommended	>8 Feet	
Gleditsia	tricanthos	Honeylocust	Native	Medium	35'	35'	Recommended	6-8 Feet	
Gleditsia	triacanthos inermis 'Impcole'	Honeylocust, Imperial	Cultivar - Native	Medium	35'	35'	Recommended	6-8 Feet	
Gleditsia	triacanthos inermis 'Shademaster'	Honeylocust, Shademaster	Cultivar - Native	Large	45'	35'	Recommended	>8 Feet	
Gleditsia	triacanthos inermis 'Skycole'	Honeylocust, Skyline	Cultivar - Native	Large	45'	35'	Recommended	>8 Feet	
Gymnocladus	dioicus	Kentucky Coffeetree	Native	Large	60'	40'	Special Circumstances	>8 Feet	
Koelreuteria	paniculata	Goldenrain-tree	Not Native	Medium	30'	30'	Special Circumstances	6-8 Feet	
Liriodendron	tulipifera	Tuliptree	Native	Large	75'	40'	Recommended	>10 Feet	
Maackia	amurensis	Manchurain maackia	Not Native	Small	20'	20'	Special Circumstances	4-6 Feet	Under Utility
Malus spp.	'Snowdrift' 'White Angel' 'Profusion'	Crabapple	Cultivar - Not Native	Small	20'	20'	Special Circumstances	6-8 Feet	Under Utility - use Ig, upright varieties
Nyssa	sylvatica	Black Gum	Native	Medium	35'	20'	Special Circumstances	6-8 Feet	
Ostrya	virginiana	Hophornbeam, American	Native	Medium	35'	25'	Special Circumstances	6-8 Feet	
Phellodendron	amurense 'Macho'	Amur Corktree, Macho	Not Native	Med./Lg.	40'	30'	Recommended	>8 Feet	
Platanus	x acerfolia	London planetree	Cultivar - Not Native	Large	55'	40'	Special Circumstances	>10 Feet	
Quercus	acutissima	Oak, Sawtooth	Not Native	Large	50'	50'	Special Circumstances	>8 Feet	
Quercus	alba	Oak, White	Native	Large	65'	65'	Recommended	>8 Feet	
Quercus	bicolor	Oak, Swamp White	Native	Large	45'	45'	Recommended	>8 Feet	
Quercus	borealis (rubra) Oak	Oak, Northern Red	Native	Large	60'	45'	Recommended	>8 Feet	
Quercus	coccinea	Oak, Scarlet	Native	Large	65'		Recommended	>10 Feet	
Quercus	imbricaria	Oak, Shingle	Native	Large	60'		Special Circumstances	>8 Feet	
Quercus	macrocarpa	Oak, Burr	Native	Large	65'	60'	Recommended	>10 Feet	

Genus	Species - cultivar	Common Name	Nativeness to Michigar	Size	App Ht	App Spread	Use	Treelawn Size	Overhead Utilities
							Special		
Quercus	phellos	Oak, Willow	Not Native	Large	50'	35'	Circumstances	>8 Feet	
			22.00.2200.2		0.00	langer (	Special	SPERSEN 13	fastigiate/columnar
Quercus	robur	Oak, English	Not Native	Large	50'	40'	Circumstances	>8 Feet	varieties in special
Sophora	japonica	Pagoda Tree	Not Native	Large	45'	35'	Recommended	>8 Feet	
Syringa	reticulata	Japanese Tree Lilac	Not Native	Small	20'	15'	Recommended	4-6 Feet	Under Utility
Tilia	americana	American Basswood	Native	Large	70'	40'	Recommended	>8 Feet	
Tilia	americana 'Redmond'	Linden, Redmond	Cultivar - Native	Medium	35'	25'	Recommended	6-8 Feet	
Tilia	cordata	Linden, Littleleaf	Not Native	Large	50'	35'	Recommended	>8 Feet	
Tilia	euchlora	Linden, Crimean	Not Native	Med./Lg.	40'	35'	Recommended	>8 Feet	
Tilia	tomentosa	Linden, Silver	Not Native	Large	60'	35'	Recommended	>8 Feet	
Ulmus	americana 'New Harmony'	Elm, New Harmony	Cultivar	Large	65'	60'	Special Circumstances	>8 Feet	
Ulmus	americana 'Valley Forge'	Elm, Valley Forge	Cultivar	Large	65'	60'	Special Circumstances	6-8 Feet	
Ulmus	x 'Homestead'	Elm, Homestead	Cultivar - Not Native	Large	55'	35'	Special Circumstances	>8 Feet	
Ulmus	x 'Frontier'	Elm, Frontier	Cultivar - Not Native	Med./Lg.	40'	30'	Special Circumstances	>8 Feet	
Zelkova	serrata 'Green Vase'	Zelkova, Green Vase	Not Native	Large	50'	1.77.63	Special Circumstances	>8 Feet	
Zelkova	serrata 'Village Green'	Zelkova, Village Green	Not Native	Med./Lg.	40'	10000	Special Circumstances	>8 Feet	

Scientific Name	Common Name	Plant Type	Interest/ Bloom Time	Nativene ss	Woodland Replace- ment?	Street Tree Class	Growing Conditions	Nursery Type
DECIDUOUS CANOPY TREES								
Acer nigrum	Black Maple	DC	SU/Fall	NOC	YES		SS	SP
Acer nigrum 'Greencolumn'	Black Maple	DC	SU/Fall	~	YES	SC	SS	CO
Acer platanoides	Norway Maple	DC	SU/Fall	EX	NO		SU	CO
Acer pseudoplatanus	Sycamore Maple	DC	SU/Fall	EX	NO		SU	CO
Acer rubrum	Red Maple	DC	SU/Fall	NOC	YES	RC	SU	CO
Acer rubrum 'Bowhall'	Bowhall Red Maple	DC	SU/Fall	~	YES	RC	SU	CO
Acer rubrum 'Franksred'	Red Sunset Red Maple	DC	SU/Fall	~	YES	RC	SU	CO
Acer rubrum tomentosum	Red Maple	DC	SU/Fall	~	YES		SU	SP
Acer rubrum trilobum	Red Maple	DC	SP/SU/FA	~	YES		SU	SP
Acer saccharum	Sugar Maple	DC	SU/Fall	NOC	YES		SU	CO
Acer saccharum 'Commemoration'	Sugar Maple	DC	SU/Fall	~	YES	RC	SU	CO
Acer saccharum 'Green Mountain'	Sugar Maple	DC	SU/Fall	~	YES	RC	SU	CO
Aesculus glabra	Ohio Buckeye	DC	SU/Fall	NOC	YES		SH	CO
Aesculus hippocastanum	Horsechestnut	DC	Spring/SU	EX	NO	SC	SS	SP
Betula alleghaniensis	Yellow Birch	DC	SU/Winter	NOC	YES	PR	WT	SP
Betula nigra	River Birch	DC	SU/Winter	NU	NO		WT	CO
Betula papyrifera	Canoe Birch	DC	SU/Winter	NOC	YES		SU	CO
Carya cordiformis	Bitternut Hickory	DC	SU/Fall	NOC	YES		SU	SP
Carya glabra	Pignut Hickory	DC	SU/Fall	NOC	YES		SU	SP
Carya laciniosa	Big Shellbark Hickory	DC	SU/Fall	NOC	YES		SU	SP
Carya ovata	Shagbark Hickory	DC	SU/Winter	NOC	YES		SU	SP
Celtis occidentalis	Hackberry	DC	Summer	NOC	YES	RC	SU	CO
Cladrastis lutea	Yellowwood	DC	Spring/SU	NU	NO	SC	SU	CO
Fagus grandifolia	American Beech	DC	SU/Winter	NOC	YES		SH	CO
Fagus sylvatica	European Beech	DC	SU/Winter	EX	NO		SU	CO
Ginkgo biloba (male)	Ginkgo	DC	Summer	EX	NO	RC	SU	CO
Ginkgo biloba 'Autumn Gold'	Ginkgo	DC	Summer	EX	NO	RC	SU	CO
Ginkgo biloba 'Magyar'	Ginkgo	DC	Summer	EX	NO	RC	SU	CO
Gleditsia triacanthos	Honeylocust	DC	Summer	NOC	YES		SU	SP
Gleditsia triacanthos inermis	Thornless Honeylocust	DC	Summer	~	YES	RC	SU	CO
Gleditsia triacanthos 'Skyline'	Honeylocust	DC	Summer	~	YES	RC	SU	CO
Gymnocladus dioicus	Kentucky Coffeetree	DC	SU/Winter	NS	YES	SC	SS	CO
Juglans cinerea	Butternut	DC	Summer	NOC	YES		SU	CO
Juglans nigra	Black Walnut	DC	Summer	NOC	YES		SU	SP
Liquidambar styraciflua	Sweetgum	DC	SU/Fall	NU	NO		SU	CO
Liriodendron tulipifera	Tuliptree	DC	SU/Fall	NOC	YES	RC	SS	CO
Nyssa sylvatica	Tupelo	DC	SU/Fall	NOC	YES	SC	SU	CO
Platanus acerifolia 'Columbia'	Columbia Planetree	DC	Summer	EX	NO	SC	SS	CO
Platanus occidentalis	American Sycamore	DC	Summer	NOC	YES	SC	SS	SP
Prunus serotina	Black Cherry	DC	Fall	NOC	YES		SU	SP
Quercus alba	White Oak	DC	Summer	NOC	YES		SU	CO
Quercus bicolor	Swamp White Oak	DC	Summer	NOC	YES	RC	SU	SP
Quercus coccinea	Scarlet Oak	DC	Summer	NOC	YES		SU	SP
Quercus ellipsoidalis	Hill's Oak	DC	SU/Fall	NS	YES		SU	SP
Quercus imbricaria	Shingle Oak	DC	Summer	NS	YES		SU	SP
Quercus macrocarpa	Bur Oak	DC	Summer	NOC	YES	RC	SU	CO
Quercus muehlenbergii	Chinkapin Oak	DC	Summer	NOC	YES		SU	SP
Quercus prinus	Chestnut Oak	DC	Summer	NU	NO		SU	SP
Quercus robur	English Oak	DC	Summer	EX	NO	SC	SU	CO
Quercus robur 'Skymaster'	English Oak	DC	SU/Fall	EX	NO	SC	SU	CO
Quercus rubra	Red Oak	DC	Summer	NOC	YES	RC	SU	CO
Quercus rubra	Black Oak	DC	Summer	NOC	YES		SU	SP
Sophora japonica	Pagoda Tree	DC	Spring/SU	EX	NO	RC	SU	SP
		DC	Summer	NOC	YES	RC	SS	CO
Tilia americana	American Basswood	DC	Summer	EX	NO	RC	SU	CO CO
Tilia cordata	Little Leaf Linden	DC		EX	NO NO	RC	SU	CO CO
Tilia cordata 'Chancellor'	Little Leaf Linden		Summer					
Tilia cordata 'Corzam'	Little Leaf Linden	DC	Summer	EX	NO	RC	SU	CO
Tilia cordata 'Greenspire'	Little Leaf Linden	DC	Summer	EX	NO	RC	SU	CO
Tilia platyphyllos	Large-leaf Linden	DC	SU/Fall	EX	NO	RC	SU	
Tilia tomentosa	Silver Linden	DC	Summer	EX	NO	RC	SU	CO

Scientific Name	Common Name	Plant Type	Interest/ Bloom Time	Nativene ss	Woodland Replace- ment?	Street Tree Class	Growing Conditions	Nursery Type
Zelkova serrata	Zelkova	DC	Summer	EX	NO	SC	SU	CO
CONIFEROUS TREES - see Section	37-8 for woodland replacement ra	tio						
Abies balsamea	Balsam Fir	LE	Winter	NU	YES	PR	SS	CO
Abies concolor	Concolor Fir	LE	Winter	NU	NO	PR	SU	CO
Larix laricina	Tamarack	LE	Fall	NOC	YES		WT	SP
Metasequoia glyptostroboides	Dawn Redwood	LE	SU/Fall	EX	NO		SU	CO
Picea abies	Norway Spruce	LE	Winter	EX	NO	PR	SU	CO
Picea pungens	Colorado Spruce	LE	Winter	NU	NO	PR	SU	CO
Picea glauca	White Spruce	LE	Winter	NS	YES	PR	SU	CO
Picea mariana	Black Spruce	LE	Winter	NOC	YES	PR	SU	SP
Picea omorika	Serbian Spruce	LE	Winter	EX	NO	PR	SU	CO
Pinus nigra	Austrian Pine	LE	Winter	EX	NO	PR	SU	CO
Pinus resinosa	Red Pine	LE	Winter	NU	YES	PR	SU	CO
Pinus strobus	White Pine	LE	Winter	NOC	YES	PR	SU	CO
Pinus sylvestris	Scotch Pine	LE	Winter	EX	NO	PR	SU	CO
Pseudotsuga menziesii	Douglas Fir	LE	Winter	NU	NO	PR	SS	CO
Taxodium distichum	Bald Cypress	LE	SU/Winter	NU	NO		WT	CO
Tsuga canadensis	Canada Hemlock	LE	Winter	NOC	YES	PR	SS	CO
UPRIGHT EVERGREENS - see Section								
Juniperus virginiana	Eastern Red Cedar	UE	Winter	NOC	YES	~	SU	CO
Thuja occidentalis	Arborvitae	UE	Winter	NOC	YES	~	SS	CO
DECIDUOUS SUBCANOPY TREES -	see Section 37.8 for woodland rep		-					
Acer campestre	Hedge Maple	DS	Summer	EX	NO	SC	SU	CO
Acer campestre 'Queen Elizabeth'	Hedge Maple	DS	Fall	EX	NO	UO	SU	CO
Acer ginnala	Amur Maple	DS	Fall	EX	NO		SU	CO
Acer griseum	Paperbark Maple	DS	Winter	EX	NO	SC	SU	CO
Acer pensylvanicum	Striped Maple	DS	Fall	NU	YES		SH	SP
Acer spicatum	Mountain Maple	DS	Fall	NOC	YES		SH	SP
Alnus rugosa	Speckled Alder	DS	Fall	NOC	YES	PR	WT	SP
Amelanchier xAutumn Brilliance	Serviceberry	DS	Spring	~	YES	UO	SS	CO
Asimina triloba	Paw Paw	DS	Fall	NOC	YES	PR	SH	SP
Carpinus betulus	European Hornbeam	DS	Winter	EX	NO	UO	SS	CO
Carpinus caroliniana	American Hornbeam	DS	Summer	NOC	YES		SS	CO
Cercis canadensis	Eastern Redbud	DS	Spring	NS	YES		SS	CP
Chionanthus virginicus	Fringetree	DS	Spring	NU	NO		SU	CO
Cornus alternifolia	Alternate-Leaved Dogwood	DS	Summer	NOC	YES	~	SS	CO
Cornus florida	Flowering Dogwood	DS	Spring	NOC	YES	PR	SS	CO
Cornus kousa	Japanese Dogwood	DS	Spring	EX	NO	UO	SS	CO
Cornus mas	Corneliancherry Dogwood	DS	Spring	EX	NO	UO	SS	CO
Crataegus crus-galli inermis	Cockspur Hawthorn	DS	Winter	~	YES	UO		CO
Crataegus phaenopyrum	Washington Hawthorn	DS	Winter	NU	NO	SC		CO
Koelreuteria paniculata	Golden-Rain Tree	DS	Summer	EX	NO	SC		CO
Magnolia stellata	Star Magnolia	DS	Spring	NU	NO			CO
Malus hybrids	Flowering Crabapple	DS	Spring	~	NO	UO	SU	CO
Ostrya virginiana	Hophornbeam	DS	Summer	NOC	YES		SS	CO
Ptelea trifoliata	Wafer-Ash	DS	Fall	NOC	YES	SC	SU	SP
LARGE SHRUBS - see Section 37-8			<b>.</b>					
Amelanchier alnifolia	Saskatoon Serviceberry	SL	Spring	NU	NO	~	SS	SP
Amelanchier arborea	Juneberry	SL	Spring	NOC	YES	~	SS	SP
Amelanchier canadensis	Shadblow		Spring	NU	NO	~	SS	CO
Amelanchier laevis	Shadbush		Spring	NOC	YES	~	SS	CO
Aronia melanocarpa (prunifolia)	Black Chokecherry	SS	Summer	NOC	YES	~	SS	CO
Betula pumila	Dwarf Birch	SL	Winter	NOC	YES	~	SU	SP
Calycanthus floridus	Strawberry-Shrub	SL	Summer	NU	NO	~	SS	CO
Cephalanthus occidentalis	Buttonbush	SL	Summer	NOC	YES	~	WT	CO
Cornus amomum	Silky Dogwood	SL	Summer	NOC	YES	~	SS	CO
Cornus foemina	Gray Dogwood	SL	Spring	NOC	YES	~	SS	SP
Cornus rugosa	Round-Leaved Dogwood	SL	Summer	NOC	YES	~	SS	SP
Cornus stolonifera	Red Osier Dogwood	SL	Winter	NOC	YES	~	SS	CO

					Woodland	Street		
Scientific Name	Common Name	Plant Type	Interest/ Bloom Time	Nativene ss	Replace- ment?	Tree Class	Growing Conditions	Nursery Type
Corylus americana	American Hazelnut	SL	Fall	NOC	YES	~	SS	CO
Corylus cornuta	Beaked Hazelnut	SL	Spring	NS	YES	~	SS	SP
Euonymus alatus	Burning Bush	SL	Fall	EX	NO	~	SS	CO
Fothergilla major	Large Fothergilla	SL	Spring	NU	NO	~	SS	CO
Hamamelis vernalis	Vernal Witchhazel	SL	Spring	NU	NO	~	SS	CO
Hamamelis virginiana	Witch-Hazel	SL	Winter	NOC	YES	~	SS	CO
Hibiscus syriacus	Rose-Of-Sharon	SL	Summer	EX	NO	~	SS	CO
llex opaca	American Holly	SL	Winter	NOC	NO	~	SS	CO
llex verticillata	Winterberry	SL	Fall	NOC	YES	~	SS	CO
Itea virginica	Virginia Willow	SL	Summer	NU	NO	~	SS	CO
Lindera benzoin	Spicebush	SL	Fall	NOC	YES	~	SS	CO
Physocarpus opulifolius	Common Ninebark	SL	Summer	NOC	YES	~	WT	CO
Rhus copallina	Dwarf Sumac	SL	Summer	NOC	YES	~	SU	SP
•		SL	Summer	NOC	YES	~	SU	CO
Rhus glabra	Smooth Sumac	SL	Summer	NOC	YES	-	SU	co
Rhus typhina	Staghorn Sumac					~	WT	
Salix discolor	Pussy Willow	SL	Spring	NOC	YES	~		CO
Sambucus canadensis	Common Elder	SL	Summer	NOC	YES	~	SU	CO
Sambucus racemosa (pubens)	Red-Berried Elder	SL	Winter	NOC	YES	~	SU	CO
Staphylea trifolia	Bladdernut	SL	Winter	NOC	YES		SH	SP
Syringa vulgaris	Lilac	SL	Spring	EX	NO	~	SU	CO
Viburnum dentatum	Arrowwood	SL	Spring	NOC	YES	~	SS	CO
Viburnum lantana	Wayfaring Tree	SL	Spring	EX	NO	~	SU	CO
Viburnum lentago	Nannyberry	SL	Spring	NOC	YES	~	SS	CO
Viburnum opulus	European High-Bush Cranberry	SL	Spring	EX	NO	~	SU	CO
Viburnum prunifolium	Black Haw	SL	Winter	NS	YES	~	SS	CO
Viburnum rafinesquianum	Downy Arrowwood	SL	Spring	NOC	YES	~	SS	SP
Viburnum trilobum	High-Bush Cranberry	SL	Spring	NOC	YES	~	SS	CO
SMALL SHRUBS - see Section 37-8 fe	or woodland replacement ratios							
Arctostaphylos uva-ursi	Bearberry	SS	Summer	NU	NO	~	SU	СО
Aronia melanocarpa (prunifolia)	Black Chokecherry	SS	Summer	NOC	YES	~	SS	CO
Berberis thunbergii	Japanese Barberry	SS	Winter	EX	NO	~	SS	CO
Chaenomeles japonica	Japanese Quince	SS	Spring	EX	NO	~	SU	CO
Comptonia peregrina	Sweet Fern	SS	Summer	NOC	YES	~	SS	CO
	Climbing Euonymus	SS	Winter	EX	NO	~	SS	CO
Euonymus fortunei Euonymus kiautschovicus		SS	Winter	EX	NO	~	SS	CO
,	Climbing Euonymus	SS	Winter	NOC	YES		SS	SP
Euonymus obovatus	Running Strawberry Bush	SS		NU	NO	~	SS	CO
Fothergilla gardenii	Dwarf Fothergilla		Spring			~		
llex glabra	Inkberry	SS	Winter	NU	NO	~	SS	CO
Juniperus communis	Common Juniper	SS	Winter	NOC	YES	~	SU	CO
Juniperus horizontalis	Trailing Juniper	SS	Winter	NU	NO	~	SU	CO
Potentilla fruticosa	Bush Cinquefoil	SS	Summer	NOC	YES	~	SS	CO
Rhus aromatica	Fragrant Sumac	SS	Summer	NOC	YES	~	SU	CO
Taxus canadensis	Canada Yew	SS	Winter	NOC	YES	~	SH	SP
Viburnum acerifolium	Maple-Leaved Arrowwood	SS	Spring	NOC	YES	~	SS	SP
			-					
HERBACEOUS PLANTS - see Section	n 37-8 for woodland replacement ra							
Acorus calamus	Sweet-Flag	PG	Spring	NOC	YES	~	WT	SP
Actaea pachypoda	White Baneberry	PG	Summer	NOC	YES	~	SH	SP
Actaea rubra	Red Baneberry	PG	Summer	NOC	YES	~	SH	SP
Adiantum pedatum	Maidenhair Fern	PG	Summer	NOC	YES	~	SH	SP
Aegopodium podagraria	Bishop's Weed	PG	Summer	EX	NO	~	SH	CO
Agastache nepetoides	Yellow Giant Hyssop	PG	Summer	NOC	YES	~	SS	SP
Agrimonia gryposepala	Tall Agrimony	PG	Summer	NOC	YES	~	SH	SP
Agrimonia parviflora	Swamp Agrimony	PG	Summer	NOC	YES	~	SS	SP
Ajuga reptans	Bugleweed	PG	Summer	EX	NO	~	SS	CO
Alcea rosea	Hollyhock	PG	Summer	EX	NO	~	SU	CP
Allium cernuum	Nodding Wild Onion	PG	Summer	NS	YES	~	SS	CP
		PG	Summer	NU	YES		SU	CO
Allium schoenoprasum	Chives					~		
Allium tricoccum	Wild Leek	PG	Spring	NOC	YES	~	SH	UN
Amorpha canescens	Lead Plant	PG	Summer	NU	YES	~	SU	UN
Amphicarpaea bracteata	Hog Peanut	PG	Summer	NOC	YES	~	SS	SP
	Blue Star	PG	Summer	NU	NO	~	SS	CO

		Plant	Interest/	Nativene	Woodland Replace-	Street Tree	Growing	Nursery
Scientific Name	Common Name	Type PG	Bloom Time	SS	ment?	Class	Conditions	Type SP
Andropogon gerardii	Big Bluestem	PG	Summer	NOC NOC	YES YES	~	SU SU	SP SP
Andropogon scoparius	Little Bluestem	PG	Summer			~		SP SP
Andropogon virginicus	Broom Sedge	-	Summer	NS	YES	~	SU	
Anemone canadensis	Meadow Anemone	PG	Spring	NS	YES	~	SU	SP
Anemone cylindrica	Prairie Thimbleweed	PG	Spring	NOC	YES	~	SS	SP
Anemone patens	Pasque Flower	PG	Spring	NU	NO	~	SU	UN
Anemone virginiana	Thimbleweed	PG	Summer	NOC	YES	~	SH	SP
Anemonella thalictroides	Rue Anemone	PG	Spring	NOC	YES	~	SH	SP
Angelica atropurpurea	Great Angelica	PG	Spring	NS	YES	~	SU	SP
Apocynum androsaemifolium	Spreading Dogbane	PG	Spring	NOC	YES	~	SS	SP
Aquilegia canadensis	Wild Columbine	PG	Spring	NOC	YES	~	SH	CP
Arisaema triphyllum	Jack-In-The-Pulpit	PG	Summer	NOC	YES	~	SH	CO
Aruncus dioicus	Goat's-Beard	PG	Summer	NU	NO	~	SS	CO
Asarum canadense	Wild Ginger	PG	Spring	NOC	YES	~	SH	CO
Asclepias exaltata	Poke Milkweed	PG	Summer	NOC	YES	~	SH	SP
Asclepias incarnata	Swamp Milkweed	PG	Summer	NOC	YES	~	WT	CO
Asclepias syriaca	Common Milkweed	PG	Summer	NOC	YES	~	SU	SP
Asclepias tuberosa	Butterfly Weed	PG	Summer	NOC	YES	~	SU	CO
Asclepias verticillata	Horsetail Milkweed	PG	Summer	NOC	YES	~	SU	SP
Aster cordifolius	Heart-Leaved Aster	PG	Fall	NOC	YES	~	SH	SP
Aster ericoides	Heath Aster	PG	Fall	NOC	YES	~	SU	SP
Aster laevis	Smooth Aster	PG	Fall	NOC	YES	~	SU	SP
Aster macrophyllus	Big-Leaved Aster	PG	Fall	NOC	YES	~	SH	UN
Aster novae-angliae	New England Aster	PG	Fall	NOC	YES	~	SS	CO
Aster novi-belgii	New Belgium Aster	PG	Fall	NU	NO	~	SU	CO
Aster oolentangiensis	Sky Blue Aster	PG	Fall	NOC	YES	~	SU	SP
Aster pilosus	Hairy Aster	PG	Fall	NOC	YES	~	SU	SP
Aster sagittifolius	Arrow Aster	PG	Fall	NOC	YES	~	SS	SP
Aster sericeus	Silky Aster	PG	Fall	NU	YES	~	SU	SP
Aster umbellatus	Flattop Aster	PG	Fall	NOC	YES	~	SU	SP
Athyrium filix-femina	Lady Fern	PG	Summer	NOC	YES	~	SH	CO
Aureolaria pedicularia	Annual False Foxglove	PG	Summer	NOC	YES	~	SS	SP
Baptisia australis	Blue Wild Indigo	PG	Summer	NU	NO	~	SU	CO
Baptisia leucophaea	Cream Wild Indigo	PG	Summer	NU	YES	~	SU	SP
Bouteloua curtipendula	Sideoats Grama	PG	Summer	NOC	YES		SU	SP
Bromus latiglumis	Vibrant Shade Grass	PG	Summer	NOC	YES		SH	SP
Calamagrostis canadensis	Blue Joint Grass	PG	Summer	NOC	YES		WT	SP
Calla palustris	Water Arum	PG	Spring	NOC	YES	~	WT	CO
Calopogon tuberosus	Grass Pink Orchid	PG	Spring	NOC	YES	~	WT	SP
Caltha palustris	Marsh-marigold	PG	Spring	NOC	YES	~	WT	SP
Campanula glomerata	Clustered Bellflower	PG	Spring	EX	NO	~	SS	CO
Campanula rotundifolia	Bellflower	PG	Spring	NOC	YES	~	SS	SP
Carex sp.	Sedges	PG	Spring	~	120		WT	SP
Caulophyllum thalictroides	Blue Cohosh	PG	Summer	NOC	YES	~	SH	SP
Ceanothus americanus	New Jersey Tea	PG	Fall	NOC	YES	~	SU	CO
Chasmanthium latifolium	Sea Oats	PG	Summer	NU	YES	~	WT	CO
Chelone glabra	Turtlehead	PG	Fall	NOC	YES	~	SU	CO
Cimicifuga racemosa	Black Cohosh	PG	Fall	NS	NO	~	SH	co
Cinna arundinacea	Common Wood Reed	PG	Summer	NOC	YES		WT	SP
Cirsium discolor	Pasture Thistle	PG	Summer	NOC	YES	~	SU	SP
		PG	Summer	NOC	YES		SH	SP
Collinsonia canadensis	Citronella Horse Balm	PG		EX	NO	~	SS	CO
Convallaria majalis	Lily Of The Valley	PG	Spring Fall	NU	NO		SU	CO
Coreopsis grandiflora	Large-Flowered Coreopsis					~		
Coreopsis lanceolata	Sand Coreopsis	PG	Fall	NS	YES	~	SU	CO
Coreopsis palmata	Prairie Coreopsis	PG	Fall	NU	NO	~	SU	SP
Coreopsis tripteris	Tall Coreopsis	PG	Summer	NU	YES	~	SU	SP
Cornus canadensis	Bunchberry	PG	Fall	NOC	YES	~	SS	CO
Cryptotaenia canadensis	Honewort	PG	Summer	NOC	YES	~	SH	SP
Dennstaedtia punctilobula	Hay-Scented Fern	PG	Summer	NS	NO	~	SU	CO
Desmodium canadense	Showy Tick Trefoil	PG	Summer	NOC	YES	~	SS	SP
Desmodium glutinosum	Pointed-Leaved Tick-Trefoil	PG	Summer	NOC	YES	~	SH	SP
Dianthus deltoides	Maiden Pink	PG	Spring	EX	NO	~	SU	CO
Dicentra cucullaria	Dutchman's Breeches	PG	Spring	NOC	YES	~	SH	SP

Scientific Name	Common Name	Plant Type	Interest/ Bloom Time	Nativene ss	Woodland Replace- ment?	Street Tree Class	Growing Conditions	Nursery Type
Dicentra eximia	Wild Bleeding Heart	PG	Spring	NU	NO	~	SS	CO
Dodecatheon meadia	Shooting Star	PG	Spring	NS	NO	~	SS	SP
Dryopteris carthusiana	Spinulose Woodfern	PG	Spring	NOC	YES	~	SH	CO
Echinacea pallida	Pale Purple Coneflower	PG	Fall	NU	NO	~	SU	SP
Echinacea purpurea	Purple Coneflower	PG	Summer	NU	NO	~	SS	CO
Echinops sphaerocephalus	Globe Thistle	PG	Summer	EX	NO	~	SU	CO
Elymus canadensis	Canada Wild Rye	PG	Summer	NOC	YES	~	SS	SP
Elymus virginicus	Virginia Wild Rye	PG	Summer	NOC	YES	~	SS	SP
Eragrostis spectabilis	Purple Love Grass	PG	Summer	NOC	YES	~	SU	SP
Eryngium yuccifolium	Rattlesnake Master	PG	Summer	NU	YES	~	SU	SP
Erythroniuim americanum	Yellow Trout Lily	PG	Spring	NOC	YES	~	SH	SP
Eupatorium maculatum	Joe Pye Weed	PG	Summer	NOC	YES	~	SU	CO
Eupatorium perfoliatum	Common Boneset	PG	Summer	NOC	YES	~	WT	CO
Eupatorium purpureum	Sweet-Smelling Joe Pye	PG	Summer	NOC	YES	~	SH	CO
Eupatorium rugosum	White Snakeroot	PG	Summer	NOC	YES	~	SH	CO
Euthamia graminifolia	Grass-Leaved Goldenrod	PG	Fall	NOC	YES	~	SU	SP
, , , , , , , , , , , , , , , , , , ,		PG	Spring	NU	NO	~	SU	CO
Filipendula rubra	Queen Of The Prairie	PG	Winter	NOC	YES		SS	CO CO
Gaultheria procumbens	Wintergreen	PG	Summer	NOC	YES	~	SU	SP
Gentiana andrewsii Geranium maculatum	Closed Gentian Wild Geranium	PG	Spring	NOC	YES	~	SU	SP SP
		-						
Geranium sanguineum	Blood-Red Cranesbill	PG	Spring	EX	NO YES	~	SS SH	CO SP
Geum canadense	White Avens Prairie Smoke	PG	Spring	NOC		~		
Geum triflorum		PG	Fall	NU	NO	~	SU	SP
Glyceria striata	Fowl Meadow (Manna) Grass	PG	Summer	NOC	YES	~	SS	WT
Helenium autumnale	Sneezeweed	PG	Summer	NOC	YES	~	SU	CO
Helianthus divaricatus	Woodland Sunflower	PG	Fall	NOC	YES	~	SU	SP
Helianthus occidentalis	Western (Or Naked) Sunflower	PG	Fall	NOC	YES	~	SU	SP
Helianthus strumosus	Pale-Leaved Sunflower	PG	Fall	NOC	YES	~	SU	SP
Heliopsis helianthoides	False Sunflower	PG	Fall	NOC	YES	~	SU	CO
Heracleum maximum	Cow Parsnip	PG	Summer	NOC	YES	~	WT	SP
Hibiscus moscheutos	Swamp Rose Mallow	PG	Spring	NOC	YES	~	SU	CO
Hosta lancifolia	Plantain Lily	PG	Summer	EX	NO	~	SS	CO
Hydrophyllum virginianum	Virginia Waterleaf	PG	Spring	NOC	YES	~	SH	SP
Hystrix patula	Bottlebrush Grass	PG	Summer	NOC	YES	~	SS	SP
Impatiens capensis	Spotted Touch-Me-Not	PG	Summer	NOC	YES	~	SH	SP
Iris germanica	Flag	PG	Spring	EX	NO	~	SU	CO
Iris pumila	Dwarf Iris	PG	Spring	EX	NO	~	SU	CO
Iris versicolor	Wild Blue Flag	PG	Spring	NU	YES	~	WT	CO
Iris virginica	Southern Blue Flag	PG	Spring	NOC	YES	~	WT	CO
Juncus effusus	Common Rush	PG	Spring	NOC	YES	~	WT	SP
Koehleria macrantha	June Grass	PG	Summer	NOC	YES	~	SU	SP
Kuhnia eupatorioides	False Boneset	PG	Summer	NU	NO	~	SU	SP
Lamium maculatum	Spotted Dead Nettle	PG	Summer	EX	NO	~	SU/SH	CO
Leersia oryzoides	Rice Cut Grass	PG	Summer	NOC	YES	~	WT	SP
Lespedeza capitata	Round Headed Bush Clover	PG	Summer	NOC	YES	~	SU	SP
Liatris aspera	Rough Blazing Star	PG	Summer	NOC	YES	~	SU	SP
Liatris cylindracea	Cylindrical Blazing Star	PG	Summer	NOC	YES	~	SU	SP
Liatris spicata	Spiked Blazing Star	PG	Summer	NOC	YES	~	SU	CO
Lilium michiganense	Michigan Lily	PG	Summer	NOC	YES	~	SS	SP
Lilium superbum	Superb Lily	PG	Summer	NU	NO	~	SU	CO
Liriope spicata	Lilyturf	PG	Summer	EX	NO	~	SU/SH	CO
Lobelia cardinalis	Cardinal Flower	PG	Spring	NOC	YES	~	SH	CO
Lobelia siphilitica	Blue Cardinal-Flower	PG	Summer	NOC	YES	~	SU	SP
Lobelia spicata	Pale Spiked Lobelia	PG	Summer	NOC	YES	~	SU	SP
Lycopus americanus	Common Water Horehound	PG	Summer	NOC	YES	~	WT	SP
Lysimachia clethroides	White Loosestrife	PG	Summer	EX	NO	~	WT	CO
Lysimachia nummularia	Moneywort	PG	Fall	EX	NO	~	WT	CO
Lysimachia punctata	Dotted Loosestrife	PG	Summer	EX	NO	~	WT	CO
Matteuccia struthiopteris	Ostrich Fern	PG	Summer	NS	YES	~	SH	co
Mentha canadensis	Wild Mint	PG	Summer	NOC	YES	~	SU	SP
	Virginia Bluebells	PG	Spring	NU	YES	~	SU	CO
		1 - 1 -			163	~		1 100
Mertensia virginica Milium effusum	Millet Grass	PG	Summer	NOC	YES	~	SH	SP

Scientific Name	Common Name	Plant Type	Interest/ Bloom Time	Nativene ss	Woodland Replace- ment?	Street Tree Class	Growing Conditions	Nursery Type
Monarda didyma	Oswego Tea	PG	Summer	NS	NO	~	SU	CO
Monarda fistulosa	Wild Bergamot (Beebalm)	PG	Summer	NOC	YES	~	SS	SP
Oenothera biennis	Common Evening Primrose	PG	Summer	NOC	YES	~	SU	SP
Oenothera fruticosa	Shrubby Sundrops	PG	Summer	NS	NO	~	SU	CO
Oenothera speciosa	Showy Evening Primrose	PG	Summer	NS	NO	~	SU	CO
Onoclea sensibilis	Sensitive Fern	PG	Summer	NOC	YES	~	WT	SP
Osmorhiza claytonii	Hairy Sweet-Cicely	PG	Summer	NOC	YES	~	SH	SP
Osmunda cinnamomea	Cinnamon Fern	PG	Summer	NOC	YES	~	WT	CO
Panicum virgatum	Switch Grass	PG	Summer	NOC	YES	~	SU	CO
Parthenium integrifolium	Wild Quinine	PG	Summer	NU	NO	~	SU	SP
Peltandra virginica	Arrow Arum	PG	Summer	NOC	YES	~	WT	CO
Pennisetum alopecuroides	Fountain grass	PG	Summer	EX	NO	~	SU	CO
Penstemon digitalis	Foxglove Beardtongue	PG	Summer	NOC	YES	~	SS	CO
Penstemon hirsutus	Hairy Beardtongue	PG	Summer	NOC	YES	~	SU	SP
Phlox divaricata	Blue Phlox	PG	Spring	NOC	YES	~	SS	CO
	Garden Phlox	PG	Spring	NU	NO	~	SU	co
Phlox paniculata		PG	Spring	NU	~		SU	co
Phlox subulata Physostegia virginiana	Moss-Pink Obedient Plant	PG	Summer	NS	YES	~	SS	co
Physostegia virginiana		PG	Summer	NOC	YES	~ ~	SH	SP
Phytolacca americana	Pokeweed Mayapple	PG	Summer	NOC	YES		SH	SP SP
Podophyllum peltatum	, , , ,					~		
Polygonatum biflorum	Solomon's Seal	PG	Summer	NOC	YES	~	SH	SP SP
Polygonum virginianum	Jumpseed	PG	Summer	NOC	YES	~	SH	
Polystichum acrostichoides	Christmas Fern	PG	Winter	NOC	YES	~	SH	CO
Pontederia cordata	Pickerel Weed	PG	Summer	NOC	YES	~	WT	SP
Potentilla arguta	Prairie Cinquefoil	PG	Summer	NOC	YES	~	SU	SP
Prenanthes altissima	White Lettuce	PG	Summer	NOC	YES	~	SH	SP
Pycnanthemum virginianum	Mountain Mint	PG	Summer	NOC	YES	~	SU	SP
Ratibida pinnata	Grey-Headed Coneflower	PG	Summer	NS	YES	~	SU	SP
Rudbeckia fulgida	Orange Coneflower	PG	Summer	NOC	YES	~	SU	CO
Rudbeckia hirta	Black-Eyed Susan	PG	Summer	NOC	YES	~	SU	CO
Rudbeckia laciniata	Cut-Leaved Coneflower	PG	Summer	NOC	YES	~	SU	SP
Rudbeckia triloba	Brown-Eyed Susan	PG	Summer	NOC	YES	~	SU	CO
Sagittaria latifolia	Common Arrowhead	PG	Summer	NOC	YES	~	WT	CO
Salvia verticillata	Sage	PG	Summer	EX	NO	~	SU	CO
Sanguinaria canadensis	Bloodroot	PG	Summer	NOC	YES	~	SH	CO
Sanicula marilandica	Black Snakeroot	PG	Summer	NOC	YES	~	SH	SP
Scirpus atrovirens	Dark Green Rush	PG	Summer	NOC	YES	~	WT	SP
Scirpus validus	Great Bulrush	PG	Summer	NOC	YES	~	WT	SP
Silphium terebinthinaceum	Prairie Dock	PG	Summer	NOC	YES	~	SU	SP
Smilacina racemosa	False Solomon's Seal	PG	Summer	NOC	YES	~	SH	SP
Solidago caesia	Blue Stemmed Goldenrod	PG	Summer	NOC	YES	~	SH	SP
Solidago flexicaulis	Zig Zag Goldenrod	PG	Summer	NOC	YES	~	SH	SP
Solidago nemoralis	Gray Goldenrod	PG	Summer	NOC	YES	~	SU	SP
Solidago ohioensis	Ohio Goldenrod	PG	Summer	NOC	YES	~	SS	SP
Solidago riddellii	Riddell's Goldenrod	PG	Summer	NOC	YES	~	SU	SP
Solidago rigida	Stiff Goldenrod	PG	Summer	NOC	YES	~	SU	SP
Solidago speciosa	Showy Goldenrod	PG	Summer	NOC	YES	~	SU	CO
Solidago sphacelata	Goldenrod	PG	Summer	NS	NO	~	SU	CO
Sorghastrum nutans	Indian Grass	PG	Summer	NOC	YES	~	SU	CO
Spartina pectinata	Prairie Cordgrass	PG	Summer	NOC	YES	~	WT	SP
Sporobolus heterolepis	Prairie Dropseed	PG	Summer	NS	YES	~	SU	SP
Stipa spartea	Porcupine Grass	PG	Summer	NOC	YES	~	SU	SP
Teucrium canadense	American Germander	PG	Summer	NOC	YES	~	SH	SP
Thalictrum diocum	Early Meadowrue	PG	Summer	NOC	YES	~	SH	SP
Tradescantia ohioensis	Spiderwort	PG	Summer	NS	YES	~	SS	SP
Trillium erectum	Stinking Benjamin	PG	Spring	NOC	YES	~	SS	CO
Trillium grandiflorum	Large White Trillium	PG	Spring	NOC	YES	~	SS	CO
Trillium spp.	Trillium	PG	Spring	~	~	~	SH	SP
	Horse Gentian	PG	Spring	NOC	YES	~	SH	SP
Lriosteum aurantiacum								
Triosteum aurantiacum Typha angustifolia	Narrow-Leaved Cattail	PG	ISUmmer		INC I	~		(.()
Typha angustifolia	Narrow-Leaved Cattail	PG	Summer	EX NOC	NO NO	~	WT WT	CO
	Narrow-Leaved Cattail Common Cattail Bellwort	PG PG PG	Summer Summer Spring	NOC NOC	NO NO YES	~ ~	WT SH	CO CO CO

					Woodland	Street		
		Plant	Interest/	Nativene	Replace-	Tree	Growing	Nursery
Scientific Name	Common Name	Туре	Bloom Time	SS	ment?	Class	Conditions	Туре
Verbena uruicifolia	White Vervain	PG	Summer	NOC	YES	~	SU	SP
Vernonia missurica	Ironweed	PG	Summer	NS	YES	~	SU	SP
Veronica longifolia	Garden Speedwell	PG	Summer	EX	NO	2	SU	CO
Veronicastrum virginicum	Culver's Root	PG	Summer	NOC	YES	~	SU	CO
Zizia aptera	Heart-Leaf Meadow Parsnip	PG	Summer	NU	NO	2	SS	CO
Zizia aurea	Golden Alexanders	PG	Summer	NOC	YES	1	SU	SP
Eupatorium fistulosum	Hollow Joe-Pye Weed	PS	Summer	NS	YES	1	WT	SP

SUGGEST		LIST KEY						
0000201								
Note: Pla	nts must b	e grown in	biM read	west/Great	Lakes Rec	lion		
		<u> </u>						
Legend								
Plant Type								
	DC	Deciduous	Canopy Tr					
	LE	Large Evergreen Tree						
	SL							
	PG	Perennial/Grass Deciduous Sub-canopy Tree						
	DS							
	SS	Small Shrub						
	UE	Upright Evergreen Tree						
	UL	Oplight EV						
Interact								
Interest	<u>ер</u>	Corina						
	SP	Spring						
	SU	Summer						-
	FA	Fall						
	WI	Winter						
Nativeness	=)(	-						
	EX	Exotic or Non-Hardy						
<b> </b>	NOC	Native to Oakland County						
	NS	Native SE	Michigan					
	NU	Native US/	Canada					
Woodl. Repl		ubcanopy trees, shrubs, herbaceous plants require greater numbers - see Sec 37-8						
	YES	Can be used as woodland replacement						
	NO	Can not be used as woodland replacement						
Street Tree								
	RC	Recommended						
	UO	Recommended Under Overhead Utilities						
	SC	Special Circumstances						
	PR	Prohibited						
	~	Does not a	ylqq					
Growing Co	nditions							
	SH	Shade						
	SS	Sun/Shade	) )					1
	SU	Sun						
	WT	Wet						
Nurseries								
1101 301 103	со	Commonly found most nurseries						
	SP	Specialty nurseries						
	UN	Unknown						
	NU	UNKNOWN						