



CITY OF NOVI CITY COUNCIL
JUNE 23, 2025

SUBJECT: Approval to award American Generators Sales and Service the Generator Preventative Maintenance and Repair Service contract for one year in the amount of \$37,571 with the option for (2) renewals at one-year increments.

SUBMITTING DEPARTMENT: Integrated Solutions – Facilities Management Division
Department of Public Works – Water and Sewer Division

KEY HIGHLIGHTS:

- American Generators Sales and Service has maintained the contract in good standing since 2022.
- American Generators was the lowest bidder by \$18,327.

FINANCIAL IMPACT

	FY 25/26	FY 26/27	Total
EXPENDITURE REQUIRED	\$ 37,571	\$ 37,571	\$ 75,142
BUDGET			
1. Building Maintenance – Facilities Management(101-265.00-934.000)	\$ 1,725	\$ 1,725	\$ 3,450
2. Building Maintenance – DPW (101-265.00-934.442)	\$ 1,575	\$ 1,575	\$ 3,150
3. Building Maintenance – Police (101-301.00-934.000)	\$ 2,321	\$ 2,321	\$ 4,642
4. Building Maintenance – Fire (101-337.00-934.000)	\$ 4,800	\$ 4,800	\$ 9,600
5. Building Maintenance – Water & Sewer (592-592.00-934.000)	\$ 27,150	\$ 27,150	\$ 54,300
APPROPRIATION REQUIRED	\$ 0	\$ 0	\$ 0
FUND BALANCE IMPACT	\$ 0	\$ 0	\$ 0

BACKGROUND INFORMATION:

The City of Novi contracts maintenance and emergency services for all City-owned backup generators to licensed professionals. Preventive maintenance services performed on the City's generators are vital in prolonging the useful life of each generator. Annual load testing ensures that each generator operates efficiently and in compliance with safety standards. The services to be provided for each generator are as follows:

- Fall and spring preventative maintenance inspections each year.
- Annual oil changes and fluid top-offs.
- One 2-hour load bank test for generators located at fire stations, sewage lift stations, and water booster stations.
- One 4-hour bank test for generators at the Civic Center and Police Headquarters.
- Three 30-minute load bank tests for the generator at Police Headquarters.
- Coolant flushes, as needed, and with prior approval from the City.

A Request for Proposal was posted to the Michigan Intergovernmental Trade Network (MITN) in May. Three proposals were received in response to the publicly solicited RFP. A team comprised of City staff from Facilities Management and Water & Sewer reviewed each proposal, evaluated the firm's qualifications, hourly labor rates, materials markup, and contacted referrals. The team recommends awarding the contract to American Generators Sales and Service, the lowest bidder.

RECOMMENDED ACTION: Approval to award American Generators Sales and Service the Generator Preventative Maintenance and Repair Service contract for one year in the amount of \$37,571 with the option for (2) renewals at one-year increments.

CONTRACT FOR GENERATOR PREVENTIVE MAINTENANCE AND REPAIR SERVICES

THIS CONTRACT FOR SERVICES ("Contract"), shall be considered as made and entered into as of the date of the last signature ("Effective Date"), and is between the City of Novi, a Michigan municipal corporation, whose address is 45175 Ten Mile, Novi, Michigan 48375, (hereinafter referred to as "Client"), and American Generators Sales & Service, whose address is 6158 Delfield Dr, Waterford, Michigan 48329, (hereinafter referred to as "Contractor").

THE CLIENT AND CONTRACTOR AGREE AS FOLLOWS:

Article I. Statement and Performance of Work.

For payment by the Client as provided under this Contract, Contractor shall perform the services described on and in Schedule A, which is attached hereto and made a part of this Contract by this reference, in a competent, accurate, efficient, timely, good, professional, thorough, complete and responsible manner, and in compliance with the terms and conditions set forth below.

Article II. Timing of Performance.

Performance of this Contract will begin on June 1, 2025 and end May 31, 2026. Upon mutual agreement of the Client and the Contractor, the contract may be renewed three times in one year increments at the same pricing, terms, and conditions.

Article III. Contract Price and Payment.

Subject to the terms and conditions of this Contract, the Client agrees to pay Contractor an amount for services and materials as specifically set forth in Schedule A. Such payments are in exchange for and consideration of the timely and satisfactory performance and completion of the work required under and pursuant to this Contract. The Client agrees to pay Contractor amounts due within thirty (30) days of receipt of an itemized billing/invoice from Contractor detailing all materials provided and work performed in connection with the billing and the hours and charges applicable to each such item. Such itemized billings shall be submitted and shall be paid only upon satisfactory completion of the work itemized in the billing.

All costs and expenses incurred by Contractor under this Contract are deemed to be included in the amounts set forth in Schedule A. Contractor will obtain written approval of the Client prior to proceeding with any work that is not stated on Schedule A; otherwise, the Client will not be billed for such extra/additional work.

Payments shall be made upon verification of invoices received by the Client. All payments to Contractor shall be submitted by mail at Contractor's address first listed above, unless Contractor provides written notice of a change in the address to which such payments are to be sent.

Article IV: Termination.

A. 1. For cause: In the event that either party shall breach the terms and conditions of this Contract, the aggrieved party may notify the other party, in writing via certified mail, of such breach and demand that the same be remedied within ten (10) days. If the defaulting party fails to remedy the breach as demanded, the aggrieved party shall then have the right to terminate by giving the defaulting party thirty (30) days written notice. In addition, if at any time a voluntary petition in bankruptcy shall be filed against either party and shall not be dismissed within thirty (30) days, or if either party shall take advantage of any insolvency law, or if a receiver or trustee of any of a party's property shall be appointed and such appointments shall not be vacated within thirty (30) days, the other party shall have the right, in addition to any other rights of whatsoever nature that it may have at law or in equity, to terminate by giving thirty (30) days' notice in writing of such termination.

2. For convenience: The Client may terminate the agreement, in whole or in part, without showing cause upon giving thirty (30) days written notice to the Contractor. The Client shall pay all reasonable costs incurred by the Client up to the date of notice of termination. The Contractor will not be reimbursed for any anticipatory profits that have not been earned up to the date of notice of termination.

B. In the event this Contract is terminated before completion, the Client shall not be responsible to make any further payments for work performed after the effective date of such termination, and shall pay Contractor for such materials as have been delivered and for such work as has been completed and is eligible for payment under the terms of this Contract through the date of such termination. In all events, the Client shall only be responsible to make the payments described in the preceding sentence if, at the Client's request, Contractor continues to fully perform its duties and obligations in full compliance with the terms of this Contract through the effective date of the termination.

Article V: Independent Contractor/Vendor Relationship.

A. In the performance of this Contract, the relationship of Contractor to the Client shall be that of an independent contractor and/or vendor and not that of an employee or agent of Client. Contractor is and shall perform under this Contract as an independent contractor and/or vendor, and no liability or responsibility with respect to benefits of any kind, including without limitation, medical benefits, worker's compensation, pension rights, or other rights or liabilities arising out of or related to a contract for hire or employer/employee relationship shall arise or accrue to either party as a result of the performance of this Contract.

Contractor, as an independent contractor and/or vendor, is not authorized to enter into or sign any agreements on behalf of the Client or to make any representations to third parties that are binding upon the Client.

B. Contractor represents that it will dedicate sufficient resources and provide all necessary personnel required to perform the work described in Schedule A in

accordance with the terms and conditions of this Contract. Except as may be specifically stated and agreed to in Schedule A, Contractor shall perform all of the work under this Contract and no other person or entity shall be assigned or sub-contracted to perform the work, or any part thereof, unless approved by the Client in advance.

Article VI: Liability and Insurance.

- A. Contractor agrees to indemnify and hold harmless the Client, its elected and appointed officials and employees, from and against any and all claims, demands, suits, losses and settlements, including actual attorney fees incurred and all costs connected therewith, for any damages which may be asserted, claimed or recovered against the Client by reason of (i) personal injury, death and/or property damages which arises out of or is in any way connected or associated with the actions or inactions of Contractor in performing or failing to perform the work; or (ii) civil damages which arise out of any dispute between Contractor and its subcontractors, affiliates, employees or other private third parties in connection with this Contract. Contractor specifically agrees that it is Contractor's responsibility, and not the responsibility of the Client, to safeguard the property and materials used in performing this Contract. Contractor agrees to hold the City harmless from any loss of or damage to such property and materials used in connection with Contractor's performance of this Contract.
- B. Contractor shall provide evidence of adequate insurance coverage in the types and amounts set forth on Schedule A, which is attached hereto and incorporated herein by this reference. Such insurance shall be maintained at the specified level of coverage throughout the term of this Contract, including any extension of such term, and will cover all work, acts and omissions by and on behalf of Contractor in connection with this Contract, with the Client as named additional insureds, but with such coverage being primary and non-contributory as described in the attached Schedule A.

Article VII: Information.

It is expressly acknowledged and agreed that all reports, opinions, compilations, research work, studies, data, materials, artifacts, samples, documents, plans, drawings, specifications, correspondence, ledgers, permits, manuals, applications, contracts, accountings, schedules, maps, logs, invoices, billings, photographs, videotapes and all other materials generated by and/or coming into the possession of Contractor during the term of this Contract, and any extension thereof, that in any way relate to the performance of work by Contractor under this Contract or that are otherwise related or relevant to the work, belong exclusively to the Client and shall be promptly delivered to the Client upon the termination of this Contract or, at any time, upon the Client's request.

Article VIII: **General Provisions.**

- A. Entire Agreement. This instrument, together with the attached Schedules, contains the entire Contract between the Client and Contractor. No verbal agreement, conversation, or representation by or between any officer, agent, or employee of the parties hereto, either before or after the execution of this Contract, shall affect or modify any of the terms or obligations herein contained.
- B. Compliance with Laws. This Contract and all of Contractor's work and practices shall be subject to all applicable state, federal and local laws, ordinances, rules or regulations, including without limitation, those which apply because Client is a public governmental agency or body. Contractor represents that it is in compliance with all such laws and eligible and qualified to enter into this Contract.
- C. Governing Law. This Contract shall be governed by the laws of the State of Michigan.
- D. Assignment. Contractor shall not assign this Contract or any part thereof without the written consent of the Client. This Contract shall be binding on the parties, their successors, assigns and legal representatives.
- E. Third Parties. It is the intention of the parties hereto that this Agreement is not made for the benefit of any private third party. It is acknowledged that Client may receive a portion of the funding for the payments under this Contract from one or more private sources, and it is understood by Contractor that it is hired by Client to work exclusively for Client (and by extension for the Township should the work be accepted and implemented by the Township) and Contractor agrees that no private party or parties will be allowed to hold sway or influence, in any way, over Contractor's performance of the work.
- F. Notices. Written notices under this Contract shall be given to the parties at their addresses contained in this Contract by personal or registered mail delivery to the attention of the following persons:
- Client: City Manager Victor Cardenas and City Clerk Cortney Hanson
Contractor: Account Manager Leah Cavalier
- G. Changes. Any changes in the provisions of this Contract must be in writing and signed by the Client and Contractor.
- H. Waivers. No waiver of any term or condition of this Contract shall be binding and effective unless in writing and signed by all parties, with any such waiver being limited to that circumstance only and not applicable to subsequent actions or events.
- I. Jurisdiction and Venue of Contract. This Contract shall be considered for all purposes, including the establishment of jurisdiction and venue in any court action

between the parties, as having been entered into and consummated in the City of Novi, Oakland County, Michigan.

- J. Conflict. In the event of any conflict or inconsistency between the above provisions of this Contract and either or both of the attached Schedules, the provisions in the above text shall govern.

IN WITNESS WHEREOF, the Client and the Contractor have executed this Contract in Oakland County, Michigan, as of the date first listed above.

WITNESS AND DATES
OF SIGNATURES:

CITY OF NOVI

Date: _____

By: Justin Fischer
Its: Mayor

Date: _____

By: Cortney Hanson
Its: Clerk

CONTRACTOR

Date: _____

By:
Its:



**CITY OF NOVI
GENERATOR PREVENTIVE MAINTENANCE AND
REPAIR SERVICES**

CONTRACTOR QUALIFICATIONS QUESTIONNAIRE

Failure to answer all questions could result in rejection of your bid.

Name of Firm American Generators Sales + Service
Address: 6158 Delfield Dr.
City, State Zip Waterford, MI 48329
Telephone 248.623.4919 Fax _____
Mobile 248.841.5741
Agent's Name (please print) Leah Cavalier
Agent's Title Account Manager
Email Address: Leah@american-generator.com
Website WWW.american-generator.com

1. Organizational structure: Corporation, Partnership, etc. Corporation
2. Firm established: 2008
3. How many full time employees? 15 Part time? _____
4. Do you have 24-hour emergency service? yes
5. 24-hour/7-day Emergency Telephone Number 248.623.4919
6. Provide your procedure for handling night and weekend calls.
Emergency number goes directly to on call tech.
The city will also be provided the service manager's
cell phone number.
7. What is your typical response time, from time of call to arrival on site? 2 HRS
8. Can you meet our emergency response requirement? yes
If not, what is the time frame for your response? _____
9. Address of your local facility 6158 Delfield Dr. Waterford, MI 48329
10. Distance of local facility from the Novi Civic Center 20 miles
11. Are you able to provide insurance coverage as required by this bid? yes
12. List the scope of services (type of work) you are able to perform.
generator sales, + installation, generator preventive

Maintenance + repairs, load bank testing, fuel services,
Maintenance + repair of automatic transfer switches.

13. List any professional licenses/certifications you/your employees have obtained that would be applicable to this contract.

Electrical Contractor 6108798, Master Electrician
Doug Pletcher 6210880, all technicians factory trained
& certified for Cummins, Kohler & Blue Star & Generac.

14. Provide a list of mobile service technicians, and all other professional staff to be assigned to this contract. Include name, title, license number, and years of experience, full/part time, on-call availability, qualifications, and experience. Must be staff working out of local facility.

Jeramie Shaver; Service Manager 248.595.2321
Justin Nowicki - Service tech (10 years, full time)
Greg Cook - Service tech (10 years, full time)
Tim Vanness - Service tech (6 years, full time)
Josh Goolsby - Service tech (6 years, full time)

15. List equipment, tools and all other resources available to your firm to perform this contract:

Load Banks, Fuel Polisher, Fluid Sampling supplies,
parts inventory

16. Do you own a rental fleet of generators? yes If yes, how many? 6
17. Do you have rental cables? yes
18. Are you able to install an emergency rental generator? yes
19. Are you capable of servicing & repairing automatic transfer switches? yes If so,
please list & describe brands _____
20. Do you stock spare parts for emergency services? yes
21. What is your estimated delivery time for non-stocked items? 1-2 days
22. Provide a list of all open contracts your company currently holds. Include contact
name, organization, type, size, required date of completion, percentage of

completion, and value of contract.

City of Novi, City of Lincoln Park, City of Taylor,
City of Sterling Heights, Oakland University, Friedman
Real Estate, CBRE, Detroit Port Authority

23. **References:** Provide at least three (3) current client references (with contact names and phone numbers) that are comparable in scope to this bid. Several references from municipalities would be desirable.

Company City of Sterling Heights
Address 40555 Utica Rd. Sterling Heights MI 48313
Phone 586.506.7886 Contact name Todd Macouis

Company City of Lincoln Park
Address 500 Southfield Rd. Lincoln Park MI 48146
Phone 313.215.4109 Contact name John Kozuh

Company City of Taylor
Address 23555 Goddard Rd Taylor, MI 48180
Phone 313.363.0100 Contact name Guido Ulin

24. Provide any additional information you would like to include which may not be included within this Questionnaire. You may attach additional sheets.

THE FOREGOING QUESTIONNAIRE IS A TRUE STATEMENT OF FACTS:

Signature of Authorized Company Representative: Leah Cavalier

Representative's Name (please print) Leah Cavalier

Date 5/27/25

**CITY OF NOVI
GENERATOR PREVENTIVE MAINTENANCE REPAIR SERVICES
PROPOSAL FORM**

Company Name
American Generators Sales + Service

We the undersigned as bidder, propose to furnish Generator Preventive Maintenance & Repair Services to the City of Novi according to the RFP specifications for the following prices:

BASE BID	Spring Preventive Maintenance (inspection & oil change)	Fall Preventive Maintenance (inspection only)	Price to Load Test 4 hour (Monday-Friday)	Price to Load Test 2 hour (Monday-Friday)	Price to Load Test 4 hour (Saturday)	Price for Coolant Flush (upon request)
Civic Center	650.00	275.00	800.00	N/A	2,500.00	700.00
Police Dept.	650.00	275.00	800.00	N/A	2,500.00	650.00
Police Dept. - 30 minute Load Test		N/A	596.00	N/A	N/A	N/A
DPW	800.00	275.00	N/A	500.00	N/A	1,000.00
Fire Station #1	400.00	275.00	N/A	500.00	N/A	525.00
Fire Station #2	400.00	275.00	N/A	500.00	N/A	525.00
Fire Station #3	400.00	275.00	N/A	500.00	N/A	525.00
Fire Station #4	500.00	275.00	N/A	500.00	N/A	525.00
Lift Station #1	450.00	275.00	N/A	500.00	N/A	525.00
Lift Station #2	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #3	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #4	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #5	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #6	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #7	450.00	275.00	N/A	500.00	N/A	525.00
Lift Station #8	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #9	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #10	550.00	275.00	N/A	500.00	N/A	650.00
Lift Station #11	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #12	550.00	275.00	N/A	500.00	N/A	650.00
Lift Station #23	400.00	275.00	N/A	500.00	N/A	650.00
Lift Station #18	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #19	500.00	275.00	N/A	500.00	N/A	600.00

CITY OF NOVI
GENERATOR PREVENTIVE MAINTENANCE REPAIR SERVICES
PROPOSAL FORM

Company Name
American Generators Sales & Service

Lift Station #20	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #21	400.00	275.00	N/A	500.00	N/A	525.00
Lift Station #22	400.00	275.00	N/A	500.00	N/A	525.00
West Park Booster	700.00	275.00	N/A	500.00	N/A	700.00
Island Lake Booster #1	600.00	275.00	N/A	500.00	N/A	700.00
Portable #1	550.00	275.00	N/A	500.00	N/A	650.00
Portable #2	550.00	275.00	N/A	500.00	N/A	650.00
TOTAL BASE BID	13,900.00	7,975.00	2,196.00	13,500.00	5,000.00	17,050.00

**CITY OF NOVI
GENERATOR PREVENTIVE MAINTENANCE REPAIR SERVICES
PROPOSAL FORM**

Company Name
American Generators Sales + Service

ALTERNATE #1	Spring Preventive Maintenance (inspection & oil change)	Fall Preventive Maintenance (inspection only)	Price to Load Test 4 hour (Monday-Friday)	Price to Load Test 2 hour (Monday-Friday)	Price to Load Test 4 hour (Saturday)	Price for Coolant Flush (upon request)
Ice Arena	400.00	275.00	N/A	500.00	N/A	525.00
ALTERNATE #2	Spring Preventive Maintenance (inspection & oil change)	Fall Preventive Maintenance (inspection only)	Price to Load Test 4 hour (Monday-Friday)	Price to Load Test 2 hour (Monday-Friday)	Price to Load Test 4 hour (Saturday)	Price for Coolant Flush (upon request)
Meadowbrook Commons	800.00	275.00	800.00	N/A	2,500.00	1,000.00

HOURLY RATES	M-F 8am-5pm	M-F after 5pm	Sat/Sun	Holiday
Service/Repair	149.00	223.50	223.50	298.00
Emergency	149.00	223.50	223.50	298.00

MATERIALS - Percent Over Contractor's Cost	25.00%
---------------------------------------------------	--------

WE ACKNOWLEDGE RECEIPT OF THE FOLLOWING ADDENDA:

Acknowledged by Leah Cavalier

EXCEPTIONS / OTHER CHARGES / COMMENTS:

COMPANY NAME:

American Generators Sales & Service

ADDRESS:

6158 Delfield Dr.

CITY, STATE, ZIP CODE:

Waterford, MI 48329

AGENTS NAME: (Please print)

Leah Cavalier

CITY OF NOVI
GENERATOR PREVENTIVE MAINTENANCE REPAIR SERVICES
PROPOSAL FORM

Company Name
American Generators Sales + Service

AGENTS TITLE: (Please print)

Account Manager

AGENTS SIGNATURE:

Leah Corbin

TELEPHONE:

248.623.4919

EMAIL:

Leah@american-generator.com

FAX:

N/A

DATE:

5/27/25



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

2/14/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER The Dearborn Agency Inc. 22691 Michigan Avenue Dearborn MI 48124	CONTACT NAME: PHONE (A/C, No, Ext): 313-562-8373 FAX (A/C, No): 313-562-5371 E-MAIL ADDRESS: info@dearbornagency.com
INSURED American Generators Sales & Service LLC 6158 Delfield Dr Waterford MI 48329	INSURER(S) AFFORDING COVERAGE INSURER A: The Cincinnati Insurance Company INSURER B: MTM Insurance Co. (Manufacturing Technology) INSURER C: INSURER D: INSURER E: INSURER F:

COVERAGES **CERTIFICATE NUMBER:** 892103847 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input checked="" type="checkbox"/> LOC OTHER:		EPP 0566906	2/1/2023	2/1/2026	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY		EBA 0566906	2/1/2025	2/1/2026	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$		EPP 0566906	2/1/2023	2/1/2026	EACH OCCURRENCE \$ 2,000,000 AGGREGATE \$ 2,000,000 \$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N/A	328800	2/1/2025	2/1/2026	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 5,000,000 E.L. DISEASE - EA EMPLOYEE \$ 5,000,000 E.L. DISEASE - POLICY LIMIT \$ 5,000,000
A	Errors & Omissions		EPP 0566906	2/1/2023	2/1/2026	Each Occurrence 1,000,000 Aggregate 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Broadened Contractor General Liability Coverage; GA472 05/20
Automatic Additional Insured when required by written contract, permit, or agreement
Owners, Lessees, or Contractors, including CG2010 & completed/ongoing operations
Automatic Primary and Noncontributory when required by written contract, agreement, or permit
Automatic Waiver of Transfer of Rights of Recovery when required by written contract, agreement, or permit

Broadened Automobile Coverage; AA292 06/20
Blanket Waiver of Subrogation when required by written contract, agreement, or permit
See Attached...

CERTIFICATE HOLDER American Generators Sales & Service, LLC 6158 Delfield Dr Waterford MI 48329	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE
---------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

© 1988-2015 ACORD CORPORATION. All rights reserved.

**ADDITIONAL REMARKS SCHEDULE**Page 1 of 1

AGENCY The Dearborn Agency Inc.		NAMED INSURED American Generators Sales & Service LLC 6158 Delfield Dr Waterford MI 48329
POLICY NUMBER		
CARRIER	NAIC CODE	EFFECTIVE DATE:

ADDITIONAL REMARKS**THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,****FORM NUMBER:** 25 **FORM TITLE:** CERTIFICATE OF LIABILITY INSURANCEAutomatic Primary and Noncontributory when required by written contract, agreement, or permit
Automatic Additional Insured when required by written contract, agreement, or permit

For Insured's records only



LUBRICANTS

Gulf Super Duty Plus 15W-40 Diesel Engine Oil

SDS - Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Gulf Super Duty Plus Diesel Engine Oil, SAE 15W-40

Other means of identification: Engine Oil, API CK-4

SDS Number: 331307

CAS Number: Blend

CHEMTREC: EMERGENCY CONTACT 1-800-424-9300

Supplier:

Nu-Tier Brands, Inc., Tulsa, OK

Under License from Gulf Oil LP

TECHNICAL CONTACT NUMBER: 918-550-8026, Ext. 507

www.gulflubricants.net

2. HAZARDS IDENTIFICATION

Classified Hazards

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other Hazards

None Known

Label Elements
No classified hazards

GENERAL PRECAUTIONARY STATEMENT(S):

Keep out of reach of children.

Read label before use.

Wash skin thoroughly after handling.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

PREVENTION PRECAUTIONARY STATEMENT(S):

Not applicable.

RESPONSE PRECAUTIONARY STATEMENT(S):

Not applicable.

STORAGE PRECAUTIONARY STATEMENT(S):

Store in a dry place.

Store in a closed container.

DISPOSAL PRECAUTIONARY STATEMENT(S):

Dispose of contents/containers should be cleaned of residual product before disposal, and disposed of in accordance with all applicable laws and regulations.

OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION:

No additional information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	Concentration
Highly refined petroleum base oil	Mixture	0-85%
Additives	Proprietary	<25%

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to



Gulf Super Duty Plus 15W-40 Diesel Engine Oil

SDS - Safety Data Sheet

health and hence require reporting in this section.

4. FIRST AID MEASURES

EYE CONTACT FIRST AID: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SKIN CONTACT FIRST AID: Wash with plenty of soap and water. Remove contaminated clothing and shoes.

INHALATION FIRST AID: If inhaled, move victim to fresh air and keep at rest in a position comfortable for breathing.

INGESTION FIRST AID: Rinse mouth. Do NOT induce vomiting.

NOTES TO PHYSICIAN: Treat symptomatically.

5. FIREFIGHTING MEASURES

NFPA 704 Hazard Class

Health: 1

Flammability: 1

Reactivity: 0



0 (Minimal)

1 (Slight)

2 (Moderate)

3 (Serious)

4 (Severe)

Flash Point Minimum: 465°F / 241°C

Flash Point Test Method: Cleveland Open Cup (COC)

NFPA FLAMMABILITY CLASSIFICATION: NFPA Class-IIIB combustible material

FLAMMABLE LIMITS IN AIR: LEL: N/A

UEL: N/A

Extinguishing Media: Carbon dioxide, water fog, foam or dry powder. Do not use water, because this product is oil based. Water or foam may cause frothing.

Specific hazards arising from the chemical:

Fire & Explosion Hazards: Can burn in fire, releasing toxic vapors, fumes, and smoke.

Hazardous Combustion Products: Hazardous decomposition products are oxides of carbon and nitrogen including CO and CO₂.

6. ACCIDENTAL RELEASE MEASURES

SAFEGUARDS (PERSONNEL):

Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction.

INITIAL CONTAINMENT:

Absorb spills with inert material. Do not allow material to enter soil or surface water.

LARGE SPILLS PROCEDURE:

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Do not flush to sewer.

SMALL SPILLS PROCEDURE:

Absorb spills with inert material.

MISCELLANEOUS:

Treat or dispose of in accordance with all federal, state, and local requirements. Incineration is preferred.

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Empty drums should be completely drained, properly bunged, and promptly returned to a drum reconditioner, or properly disposed of. Wash hands thoroughly after handling.

HANDLING (PHYSICAL ASPECTS):



Gulf Super Duty Plus 15W-40 Diesel Engine Oil

SDS - Safety Data Sheet

Secure container after each use. Store in a cool dry area.
Avoid contact with strong oxidizing agents.

STORAGE PRECAUTIONS:

Store in a cool dry place, in a tightly closed container. Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

MATERIAL	SOURCE	TYPE	Mg/m3
Lubricating Oil, Petroleum	NIOSH REL	TWA (Mist)	5 mg/m3
Lubricating Oil, Petroleum	NIOSH REL	STEL (Mist)	10 mg/m3
Highly Refined Base Oil	ACGIH TLV	TWA (Inhalable fraction)	5 mg/m3
Highly Refined Base Oil	NIOSH REL	TWA	5 mg/m3

ENGINEERING CONTROLS:

Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.
TLV for mineral oil is 5 mg/cubic meter.

EYE / FACE PROTECTION REQUIREMENTS:

When splashing of the material may occur, chemical goggles and/or a face shield are recommended.

SKIN PROTECTION REQUIREMENTS:

Where contact is likely, wear chemical resistant gloves.

RESPIRATORY PROTECTION REQUIREMENTS:

Under normal use conditions, with adequate ventilation, no special handling equipment is required. If mists are produced, local ventilation may be required to keep exposure below limits.

GENERAL COMMENTS:

Always observe good personal hygiene practices. Wash hands and other exposed skin areas with plenty of mild soap and water before eating, drinking, smoking, etc...

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM	Liquid
COLOR	Amber to Dark Amber
ODOR	Petroleum
VAPOR DENSITY.....	Heavier than air (Air = 1)
SOLUBILITY IN WATER..	Nil
SPECIFIC GRAVITY.....	0.8704 at 60 °F (Water = 1)
BULK DENSITY.....	7.25 Pounds per Gallon at 60 °F
POUR PT.....	-32 °C
pH	Not Applicable
VISCOSITY.....	15.4 cSt at 100 °C

10. STABILITY AND REACTIVITY

STABILITY: Material is stable under normal conditions.

POLYMERIZATION: Hazardous polymerization will not occur.

INCOMPATIBILITY WITH OTHER MATERIALS: Avoid contact with strong oxidizing agents.

DECOMPOSITION: In the case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.

CONDITIONS TO AVOID: Excessive heat. Avoid all sources of ignition.

11. TOXICOLOGICAL INFORMATION



Gulf Super Duty Plus 15W-40 Diesel Engine Oil

SDS - Safety Data Sheet

GENERAL INFORMATION:

Based on data on the components and the toxicology of similar materials

ROUTES OF ENTRY:

Skin, Eyes, Ingestion, and Inhalation.

ACUTE EXPOSURE:

EYE IRRITATION:

Not expected to cause eye irritation. Based on data from components or similar materials.

Vapors may cause irritation.

SKIN IRRITATION:

Slightly irritating based on data from components or similar materials. Prolonged or repeated skin contact without proper hygiene may result in skin disorders such as acne.

RESPIRATORY IRRITATION:

Based on data from components and similar materials, Inhalation of vapors or mists may cause irritation.

DERMAL TOXICITY:

Expected to be of low toxicity: LD50 > 5000 mg/kg, Rabbit

ORAL TOXICITY:

Expected to be of low toxicity: LD50 > 5000 mg/kg, Rat

INHALATION TOXICITY:

Based on data from components and similar materials, product is not considered to be an inhalation hazard under normal conditions of use.

SENSITIZATION:

Component concentrations in this formulation would not be expected to cause skin sensitization, based on tests of the components or similar formulations.

CRONIC EXPOSURE:

CHRONIC TOXICITY:

No data available to indicate product or components present at greater than 1% are chronic health hazards.

CARCINOGENICITY:

Product contains mineral and/or synthetic oils shown to be noncarcinogenic in laboratory studies with the same or similar materials. Mineral and synthetic oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). Other components are not known to be associated with carcinogenic effects.

MUTAGENICITY:

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

REPRODUCTIVE TOXICITY:

No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.

TERATOGENICITY:

No data available to indicate either product or components present at greater than 0.1% that may cause birth defects.

ADDITIONAL INFORMATION:

No other health hazards known.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS:

Ecological Toxicity data has not been determined specifically for this product. The ecological toxicity hazard is based on an evaluation of data for the components or a similar material. This material is expected to be harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment.

ENVIRONMENTAL FATE

This material is not expected to be readily biodegradable. The biodegradability of this material is based on an evaluation of data for the components or a similar material. This product contains components which may be persistent in the environment.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:



Gulf Super Duty Plus 15W-40 Diesel Engine Oil

SDS - Safety Data Sheet

Avoid disposal into waste water treatment facilities. Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements. This product, if discarded, is not considered a hazardous waste.

14. TRANSPORTATION INFORMATION

PRODUCT LABEL:	Gulf Super Duty Plus 15W-40
D.O.T SHIPPING:	Not Regulated by DOT.
IMDG:	This material is not classified as dangerous under IMDG regulations.
IATA:	This material is not classified as dangerous under IATA regulations.
TRANSPORT CANADA:	This material is not classified as dangerous under Transport Canada regulations.

15. REGULATORY INFORMATION

OSHA Hazard Communication Standard:

The classification of this material is based on OSHA HCS 2012 criteria.
United States inventory (TSCA): All components are listed or exempted.
Canada inventory: All components are listed or exempted.
Europe inventory: All components are listed or exempted.
Japan inventory (ENCS): All components are listed or exempted.
Australia inventory (AICS): All components are listed or exempted.
Korea inventory (KECI): All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Philippines inventory (PICCS): All components are listed or exempted.

16. OTHER INFORMATION

REASON FOR ISSUE: New
APPROVAL DATE: January 24, 2017
SUPERCEDES DATE.....: New
PRODUCT ID: 331307

The data in this Material Safety Data Sheet relates only to the specific material designated herein.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Nu-Tier Brands, Inc. The data on this sheet are related only to the specific material designated herein. Nu-Tier Brands, Inc. assumes no legal responsibility for use or reliance upon these data.

END OF MSDS



Gulf Super Duty Plus 10W-30 Diesel Engine Oil

SDS - Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Gulf Super Duty Plus Diesel Engine Oil, SAE 10W-30

Other means of identification: Engine Oil, API CK-4

SDS Number: 331310

CAS Number: Blend

CHEMTREC: EMERGENCY CONTACT 1-800-424-9300

Supplier:

Nu-Tier Brands, Inc., Tulsa, OK

Under License from Gulf Oil LP

TECHNICAL CONTACT NUMBER: 918-550-8026, Ext. 507

www.gulflubricants.net

2. HAZARDS IDENTIFICATION

Classified Hazards

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other Hazards

None Known

Label Elements

No classified hazards

GENERAL PRECAUTIONARY STATEMENT(S):

Keep out of reach of children.

Read label before use.

Wash skin thoroughly after handling.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

PREVENTION PRECAUTIONARY STATEMENT(S):

Not applicable.

RESPONSE PRECAUTIONARY STATEMENT(S):

Not applicable.

STORAGE PRECAUTIONARY STATEMENT(S):

Store in a dry place.

Store in a closed container.

DISPOSAL PRECAUTIONARY STATEMENT(S):

Dispose of contents/containers should be cleaned of residual product before disposal, and disposed of in accordance with all applicable laws and regulations.

OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION:

No additional information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	Concentration
Highly refined petroleum base oil	Mixture	0-85%
Additives	Proprietary	<25%

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.



Gulf Super Duty Plus 10W-30 Diesel Engine Oil

SDS - Safety Data Sheet

4. FIRST AID MEASURES

EYE CONTACT FIRST AID: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SKIN CONTACT FIRST AID: Wash with plenty of soap and water. Remove contaminated clothing and shoes.

INHALATION FIRST AID: If inhaled, move victim to fresh air and keep at rest in a position comfortable for breathing.

INGESTION FIRST AID: Rinse mouth. Do NOT induce vomiting.

NOTES TO PHYSICIAN: Treat symptomatically.

5. FIREFIGHTING MEASURES

NFPA 704 Hazard Class

Health: 1

Flammability: 1

Reactivity: 0



0 (Minimal)

1 (Slight)

2 (Moderate)

3 (Serious)

4 (Severe)

Flash Point Minimum: 465°F / 241°C

Flash Point Test Method: Cleveland Open Cup (COC)

NFPA FLAMMABILITY CLASSIFICATION: NFPA Class-IIIb combustible material

FLAMMABLE LIMITS IN AIR: LEL: N/A

UEL: N/A

Extinguishing Media: Carbon dioxide, water fog, foam or dry powder. Do not use water, because this product is oil based. Water or foam may cause frothing.

Specific hazards arising from the chemical:

Fire & Explosion Hazards: Can burn in fire, releasing toxic vapors, fumes, and smoke.

Hazardous Combustion Products: Hazardous decomposition products are oxides of carbon and nitrogen including CO and CO₂.

6. ACCIDENTAL RELEASE MEASURES

SAFEGUARDS (PERSONNEL):

Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction.

INITIAL CONTAINMENT:

Absorb spills with inert material. Do not allow material to enter soil or surface water.

LARGE SPILLS PROCEDURE:

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Do not flush to sewer.

SMALL SPILLS PROCEDURE:

Absorb spills with inert material.

MISCELLANEOUS:

Treat or dispose of in accordance with all federal, state, and local requirements. Incineration is preferred.

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Empty drums should be completely drained, properly bunged, and promptly returned to a drum reconditioner, or properly disposed of. Wash hands thoroughly after handling.

HANDLING (PHYSICAL ASPECTS):

Secure container after each use. Store in a cool dry area.

Avoid contact with strong oxidizing agents.



Gulf Super Duty Plus 10W-30 Diesel Engine Oil

SDS - Safety Data Sheet

STORAGE PRECAUTIONS:

Store in a cool dry place, in a tightly closed container. Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

MATERIAL	SOURCE	TYPE	Mg/m3
Lubricating Oil, Petroleum	NIOSH REL	TWA (Mist)	5 mg/m3
Lubricating Oil, Petroleum	NIOSH REL	STEL (Mist)	10 mg/m3
Highly Refined Base Oil	ACGIH TLV	TWA (Inhalable fraction)	5 mg/m3
Highly Refined Base Oil	NIOSH REL	TWA	5 mg/m3

ENGINEERING CONTROLS:

Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product. TLV for mineral oil is 5 mg/cubic meter.

EYE / FACE PROTECTION REQUIREMENTS:

When splashing of the material may occur, chemical goggles and/or a face shield are recommended.

SKIN PROTECTION REQUIREMENTS:

Where contact is likely, wear chemical resistant gloves.

RESPIRATORY PROTECTION REQUIREMENTS:

Under normal use conditions, with adequate ventilation, no special handling equipment is required. If mists are produced, local ventilation may be required to keep exposure below limits.

GENERAL COMMENTS:

Always observe good personal hygiene practices. Wash hands and other exposed skin areas with plenty of mild soap and water before eating, drinking, smoking, etc...

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM	Liquid
COLOR	Amber to Dark Amber
ODOR	Petroleum
VAPOR DENSITY.....	Heavier than air (Air = 1)
SOLUBILITY IN WATER..	Nil
SPECIFIC GRAVITY.....	0.8688 at 60 °F (Water = 1)
BULK DENSITY.....	7.24 Pounds per Gallon at 60 °F
POUR PT.....	-36 °C
pH	Not Applicable
VISCOSITY.....	11.9 cSt at 100 °C

10. STABILITY AND REACTIVITY

STABILITY: Material is stable under normal conditions.

POLYMERIZATION: Hazardous polymerization will not occur.

INCOMPATIBILITY WITH OTHER MATERIALS: Avoid contact with strong oxidizing agents.

DECOMPOSITION: In the case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.

CONDITIONS TO AVOID: Excessive heat. Avoid all sources of ignition.

11. TOXICOLOGICAL INFORMATION

GENERAL INFORMATION:

Based on data on the components and the toxicology of similar materials

ROUTES OF ENTRY:

Skin, Eyes, Ingestion, and Inhalation.



Gulf Super Duty Plus 10W-30 Diesel Engine Oil

SDS - Safety Data Sheet

ACUTE EXPOSURE:**EYE IRRITATION:**

Not expected to cause eye irritation. Based on data from components or similar materials.

Vapors may cause irritation.

SKIN IRRITATION:

Slightly irritating based on data from components or similar materials. Prolonged or repeated skin contact without proper hygiene may result in skin disorders such as acne.

RESPIRATORY IRRITATION:

Based on data from components and similar materials, Inhalation of vapors or mists may cause irritation.

DERMAL TOXICITY:

Expected to be of low toxicity: LD50 > 5000 mg/kg, Rabbit

ORAL TOXICITY:

Expected to be of low toxicity: LD50 > 5000 mg/kg, Rat

INHALATION TOXICITY:

Based on data from components and similar materials, product is not considered to be an inhalation hazard under normal conditions of use.

SENSITIZATION:

Component concentrations in this formulation would not be expected to cause skin sensitization, based on tests of the components or similar formulations.

CRONIC EXPOSURE:**CHRONIC TOXICITY:**

No data available to indicate product or components present at greater than 1% are chronic health hazards.

CARCINOGENICITY:

Product contains mineral and/or synthetic oils shown to be noncarcinogenic in laboratory studies with the same or similar materials. Mineral and synthetic oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). Other components are not known to be associated with carcinogenic effects.

MUTAGENICITY:

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

REPRODUCTIVE TOXICITY:

No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.

TERATOGENICITY:

No data available to indicate either product or components present at greater than 0.1% that may cause birth defects.

ADDITIONAL INFORMATION:

No other health hazards known.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS:

Ecological Toxicity data has not been determined specifically for this product. The ecological toxicity hazard is based on an evaluation of data for the components or a similar material. This material is expected to be harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment.

ENVIRONMENTAL FATE

This material is not expected to be readily biodegradable. The biodegradability of this material is based on an evaluation of data for the components or a similar material. This product contains components which may be persistent in the environment.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Avoid disposal into waste water treatment facilities. Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements. This product, if discarded, is not considered a hazardous waste.



Gulf Super Duty Plus 10W-30 Diesel Engine Oil

SDS - Safety Data Sheet

14. TRANSPORTATION INFORMATION

PRODUCT LABEL: Gulf Super Duty Plus 10W-30
D.O.T SHIPPING: Not Regulated by DOT.
IMDG: This material is not classified as dangerous under IMDG regulations.
IATA: This material is not classified as dangerous under IATA regulations.
TRANSPORT CANADA: This material is not classified as dangerous under Transport Canada regulations.

15. REGULATORY INFORMATION

OSHA Hazard Communication Standard:
The classification of this material is based on OSHA HCS 2012 criteria.
United States inventory (TSCA): All components are listed or exempted.
Canada inventory: All components are listed or exempted.
Europe inventory: All components are listed or exempted.
Japan inventory (ENCS): All components are listed or exempted.
Australia inventory (AICS): All components are listed or exempted.
Korea inventory (KECI): All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Philippines inventory (PICCS): All components are listed or exempted.

16. OTHER INFORMATION

REASON FOR ISSUE: New
APPROVAL DATE: January 24, 2017
SUPERCEDES DATE.....: New
RTN NUMBER: 02235001

The data in this Material Safety Data Sheet relates only to the specific material designated herein.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Nu-Tier Brands, Inc. The data on this sheet are related only to the specific material designated herein. Nu-Tier Brands, Inc. assumes no legal responsibility for use or reliance upon these data.

END OF MSDS



**NOTICE - CITY OF NOVI
REQUEST FOR PROPOSALS**

**GENERATOR PREVENTIVE MAINTENANCE AND
REPAIR SERVICES**

The City of Novi will receive sealed proposals for **Generator Preventive Maintenance and Repair Services** according to the specifications of the City of Novi.

Sealed proposals will be received until **2:00 p.m.** prevailing Eastern Time, **Wednesday, May 28, 2025**, at which time proposals will be opened and read. Proposals shall be addressed as follows and delivered to:

**CITY OF NOVI
FINANCE DEPARTMENT**
45175 Ten Mile Rd.
Novi, MI 48375-3024

OUTSIDE OF MAILING ENVELOPES/PACKAGES MUST BE PLAINLY MARKED "**Generator Preventive Maintenance and Repair Services RFP**" AND MUST BEAR THE NAME OF THE PROPOSER.

The City reserves the right to accept any or all alternative proposals and award the contract to other than the lowest proposer, to waive any irregularities or informalities or both; to reject any or all proposals; and in general to make the award of the contract in any manner deemed by the City, in its sole discretion, to be in the best interest of the City of Novi.

Tracey Marzonie
Purchasing Manager

Notice dated: May 7, 2025

NOTICE TO PROPOSERS:

The City of Novi officially distributes RFP documents through the Michigan Intergovernmental Trade Network (MITN BidNet Direct). **Copies of RFP documents obtained from any other source are not considered official copies.** The City of Novi cannot guarantee the accuracy of any information not obtained from the MITN website and is not responsible for any errors contained by any information received from alternate sources. Only those contractors who obtain RFP documents from the MITN system are guaranteed access to receive addendum information, if such information is issued. If you obtained this document from a source other than the source indicated, it is recommended that you register on the MITN BidNet Direct site, www.bidnetdirect.com and obtain an official copy.

American Generators Sales & Service
6158 DeHeld Dr.
Waterford, MI 48329

5-22-25
1:11
Ryan Shaw

City of Novi Finance Dept.
45175 Ten Mile Rd.
Novi, MI 48375-3024

Generator Preventive Maintenance and Repair Services RFP
American Generators Sales & Service