

COMMUNITY DEVELOPMENT DEPARTMENT

45175 Ten Mile Road Novi, MI 48375 (248) 347-0415 Phone (248) 735-5600 Facsimile www.cityofnovi.org

ZONING BOARD OF APPEALS STAFF REPORT

FOR: City of Novi Zoning Board of Appeals

ZONING BOARD APPEALS DATE: August 14, 2018

REGARDING:47601 Grand River Ave, Parcel # 50-22-17-400-046 (PZ18-0027)**BY:**Larry Butler, Deputy Director Community Development

. GENERAL INFORMATION:

Applicant Araneae, Inc.

<u>Variance Type</u> Sign Variance

Property Characteristics

Zoning District:	0
Location:	W
Parcel #:	50

Office Service Commercial West of Beck Road and South of Grand River Avenue 50-22-17-400-046

<u>Request</u>

The applicant is requesting a variance from the City of Novi Code of Ordinance Section 28-5 to allow the installation of 19 additional wall and ground signs. Some of the additional signs exceed the allowed height and area limits. A wall sign and ground sign are allowed by right. The property is zoned Office Service Commercial (OSC).

II. STAFF COMMENTS:

III. RECOMMENDATION:

The Zoning Board of Appeals may take one of the following actions:

1.	Ι	move	that	we	<u>grant</u>	the	variance	in	Case	No.	PZ18-002	27, so	ught	by for
								_ b	ecause	Petitior	ner has	shown	prac	tical
	di	fficulty re	quiring								·			

(a) Without the variance Petitioner will be unreasonably prevented or limited with respect to use of the property because_____

(b) The property is unique because_____

(c) Petitioner did not create the condition because____

(d) The relief granted will not unreasonably interfere with adjacent or surrounding properties because_____

- (e) The relief if consistent with the spirit and intent of the ordinance because
- (f) The variance granted is subject to:

1	·
2	
3	·
4	

2. I move that we <u>deny</u> the variance in Case No. PZ18-0027, sought by _______, for_______, because Petitioner has not shown

practical difficulty requiring _____

(a) The circumstances and features of the property including______ are not unique because they exist generally throughout the City.

- (b) The circumstances and features of the property relating to the variance request are self-created because______
- (c) The failure to grant relief will result in mere inconvenience or inability to attain higher economic or financial return based on Petitioners statements that
- (d) The variance would result in interference with the adjacent and surrounding properties by_____.
- (e) Granting the variance would be inconsistent with the spirit and intent of the ordinance to_____

Should you have any further questions with regards to the matter please feel free to contact me at (248) 347-0417.

Larry Butler Deputy Director Community Development City of Novi



45175 Ten Mile Road Novi, MI 48375 (248) 347-0415 Phone (248) 735-5600 Facsimile www.cityofnovi.org

ZONING BOARD OF APPEALS APPLICATION

RECEIVED

JUN 28 2018

APPLICATION MUST BE FILLED OUT COMPLETELY

CITY OF NOVI COMMUNITY DEVELOPMENT

I. PROPERTY INFORMATION (Address of subject ZBA Co	se)	Application Fee: \$3	00,00
PROJECTNAME / SUBDIVISION ASCENSION HOSPITAL		1	1 mm
ADDRESS	LOT/SIUTE/SPACE #	Aeeting Date: Au	yust 19
47601 Grand River	tain from Assessing	BA Case #: PZ	5-0027
50-22 Departmen	nt (248) 347-0485	<u>4.</u>	
CROSS ROADS OF PROPERTY & Beck Rd			
			SIGNAGE
DOES YOUR APPEAL RESULT FROM A NOTICE OF VIOLATION OR CI	ITATION ISSUED?	s 🗌 no	
EMAIL ADDRESS		CELL PHONE NO.	
A. APPLICANT jCarroll Dara	neaegroup. LOM	248-521-021	8
NAME John Carroll	5	TELEPHONE NO. 248-344-8840	>
ORGANIZATION/COMPANY Araneae, Inc		FAX NO. 248 344 - 8841	
ADDRESS 28785 Haas Rd.	WIXOM	STATE MI	ZIP CODE 48393
B. PROPERTY OWNER CHECK HERE IF APPLICANT IS ALSO			
Identify the person or organization that EMAIL ADDRESS	2	CELL PHONE NO.	
owns the subject property: Margaret. Klobu	icar Dascension. org	TELEPHONE NO.	
Marancet Klobucar		248-849-58	385
ORGANIZATION/ COMPANY Ascension Providence Huspital	1	FAX NO.	
ADDRESS 16001 W. Nine Mile	Southfield	STATE	ZIP CODE 48075
III. ZONING INFORMATION			
		Л₩Н	
B. VARIANCE REQUESTED INDICATE ORDINANCE SECTION (S) AND VARIANCE REQUESTED:			
	5170 of purchas		
	JIZE + NUMber		
2. SectionVariance requested			
3. SectionVariance requested _			
4. SectionVariance requested _			
IV. FEES AND DRAWNINGS			
A. FEES	_		
□ Single Family Residential (Existing) \$200 □ (With Violat			
Multiple/Commercial/Industrial \$300 🛛 (With Violat	ion) \$400 🗌 Signs \$300	\Box (With Violation) \$4	100
	etings (At discretion of Bo	ard) \$600	
B. DRAWINGS 1-COPY & 1 DIGITAL COPY SUBMITTED / Dimensioned Drawings and Plans	 AS A PDF Existing & proposed 	distance to adjacent	property lines
Site/Plot Plan	 Location of existing 	& proposed signs, if a	
• Existing or proposed buildings or addition on the proper	ty • Floor plans & elevat	ions	
 Number & location of all on-site parking, if applicable 	 Any other information 	on relevant to the Var	iance application 1

101 ZBA Application Revised 10/14



ZONING BOARD OF APPEALS APPLICATION

V. VARIANCE

A. VARIANCE (S) REQUESTED

□ DIMENSIONAL □ USE There is a five-(5) hold period before work/action can be taken on variance approvals.

B. SIGN CASES (ONLY)

Your signature on this application indicates that you agree to install a Mock-Up Sign ten-(10) days before the schedule ZBA meeting. Failure to install a mock-up sign may result in your case not being heard by the Board, postponed to the next schedule ZBA meeting, or cancelled. A mock-up sign is NOT to be actual sign. Upon approval, the mock-up sign must be removed within five-(5) days of the meeting. If the case is denied, the applicant is responsible for all costs involved in the removal of the mock-up or actual sign (if erected under violation) within five-(5) days of the meeting.

C. ORDINANCE

City of Novi Ordinance, Section 3107 – Miscellaneous

No order of the Board permitting the erection of a building shall be valid for a period longer than one-(1) year, unless a building permit for such erection or alteration is obtained within such period and such erection or alteration is started and proceeds to completion in accordance with the terms of such permit.

No order of the Board permitting a use of a building or premises shall be valid for a period longer than one-hundred and eighty-(180) days unless such use is establish within such a period; provided, however, where such use permitted is dependent upon the erection or alteration or a building such order shall continue in force and effect if a building permit for such erection or alteration is obtained within one-(1) year and such erection or alteration is started and proceeds to completion in accordance with the terms of such permit.

D. APPEAL THE DETERMINATION OF THE BUILDING OFFICIAL

PLEASE TAKE NOTICE:

The undersigned hereby appeals the determination of the Building Official / Inspector or Ordinance made

CONSTRUCT NEW HOME/BUILDING		ON TO EXISTING HOME/BUILDING	🗆 signage	
ACCESSORY BUILDING	🗆 USE	OTHER		-
VI. APPLICANT & PROPERTY SIGNAT	JRES		1	
A. APPLICANT			1	
the teal			5/30/18	
Applicant Sanature			Date	_

PROPERTY OWNER Β.

If the applicant is not the owner, the property owner must read and sign below: The undersigned affirms and acknowledges that he, she or they are the owner(s) of the property described in this application, and is/are aware of the contents of this application and related enclosures.

see attached letter Property Owner Signature Date VII. FOR OFFICIAL USE ONLY DECISION ON APPEAL: GRANTED The Building Inspector is hereby directed to issue a permit to the Applicant upon the following and conditions: Chairperson, Zoning Board of Appeals Date



5/29/18

Architectural Graphics Incorporated (AGI) has been contracted by Ascension Health Resource and Supply Management Group LLC to provide exterior signage related services at the participant sites of Ascension. You have been identified as the property owner of the above referenced property which is the location of a participant site.

We request your assistance in providing approval to apply for Variance with the City of Novi:

- 1. Sign/date the Approval document; (digital signature is acceptable)
- 2. Return the Approval Document to AGI by scanned e-mail.

A copy of the approval document will be furnished to the permitting authority, documenting your consent.

As always, time is of the essence. We greatly appreciate your timely review and approval.

We appreciate your assistance with regard to this sign replacement process. Please contact the project manager, Christine Skinner, at 757-427-1900 Ext. 1319 or email at <u>cskinner@agisign.com</u> with any questions regarding the signage process.

I have reviewed the attached sign design documents and,

[X] I give approval for a Variance application to be submitted to the city of Novi.

ure Name (Print) Title Date

Regards,

Christine Skinner

Christine Skinner

Architectural Graphics Inc., 2655 International Parkway, Virginia Beach, VA 23452



Community Development Department 45175 Ten Mile Road Novi, MI 48375 (248) 347-0415 Phone (248) 735-5600 Facsimile www.cityofnovi.org

The Zoning Board of Appeals (ZBA) will review the application package and determine if the proposed Sign Variance meets the required standards for approval. In the space below, and on additional paper if necessary, explain how the proposed project meets each of the following standards. (Increased costs associated with complying with the Zoning Ordinance will not be considered a basis for granting a Sign Variance.)

Standard #1. Extraordinary Circumstances or Conditions.

Explain how the circumstances or physical conditions applying to the property that do not apply generally to other properties in the same Zone District or in the general vicinity. Circumstances or physical conditions may include:

a. Shape of Lot. A sign could not be placed in the location required by the Zoning Ordinance due to the shape, topography or other physical conditions of the lot or due to the location of an existing structure.

⊳ Hot	Applicable	🔲 Applicable
--------------	------------	--------------

If applicable, describe below:

and/or

b. Environmental Conditions. A sign could not be placed in the location required by the Zoning Ordinance without removing or severely altering natural features, such as trees, topography, drainage courses or encroaching upon stormwater facilities.

Not Applicable 🔲 Applicable

If applicable, describe below:

and/or

c. Abutting Property. A sign could not be reasonably seen by passing motorists due to the configuration of existing buildings, trees, signs or other obstructions on an abutting property.

Not Applicable

🗌 Applicable

If applicable, describe below:

d. Scale of Building or Lot Frontage. A sign that exceeds permitted dimensions for area and/or height could be considered appropriate in scale due to the length of the building frontage (wall sign only) or length of the lot frontage (ground sign only).

Not Applicable Applicable see a Hacked leffer

If applicable, describe below:

e. Not Self-Created. Describe the immediate practical difficulty causing the need for the Variance was not created by the applicant or any person having an interest in the sign, sign structure, or property. Not Applicable

If applicable, describe below:

Standard #2. Limit Use of Property.

Explain how the failure to grant relief will unreasonably prevent or limit the use of the property and will result in substantially more than mere inconvenience or inability to attain a higher economic or financial return.

see a Hached letter

Standard #3. Adverse Impact on Surrounding Area.

Explain how the Sign Variance will not result in a use or structure that is incompatible with or unreasonably interferes with adjacent or surrounding properties, will result in substantial justice being done to both the applicant and adjacent or surrounding properties, and is not inconsistent with the spirit and intent of this chapter.

see attached letter

Extraordinary Circumstances/Conditions

D. Ascension Hospital/Providence is seeking a number and size variance to install various directional/wayfinding signage throughout its Novi campus. Due to the massive size of the campus, and the numerous destination points around the campus, adequate signage (both number and size) is required to successfully direct the thousands of clients/patients/visitors/vendors that visit the campus each day.

In most cases, the proposed signage is smaller in size than the existing directional signage. The overall project will result in a net loss of sign number and size.

The hospital is also seeking a size variance for the large wall sign to be installed on the east wall facing Beck Road, replacing an existing sign. Due to the size of the building and the distance from the road and intersection, a larger sign is required for visibility/readability purposes.

Standard #2: Limit Use of Property

Failure to grant relief will not unreasonably prevent or limit the use of the property but will result in confusion and frustration on the part of our clients/patients, many of whom are elderly and/or ill, as well as affect the clear traffic flow in and around the property.

Standard #3: Adverse Impact on Surrounding Area

The proposed signage will not have an adverse impact on the surrounding area, as we are simply replacing existing signage. Also, the hospital is a vital institution in the community, serving all people, including the neighboring residents and businesses. The signage is required to adequately direct all visitors to the proper location within the campus in a timely manner.

Exterior Site Map



These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes © 2016 BrandActive International Inc. All rights reserved

Existing

Monolith		
1		
Public Facing		
None		
8'-0"		
5'-0"		
	Orthopaedics	
Replace		
	1 Public Facing None 8'-0"	1 Public Facing None 8'-0" 5'-0"



Context



Detail Side A

Make Good:

Recommended

TECHNICAL	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.20.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	6'-0"
W:	2'-9 ½"
OAH:	6'-6"
Comment:	Size 20 chosen for volume of copy.



Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes. © 2018 BrandActive International Inc. All rights reserved



Detail Side B

-



Existing

Sign Type: Quantity: Location: Illumination: Approx. Size:	Monolith 1 Public Facing None			
H:	8'-0"		the second se	the
W:	5'-0"		2/1 Part Barrier	11/1/100
OAH:			1 per ser and a ser and a ser a s	
HOG:				
Comment:			Contraction of the State of the	
Action:	Replace	Orthopaedics	Context	Detail Side A
Make Good:				

Recommended

TECHNICAL S	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.41.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	9'-4"
W:	3'-9"
OAH:	9'-10"
Comment:	41 size sign chosen to accommodate all messaging. Donor names to remain. Not all existing copy will fit on sign.



Recommended - Side A

Recommended - Side B

5'-0"

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes © 2016 BrandActive International Inc. All rights reserved





Detail Side B



Existing

Sign Type:	Monolith
Quantity:	1
Location:	Public Facing
Illumination:	None
Approx. Size:	
H:	8'-0"
W:	5'-0"
OAH:	
HOG:	
Comment:	
Action:	Replace



States.	
7/	
1.	***

Context



Detail Side A

TECHNICAL	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.20.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	6'-0"
W:	2'-9 1⁄2"
OAH:	6'-6"
Comment:	WF.20 allows for best spacing, other WF at this intersection are large so WF-20 feels more balanced.



Recommended - Side A


These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes 💿 2016 BrandActive International Inc. All rights reserved





Detail Side B

-




Existing

Make Good:

Sign Type:	Monolith
Quantity:	1
Location:	Public Facing
Illumination:	None
Approx. Size:	
H:	8'-0"
W:	5'-0"
OAH:	
HOG:	
Comment:	
Action:	Replace



Context



Detail Side A

Recommended TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING Wayfinding Sign Type: WF.41.NIL Sign Code: Quantity: 1 Base/Plinth Attachment: None Illumination: Approx. Size: 9'-4" H: 3'-9" W: 9'-10" OAH: 41 size sign chosen to accommodate all messaging. Donor names to Comment: remain.



Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes © 2016 BrandActive International Inc. All rights reserved

0



Detail Side B

-



Existing

Sign Type:	Monolith
Quantity:	1
Location:	Public Facing
Illumination:	None
Approx. Size:	
H:	8'-0"
W:	5'-0"
OAH:	
HOG:	
Comment:	
Action:	Replace

Wayfinding

WF.20.NIL

Base/Plinth

1

None

6'-0" 2'-9 ½"

6'-6"



Recommended

Sign Type:

Sign Code: Quantity:

Attachment:

Illumination: Approx. Size: H:

> W: OAH:

Comment:



Context



Detail Side A





These drawings are for the sole purpose of demonstrating design intentionly and are not intended for construction purposes 🕸 2016 BrandActive international Inc. All rights reserved

WF.20 allows for best spacing, other WF at this intersection are larger, so WF-20 feels more balanced.

TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING



Detail Side B



Existing

Sign Type:	No Existing	
Quantity:	N/A	
Location:	N/A	
Illumination:	N/A	
Approx. Size:		
H:	N/A	
W:	N/A	
OAH:	N/A	
HOG:	N/A	
Comment:	N/A	
Action:	Replace	

Wayfinding

WF.41.NIL

Base/Plinth

1

None

9'-4" 3'-9"

9'-10"

Make Good:

Recommended

Sign Type:

Sign Code:

Attachment: Illumination:

Approx. Size: H:

W:

OAH: Comment:

Quantity:



Context



Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes @ 2016 BrandActive International Inc. All rights reserved



Existing

Sign Type:	No Existing
Quantity:	N/A
Location:	N/A
Illumination:	N/A
Approx. Size:	
H:	N/A
W:	N/A
OAH:	N/A
HOG:	N/A
Comment:	N/A
Action:	Replace


Make Good:

Recommended

TECHNICAL	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.41.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	9'-4"
W:	3'-9"
OAH:	9'-10"
Comment:	



Context



Recommended - Side A



-

Existing

Sign Type:	Monolith	
Quantity:	1	
Location:	Public Facing	
Illuminatio	n: None	
Approx. Siz	ze:	
H:	8'-0"	
W:	5'-0"	
OAH:		
HOG:		
Comment:		
Action:	Replace	
		Move
Make Goo	d:	side A
		Idouble



Context



Detail Side A

e All copy slats A down one double panel



TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING			
Sign Type:	Wayfinding		
Sign Code:	WF-4-35		
Quantity:	1		
Attachment:	Base/Plinth		
Illumination:	Internal		
Approx. Size:			
H:	9'-6"		
W:	4'-8 15/16"		
OAH:	9'-6"		
Commont			






Recommended - Side A

Recommended


Trass drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes 🕸 2016 BrandActive International fic. All rights reserved





-

Sides



Existing

Sign Type:	Monolith		
Quantity:	1		
Location:	Public Facing		
Illumination:	None		
Approx. Size:			
H:	8'-0"		
W:	5'-0"		
OAH:			
HOG:			
Comment:			
Action:	Replace	Orthopaedics	
Make Good:			



Context



Detail Side A

Make Good:

23

Recommended

TECHNICAL	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.20.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	6'-0"
W:	2'-9 1⁄2"
OAH:	6'-6"
Comment:	Size 20 chosen for volume of copy.



Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes. S 2018 BrandActive international Inc. All rights reserved



Detail Side B



Existing

Sign Type:	Monolith	
Quantity:	1	
Location:	Public Facing	
Illumination:	None	
Approx. Size:		
H:	8'-0"	
W:	5'-0"	
OAH:		
HOG:		
Comment:		
Action:	Replace	Orthopaedics
Make Good:		




Context



Detail Side A

Recommended

TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING		
Sign Type:	Wayfinding	
Sign Code:	WF.41.NIL	
Quantity:	1	
Attachment:	Base/Plinth	
Illumination:	None	
Approx. Size:		
H:	9'-4"	
W:	3'-9"	
OAH:	9'-10"	
Comment:	41 size sign chosen to accommodate all messaging. Donor names to remain. Not all existing copy will fit on sign.	



Recommended - Side A

Recommended - Side B

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes. © 2016 BrandActive International Inc. All rights reserved



Detail Side B



Existing

Sign Type:	Monolith
Quantity:	1
Location:	Public Facing
Illumination:	None
Approx. Size:	
H:	5'-0"
W:	4'-0"
OAH:	
HOG:	
Comment:	
Action:	Replace

Wayfinding

WF.20.NIL

Base/Plinth

1

None

6'-0"

2'-9 1⁄2" 6'-6"



Recommended

Sign Type: Sign Code:

Quantity:

Attachment:

Illumination:

Approx. Size: H:

W:

OAH:

Comment:

Context



Detail Side A



Recommended - Side A

Recommended - Side B


This is not the primary or preferred entrance to the Outpatient Center. WF-20 for spacing and readability

TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING





Detail Side B



Existing

Sign Type:	Monolith	
Quantity:	1	
Location:	Public Facing	
Illumination:	None	
Approx. Size:		
H:	8'-0"	
W:	5'-0"	
OAH:		
HOG:		
Comment:		
		Orthopaedics
Action:	Replace	
Malua Casale		



Context

 Store

 Emergence

 Emergence

Detail Side A

Make Good:

Recommended

TECHNICAL	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.41.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	9'-4"
W:	3'-9"
OAH:	9'-10"
Comment:	



Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes © 2016 BrandActive International Inc. All rights reserved.





Detail Side B



Existing

Sign Type:	Monolith
Quantity:	1
Location:	Public Facing
Illumination:	None
Approx. Size:	
H:	8'-0"
W:	5'-0"
OAH:	
HOG:	
Comment:	
Action:	Replace

Make Good:

Recommende	
TECHNICAL	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.41.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	9'-4"
W:	3'-9"
OAH:	9'-10"
Comment:	41 size sign chosen to provide visual balance with other signs at this organization. Donor names to remain.



5'-0" ← HOSPITAL IN ← Visitor Parking ← Visitor Parking ← Visitor Parking corparia ristiture corpar

1

Context





Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes. © 2016 BrandActive International Inc. All rights reserved





Detail Side B



Existing

Sign Type:	No Existing
Quantity:	N/A
Location:	N/A
Illumination:	N/A
Approx. Size:	
H:	N/A
W:	N/A
OAH:	N/A
HOG:	N/A
Comment:	N/A
Action:	Add New

Make Good:

Recommended

TECHNICAL	SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING
Sign Type:	Wayfinding
Sign Code:	WF.41.NIL
Quantity:	1
Attachment:	Base/Plinth
Illumination:	None
Approx. Size:	
H:	9'-4"
W:	3'-9"
OAH:	9'-10"
Comment:	41 size sign chosen to provide visual balance with other signs at this organization. Donor names to remain.



Context



Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes © 2016 BrandActive International Inc. All rights reserved





Existing

Sign Type:	Monolith
Quantity:	1
Location:	Public Facing
Illumination:	None
Approx. Size:	
H:	8'-0"
W:	5'-0"
OAH:	
HOG:	
Comment:	
Action:	Replace

Wayfinding

WF.41.NIL

Base/Plinth

1

None

9'-4"

3'-9"

9'-10"

Make Good:

Recommended

Sign Type:

Sign Code:

Attachment:

Illumination:

Approx. Size: H:

W:

OAH:

Comment:


Quantity:



Context



Detail Side A



Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and ere not intended for construction purposes © 2016 BrandActive international Inc. All rights reserved

TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING



Detail Side B

Existing

Sign Type:	No Existing
Quantity:	N/A
Location:	N/A
Illumination:	N/A
Approx. Size:	
H:	N/A
W:	N/A
OAH:	N/A
HOG:	N/A
Comment:	N/A
Action:	Replace

Wayfinding WF.41.NIL

Base/Plinth

1

None

9'-4"

3'-9" 9'-10"

Make Good:

Recommended

Sign Type:

Sign Code: Quantity:

Attachment:

Illumination:

Approx. Size:

H: W:

OAH:

Comment:

7	38 B	æR.	C. KA
	set.		6 4
DR.			our cu
	and the second		

Context





These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes. © 2016 BrandActive International Inc. All rights reserved

"Hospital" used to direct to multiple main campus locations.

TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING





Existing

Make Good:

Recommended

Sign Type:

Sign Code: Quantity:

Attachment:

Illumination: Approx. Size:


> H: W:


OAH: Comment:

Sign Type:	Channel Letters
Quantity:	1
Location:	Main Entrance
Illumination:	Internal
Approx. Size:	
H:	11'-0"
W:	88'-1 ¼"
OAH:	
HOG:	108'-7"
Comment:	
Antion	Dealace
Action:	Replace



Context





Recommended - Side A

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes. © 2016 BrandActive International Inc. All rights reserved

TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING

Custom Channel Letters

CL.H.AH.W.48

Fasteners behind Internally Illuminated

Roof access available.

1

8'-9 1/4"

69'-3"





Mounting Detail

Existing

Sign Type:	Multi-Tenant Sign	
Quantity:	1	
Location:	Public Facing	
Illumination:	Internal	
Approx. Size:		
H:	14'-10"	
W:	8'-0"	
OAH:	15'-5"	Leasting ID encours
HOG:		Location ID spacing
Comment:		
Action:	Replace	






Detail Side A

Make Good:

Recommended

TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING		
Sign Type:	Small Monument	
Sign Code:	MON.47, GG	
Quantity:	1	
Attachment:	Base/Plinth	
Illumination:	Internal	
Approx. Size:		
H:	5'-8"	
W:	6'-6"	
OAH:	6'-9"	
Comment:	Code restricts sign to no more than 50 sq ft and 6' tall.	




Recommended - Side A

Recommended - Side B





Detail Side B



Existing

Sign Type:	No Existing
Quantity:	N/A
Location:	N/A
Illumination:	N/A
Approx. Size:	
H:	N/A
W:	N/A
OAH:	N/A
HOG:	N/A
Comment:	N/A
Action:	Replace





Context



Recommended - Side A

Recommended - Side B

These drawings are for the sole purpose of demonstrating design intent only and are not intended for construction purposes 🕸 2016 BrandActive International Inc. All rights reserved.

Recommended		
TECHNICAL SURVEY IS REQUIRED PRIOR TO SIGN MANUFACTURING		
Sign Type:	Post and Panel	
Sign Code:	PPN.9.BW.NIL	
Quantity:	1	
Attachment:	Other	
Illumination:	None	
Approx. Size:		
H:	3'-0"	
W:	3'-0"	
OAH:	5'-0"	
Comment:	Copy TBD by partner location (Staybridge).	



